




ASSESSMENT REPORT ON EXPLORATION ACTIVITIES, URBAN BARRY PROPERTY – MAY, JUNE, AUGUST 2016

16 07 514

GM 70045



Abby Peterson, P. Geo.
January 20th, 2017

Table of Contents

1. Introduction	4
2. Geographical Setting.....	5
2.1 Location, Access and Infrastructure.....	5
2.2 Climate, Topography and Vegetation	7
3. Property	8
3.1 Mineral Claims	8
TABLE 1. List of Claims at Urban Barry.....	8
3.2 Exploration Expenditures.....	9
3.3 History and Previous Exploration.....	10
4. Regional Geology	12
5. Property Geology	14
6. 2016 Exploration	15
6.1 Geophysics	16
6.1.1 VLF-EM	17
6.1.2 Beep Mat.....	18
6.2 Soil Sampling	19
May – June 2016	19
August 2016	20
6.3 Diamond Drilling	21
6.4 Field Mapping and Sampling.....	22
7. Analysis, Results and Discussion	23
7.1 Sample Analysis – Soils	23
June Submission.....	24
August Submission	24
7.2 Sample Analysis – Drill Core.....	25
7.3 Discussion of Results.....	25
8.0 References	27
9.0 STATEMENT OF QUALIFICATIONS.....	29
APPENDIX A.....	30
Figures.....	30
Figure 1. Claim Location Map – Quebec.....	31

Figure 2. Urban Barry Claims with landmarks and access.	32
Figure 3. Regional geology on and around the Urban Barry Property with structures.	33
Figure 5. Interpreted Magnetic and VLF anomalies, interpreted structures.	35
Figure 6. Beep-Mat survey transect locations.	36
Figure 7. May-June soil sample locations with anomalous Au, Ag and Cu values.	37
Figure 8. August soil sample locations with Anomalous Au, Ag and Cu values, map 1 of 3.	38
Figure 9. August soil sample locations with Anomalous Au, Ag and Cu values, map 2 of 3.	39
Figure 10. August soil sample locations with Anomalous Au, Ag and Cu values, map 3 of 3.	40
Figure 11. Soil sampling compilation with Au grade contouring.	41
Figure 12. Soil sampling compilation with Ag grade contouring.	42
Figure 14. Drill and Grab sample locations with Au, Ag and Cu values.	44
Figure 15. Geological Field Mapping – Lac Chanceux.	45
Appendix B.	46
Lab Results/Certificates.	46
Appendix C.	124
VLF-EM Results and Interpretations.	124
Appendix D.	143
Diamond Drill Hole Logs.	143
UB16-001.	144
UB16-002.	145
UB16-003.	146
UB16-004.	147
UB16-005.	148
UB16-006.	149
UB16-007.	150
UB16-008.	151
UB16-009.	152
UB16-010.	153
UB16-011/011A.	154
UB16-012.	155
UB16-013.	156
UB16-014.	157

1. Introduction

The following report discusses the exploration activities carried out on the Urban Barry and Lac Chanceux claims (Urban Barry Property), their results and associated recommendations. These activities were completed by Exploration Facilitation Unlimited Inc. (“EFU”) on behalf of Vorenius Metal Corp. (“Vorenius”) in May, June and August of 2016.

The Urban Barry Property is located approximately 120km east of the town of Lebel-sur-Quévillon which is in turn approximately 650km north of Montreal and 260km north east of Val-d’Or QC. The Property consists of two claim blocks: the main Urban-Barry claim block consisting of twenty (20) claims and three (3) additional claims on Lac Chanceux, approximately 6km south of the main block. The claims are centered on 5,437,088mN and 468,237mE (zone 18T) and are located on NTS sheet 32G03. The Urban Barry property falls under the municipality of Eeyou-Istchee James Bay and as such, is subject to the various agreements associated with this municipality.

In early 2016, EFU was tasked with reviewing all the available data for the Urban Barry property, analyzing previous results and interpretations and recommending appropriate exploration work for moving the claims forward. Previous exploration activities in the area have been limited and the currently available data consists mainly of geophysical surveys and some geological mapping (where outcropping is available). Several known structures cross the property, including the large-scale Urban Deformation Zone, which cuts across the center of the main claim block in a roughly NNE-SSW direction. The geophysical data also shows several strong magnetic anomalies cutting across both the top and bottom of the main claim block, as well as through two of the three Lac Chanceux claims. For this reason, top priority was given to these areas during the exploration programs. From May 16th to June 15th 2016, field crews

completed 89.3 line km of Beep Mat grid, 57.6 line kilometers of VLF-EM/Mag, collected 244 soil samples and completed 15 diamond drill holes.

A second crew revisited the Urban Barry property from August 10th to 17th 2016 to conduct additional soil sampling after initial soil assay results returned several anomalous values. Due to the sparse amount of data, contouring was impossible to do with confidence, thus, crews completed tightly-spaced soil sampling in areas with previously identified anomalies. In total, they collected an additional 282 soil samples.

2. Geographical Setting

2.1 Location, Access and Infrastructure

The Urban-Barry Project is located mid-way between the Val-d'Or and Chibougamau mining camps. The main claim block falls within Belmont Township, while the Lac Chanceux claims are in Lacroix Township. The entire property can be located on National Topographic System (NTS) sheet 32G03 with a central reference point located at 49.085827° latitude and -75.435010° longitude and 5,437,088mN; 468,237mE UTM NAD 83 Zone 18T. Figure 1 shows the location of the claims on a small regional scale while figure 2 shows the claims on a larger local scale with township lines and roads as references.

The Urban Barry property is in Northwestern Quebec, approximately 675km NNE of the city of Montreal, 275km north-east of Val d'Or and 120km east of Lebel-sur-Quévillon. The property is accessed via a series of maintained and unmaintained gravel logging/mining roads starting at the city of Lebel-sur-Quévillon. The main claim block at Urban Barry is composed of twenty (20) contiguous claims totaling 1127.44 hectares with an additional 169.23 hectares covering three (3) claims at Lac Chanceux.

The property can be accessed year-round by truck, ATV/snowmobile and foot. Lebel-sur-Quévillon lies within 4km of highway 113; approximately 125km north of the Transcanadian highway linking Montreal to Val-d'Or (highway 117). From Lebel-sur-Quévillon, the property is accessed by driving 11km on the very well maintained road out of Lebel (#1000), then driving 67km on the 5000 before turning onto the 6000. From here it's approximately 50-60km before turning onto an unmaintained logging road. The claim boundary is 7-8km down this unmaintained logging road. This access point to the property is where EFU built their base camp for the duration of the exploration activities. The camp consisted of a mess/dining tent and a dry tent. Individuals slept in 4-6 man tents. Access to the east side of the main claim block can be gained from Chibougamau or Chapais, however once off the main highway, the forestry roads are ill-maintained and mostly impassable. The main block is cut in half by the Saint-Cyr River. In order to cross this river in the summer, a raft was constructed, capable of carrying people and ATVs safely across. This allowed crews to work on the eastern portion of the claim block and access the Lac Chanceux claims. The three Lac Chanceux claims are approximately 6km south of the main block and are accessed from the main claim block via logging roads that are in good condition.

From Val-d'Or it is an approximately 4-hour drive to the Urban Barry base camp. In turn, Val-d'Or is a 6-hour drive (or a 75-minute flight) from Montreal, 526km to the south-east. Air Canada offers daily service between Montreal and Val-d'Or using its fleet of Dash-8 aircraft. Val-d'Or is a well-serviced city with a population of approximately 32,000 people and amenities that include numerous hotels and restaurants as well as equipment rental companies. Groceries, equipment and supplies can be purchased at any number of stores in Val d'Or, and is a good place to pick up a big order of food and supplies before heading to Urban Barry. Lebel-sur-Quévillon also has several restaurants in addition to grocery and supply stores, however the town is much smaller and selections can be limited. The town does however provide an excellent place to pick up small items in between orders and to access the internet as needed. The Urban-Barry base camp falls outside cell phone range making daily communications for safety check-ins and ordering supplies

sometimes challenging. A satellite phone was the only means of communication while on site and call quality was often poor. Cell phone service picks up again just outside the town of Lebel.

Due to a good portion of the property overlying swamp, fieldwork in these areas is best completed while the ground is frozen. The rest of the property can be accessed and explored year-round on foot with access by foot or ATV via logging roads.

2.2 Climate, Topography and Vegetation

The Urban-Barry region experiences a continental to borderline subarctic climate. Winters are relatively cold with an average daily temperature ranging from -4.0°C to -17.7°C and an average minimum temperature of -23.4°C in January. Summers are warm with average daily temperatures of 14.2°C to 17.1°C and an average daily maximum of 23.1°C in July. Precipitation ranges from an average of 29.6mm in February to 122.9mm in July (Climate Canada website).

Topography on the Urban-Barry property is typical of the Canadian Shield. The area is relatively flat and low-lying with very few hills, ridges or other increases in elevation (max. 50m). Because of this, the area is poorly drained and consists of a large proportion of swamps and muskegs. The Urban-Barry property's main claim block is bisected by the St-Cyr River. All waters in the area eventually drain into James Bay by way of the Opawica, Waswanipi and Mégiscane Rivers (Joly, 1990). Vegetation consists predominantly of conifers (Spruce, Pine and Fir) with minor deciduous species (Birch, Aspen and Poplar). Most of the unmaintained logging roads are overgrown with Alders.

Significant overburden at Urban-Barry has been the main limiting factor to exploration in the past. Depth can range from 0-60m in thickness and average over 25m. Due to the low-lying relief and the thickness of overburden, there is very little outcropping on the property, which tends to only be found in the few areas where topographic relief is present.

3. Property

3.1 Mineral Claims

The property consists of two claim blocks totaling 1,296.67 hectares: the main Urban-Barry block and the Lac Chanceux claims. The main block is composed of twenty (20) contiguous claims totaling 1127.44 hectares. The Lac Chanceux claims comprise three (3) contiguous claims totaling 169.23 hectares. Aldever acquired a 100% interest in the Urban Barry Gold Project in November 2015 when they entered into an agreement with Urania Resource Corp. The agreement included the issuance of 3.5 million shares, a \$250,000 payment and by incurring \$1M in qualifying exploration expenditures over a five-year period. In December 2015, Aldever acquired a 100% interest in the Lac Chanceux gold claims by entering into an agreement with Garmin Metals and Mining Corp. The agreement included the issuing of 300,000 common shares, a \$50,000 payment and by incurring \$200,000 in qualifying exploration expenditures over a five-year term. The claims can be found listed in Table 1 below and their locations are plotted in Figure 2.

TABLE 1. List of Claims at Urban Barry

CLAIM #	OWNERSHIP	AREA (HA)	ACQUIRED	EXPIRES
CDC 2431748	Vorenus Metal Corp.	56.39	07/31/2015	07/30/2017
CDC 2431749	Vorenus Metal Corp.	56.39	07/31/2015	07/30/2017
CDC 2431750	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2017
CDC 2431751	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2017
CDC 2431752	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2017
CDC 2431753	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2017
CDC 2431754	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2017
CDC 2431755	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2017
CDC 2431756	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2017

CDC 2431757	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2017
CDC 2431758	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2017
CDC 2431759	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2017
CDC 2431760	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2017
CDC 2431761	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2017
CDC 2431762	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2017
CDC 2431763	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2017
CDC 2431764	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2017
CDC 2431765	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2017
CDC 2431766	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2017
CDC 2431767	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2017
CDC 2431633	Vorenus Metal Corp.	56.41	07/29/2015	07/28/2017
CDC 2431634	Vorenus Metal Corp.	56.41	07/29/2015	07/28/2017
CDC 2431635	Vorenus Metal Corp.	56.41	07/29/2015	07/28/2017

Total: 1,296.67

3.2 Exploration Expenditures

Expenditure Type	Expenditure Amount (CAD\$)
Travel and Lodging	16,776
Food and Perishable Supplies	14,165
Fuel	4,105
Rentals:	
<i>Radio and Satellite Telephone</i>	1,172
<i>ATV</i>	8,501
<i>Truck</i>	5,455
<i>Beep Mat</i>	2,000
<i>Geophysical VLF/EM and Magnetometer</i>	8,400
Drill Rentals	5,362
Geophysical surveys	130,095
Soil sampling surveys	80,127
Geological surveying and sampling	1,490

Assays	27,261
Data processing	4,249
Geophysical Interpretation	6,278
Report	8,000
Total	323,436

3.3 History and Previous Exploration

Historically, the claims that make up the Urban Barry property have been underexplored. However, the region surrounding the property contains numerous showings and deposits, providing ample evidence of potential in the area. Since the 1994 discovery of the Barry deposit by Murgor Resources, exploration efforts in the area have dramatically increased, resulting in the discovery of multiple deposits and showings, including: The Windfall Lake deposit, the Nubar deposit, the Belmont showing and the Lac Chanceux Nord Cu showing. The bulk of the historical work involves large-scale geological and geophysical surveys that included parts or all of the claims within their scope.

The earliest reports related to work completed on the Urban-Barry claims consists of large-scale geological investigations undertaken by B.C. Freeman (RP142A) and R.L. Milner (RG014A) for the Province of Québec's Department of Mines in 1939. Before this, most of the territory had been either unmapped, or had been the subject of reconnaissance exploration. The discovery of massive sulfides carrying low anomalous gold values as well as the discover of free gold in quartz veins prompted an interest in the Buteux region of the Abitibi (Freeman, 1939). Milner's work (geological mapping) covered the entire claim block westward towards Lac Windfall and Lac Barry, whereas Freeman's territory (investigating mineral indices and a geological survey) extended east from the western edge of Lac Chanceux, covering Lac Hébert eastward past the Pascagama River into Marceau Township. Both noted that outcropping was scarce and mostly concentrated along ridges and hills adjacent to rivers and lakes. Report RP143(A) mentions a trench located on the north-western shore of Lac Chanceux (just west of our claim boundary) that measures 100 feet in length and cross-cuts lithological contacts. Rock outcropping 30 feet

to the south of the trench was mapped as Andesite with fine disseminated Pyrite. The trench intersected tuff and talc-schist with quartz veining and localized carbonization but returned no significant assay values.

The next reported works involved a massive airborne EM survey conducted by Shell Canada in 1977 (R.J. de Carle, 1977). Questor Surveys Ltd. Flew 1,524 line kilometers using a Trislander C-GOXZ at 400 feet with the bird at 150 feet and 200m line spacing. A follow-up was conducted in 1977 (Côté, 1977) where VLF and geological mapping was completed on all conductors identified from the airborne EM. From the maps, it appears that while claims from the Urban-Barry property were included, nothing of note was followed-up on.

The government of Quebec was the next entity to commission geophysical work over the area (Gobeil, 1983). In 1981, Questor Surveys Ltd. flew an EM survey over the Marin-Barry region, with data compiled by Les Relevés Géophysiques Inc. The data was transposed over aerial photographs taken in 1967 and 1971 at a 1:40,000 scale. The entire NTS sheet 32G03 was among the territory covered. The survey identified numerous anomalies east and west of Lac Chanceux and all along the Urban Deformation Zone.

For several years, a portion of the Urban-Barry claims were included in the Eagle River Property, a joint venture project between Les Ressources Oasis and Mines Maseguay Inc. They completed geophysical surveys in both 1987 (McCurdy, 1987) and 1988 (McCurdy, 1988) before doing follow-up work in 1989 (Richer, 1989) that included geological mapping and sampling.

The Ministère de l'Énergie et des Ressources conducted an aeromagnetic survey in 1988 (DV 88-06). The survey was flown at a height of 125m with a 200m line spacing. This survey covers all the Urban-Barry claims. In 1990, the MER commissioned a team to conduct geological mapping of the area around Lac Aux Loutres and Lac Lacroix, in the western end of the UBGB using helicopters and canoes. Their objectives were to define the lithostratigraphic units,

elaborate on the structural analyses and to investigate mineral showings (Joly, 1990). Their findings are in report MB 90-42.

The claims then became incorporated into Aur Resources' Belmont Property, which was the subject of a helicopter-borne Mag, EM and VLF-EM survey in 1997 with follow-up work completed later that year. An IP survey was completed on parts of the Belmont Property in 1998 (Plante, 1998), two lines of which fall of the current Lac Chanceux claims that make up the Urban-Barry property.

Murgor Resources then picked up the claims, conducting their own helicopter-borne EM survey in 2004. At this point the claims once again fell under the Eagle River Property. Several additional programs were conducted on the claims, including: Helicopter-borne VTEM in 2004, resistivity and IP surveys at Lac Chanceux in 2005, regional-scale prospecting in 2008 and horizontal loop EM that covers parts of the claims conducted by Murgor Resources.

It appears that from 2005-2006 until present, the Urban-Barry claims have not been part of any regional exploration efforts by any companies or individuals.

4. Regional Geology

Regional Geology taken from (McLaughlin et al., 2015) and (Rhéaume et Bandyayera, 2006):

The Urban Barry property lies within the Urban-Barry Greenstone Belt which is in the eastern part of the Abitibi sub-province. The greenstone belt has an east-west extent of roughly 135km and varies in width from 4 to 20km. It is bounded to the north by the Urban Deformation Zone, to the east by the Grenville Front, to the south by granitoid rocks of the Barry complex and to the west by the granitoid rocks of the Souart Pluton. The Urban Deformation Zone is a major east-trending Archean shear zone that separates the Urban-Barry Greenstone Belt from the

granitoid rocks of the Hébert and Father Plutons. The Grenville Front is a major Proterozoic discontinuity that truncates Archean rocks in a north-northeast direction.

The Urban-Barry Greenstone Belt (UBGB) is subdivided into five rock formations, interpreted to have formed between 2,791 and 2,707 Ma: The Urban, Macho, Fecteau, Lacroix and Chanceux. All five formations are imbricated and separated by thrust faults with oblique movement. The Fecteau Formation is the oldest in the Urban Barry Greenstone Belt. The Urban Formation is located at the base of the stratigraphy and consists of massive or pillowed Tholeiitic basalt, gabbro sills and felsic volcanic rock. The Macho Formation consists of massive or pillowed basalt units interbedded with felsic volcanic units. It also contains massive gabbro units and metasedimentary sequences composed of wacke, mudstone and conglomerate. Volcanic rocks of the Macho Formation, including rocks of the Windfall Member, are cut by a series of quartz and/or feldspar porphyry dykes. Samples taken from the Barry Gold Deposit dated these dykes at $2,697 \pm 0.6$ Ma. The contact between the Urban and Macho Formations is marked by the Milner Shear Zone in the western part of the UBGB, and by the southern limit of the Urban Deformation Zone in the eastern part of the UBGB. The Romeo Formation is composed of clastic metasedimentary rocks that locally contain metamorphic layering. It is located north of the Urban Formation, and its contact with the Urban Formation is marked by the northern limit of the Urban Deformation Zone. Rocks of the UBGB were deformed during the 2,710 to 2,660 Ma Kenoran orogeny. The regional foliation generally strikes northeast to east-northeast with a variable dip from 30 to 85° to the southeast. The regional foliation is associated with a stretching lineation that plunges steeply to moderately to the east. Associated regional folds are generally isoclinal with steeply plunging axes, although Bandyayera et al. (2002) interpreted a shallowly-plunging regional-scale syncline south of the Windfall Member (named Urban Syncline). A series of east-northeast-trending shear zones characterized by strongly developed foliation occur in the UBGB and include the Milner, Masères, Saint-Cyr and Barry Shear Zones. As you approach the Urban Deformation Zone (UDZ) in the northern part of the belt, stratigraphic contacts, regional foliation and spaced cleavage become re-oriented in a predominantly east-west direction, paralleling the UDZ.

A set of north-northeast-trending brittle faults associated with slickenlines that are moderately plunging to the northeast crosscut all other structures. Such faults are likely related to the Grenville Front and include the Thubière, Croft, Picquet, Father, Roméo and Windfall faults. Rocks of the UBGB are generally metamorphosed to greenschist facies, although near intrusions, conditions locally reached amphibolite assemblages. The regional metamorphic temperature-pressure gradient generally increases eastward towards the Grenville Front.

5. Property Geology

The limited amount of historical work completed on the Urban Barry claims, coupled with the lack of surface outcropping and deep overburden depths means the bulk of the interpreted property-scale geology has been derived from surface and sub-surface work completed on adjacent properties within the UBGB. The property-scale geology at Urban Barry consists of three main Formations (per the Quebec Government's website, SIGEOM): Urban, Macho and Chanceux. Structurally, the main property is cut by several regional-scale faults (Saint-Cyr, Milner and Rouleau) as well as a regional-scale shear zone: The Urban Deformation Zone. The Barry Fault cuts across the top North-West corner of the Lac Chanceux claim block before paralleling the claim boundary.

The rocks of the Chanceux Formation (2727 Ma) are associated with the first cycle of volcanism in the area that cover the basal Fecteau Formation (2791 Ma) (Rhéaume et Bandyayera, 2006). The Chanceux Formation rocks are interstratified intermediate to felsic volcanic rocks and epiclastic sedimentary rocks that characterise the end of the first volcanic cycle of the Urban-Barry. Rocks in this formation consist primarily of tholeiitic basalts, rhyodacitic or rhyolitic tuffs of calc-alkaline to transitional composition as thin beds with interstratified greywacke and graphitic argillites, intermediate tuffs and synvolcanic gabbros. The Chanceux Formation also includes the rocks bounded by the Barry, Milner and Saint-Cyr Faults, and are mainly composed

of greywackes (sometimes magnetite-rich), mudstones and tuffs. The greywackes are quite abundant between the Barry and Saint-Cyr Faults, as well as to the south of Lac Chanceux, and due to their chemical composition, very likely represent the results of the erosion of the Chanceux Formation volcanics.

The Macho Formation refers specifically to a group of predominantly mafic volcanic rocks bounded by the Milner and St-Cyr Faults. These rocks formed 2718 Ma during the UBGB's second cycle of volcanism and are divided into two distinct lithostratigraphic units: The Windfall Member and the Rouleau Member. The Macho Formation consists mainly of basalts, andesites and andesitic basalts of transitional island arc settings. It also contains minor amounts of tholeiitic seafloor basalts and synvolcanic gabbros.

The Urban Formation (2707 to 2714 Ma) is the largest of the formations belonging to the UBGB, extending for over 125km from Lac Wilson to Lac Roy (Rhéaume et Bandyayera, 2006). The bulk of the Urban Formation consists of tholeiitic basalts with minor amounts of synvolcanic gabbros, felsic volcanics and sediments. The Urban Formation is a sequence of young effusive rocks with two important felsic centers within the formation: the Novellet Member (2714 Ma) and the Freeman Member (2707 Ma). The Urban Formation represents the third, and last, cycle of volcanism for the UBGB.

Property-scale geology and structures, as per the SIGEOM interactive website, can be found in Figure 3.

6. 2016 Exploration

In early 2016, Exploration Facilitation Unlimited Inc. was asked to complete a compilation of all data related to the Urban Barry and Lac Chanceux claims, including data from adjacent properties with known mineralization. Based on interpretations and previous works, EFU was

then to recommend an exploration program that would properly assess the potential of the Urban Barry property. Based on the available data from a variety of sources, including government websites, a four-week program consisting of ground geophysics, prospecting and soil sampling was proposed. A quick one-day reconnaissance trip was conducted by J. Rensby of EFU on February 18th, 2016 to assess access and ground conditions. It was determined that access to the western portion of the main claim block could not be done from the main highway due to poor access, and all recommendations for work were based on time necessary to travel from the eastern portion of the main block, especially where the Lac Chanceux claims were concerned. Satellite imagery was used to attempt to determine where historic logging roads could still exist, not only providing access but also possible locations for visible soil profiles and outcropping. The main challenge for accessing the eastern portion of the main claim block as well as the Lac Chanceux claims is the Saint-Cyr River, which cuts the main claim block in two from SE to NW. Ground truthing showed that no dry crossing existed within, or in proximity to, the claims, so a raft was constructed to ferry people and equipment across the river at its narrowest point on the property. Between May 16th and June 15th 2016, 57.6 line kilometers of VLF-EM/Mag, 89.3 line km of Beep Mat, 244 soil samples, 2 grab samples and 15 small-diameter diamond drill holes were completed. A second soil sampling program was completed between August 10th and 17th 2016 when an additional 282 samples were collected.

6.1 Geophysics

As evidenced by the list of historical works conducted on various sections of the property, a fair amount of ground and airborne geophysics have been completed over the years. The Aeromag survey flown by the government in the late 1980's can be accessed on the Ministère de l'Énergie et des Ressources Naturelles' interactive SIGEOM page (www.sigeom.mines.gouv.qc.ca). The Aeromag data shows several interesting features, the most obvious of which is the wide, anomalous mag zone that parallels the entire length of the Urban Deformation Zone/Milner Fault that cuts across the center of the main claim block.

There are also anomalous mag zones stretching across the bottom of the main claim block as well as within two of the three Lac Chanceux claims. In addition, There is an anomalous mag zone stretching between the Milner and Rouleau Faults that potentially represents a zone of dilation. Other than two lines of IP completed on the Lac Chanceux claims, no ground-based geophysics have been completed on the property. Ground-based geophysics can be a very cost-effective means of first pass exploration, especially in areas of poor outcropping and deep overburden such as the Urban Barry. With that in mind, a geophysics program was recommended, utilizing both VLF-EM in conjunction with MAG as well as Beep Mat. From May 16th to June 15th, crews completed 89.3 line km of Beep Mat grid and 57.6 line kilometers of Mag and VLF-EM.

6.1.1 VLF-EM

As previously stated, overburden thicknesses on the property vary from 0m to 60m with, on average, 25m of cover and less than 5% outcrop exposure throughout the claims. Due to the thick overburden and general lack of bedrock exposure on the property it was determined that VLF-EM would be an excellent tool to assist with mapping stratigraphy, structure and potential mineralization, particularly when run in conjunction with the ground mag survey. Since the Urban Deformation Zone (UDZ) runs East – West and all other structures run SW – NE, VLF-EM and Mag surveys were completed from North to South at 200m line spacing and 12.5m in between stations with VLF-EM readings taken immediately after the magnetic readings. In total, 57.6 line kilometers of VLF-EM were completed using a GSM-19V Overhauser magnetometer, built by GEM of Toronto, Canada. The GSM-19 Overhauser is essentially a proton magnetometer, but the Overhauser effect increases its sensitivity to 0.01 nanoTesla and its precision to 0.1 nT. The VLF-EM module can simultaneously measure the signal from three stations. With three orthogonal sensors, the vertical in-phase and out-of-phase components are measured as % of the total field; the total field is measured in picoTesla and horizontal field component in arbitrary scale. The VLF station NAA 24.0 kHz, located in Cutler, Maine provided the signal for the measurements. The VLF-EM data was sent to MBGeosolutions, where Jean

Hubert, a geophysicist professionally registered in the Province of Québec, analyzed the data as required by law. The processed data indicated two different domains (likely differentiating between more mafic and more felsic units) as well as four electromagnetic anomalies, one of which coincides with a magnetic anomaly. The location of the VLF-EM and Mag transects can be found in Figure 4 while the interpreted anomalies can be found in Figure 5. The complete set of results of this analysis and the accompanying report from MBGeosolutions can be found in Appendix C.

6.1.2 Beep Mat

Beep Mat surveys are considered a cost-efficient means of identifying near-surface EM anomalies. One major limitation to the Beep Mat survey is the depth to which it is effective. Even though it generally penetrates no further than 3m, it is nonetheless a very important tool in preliminary exploration efforts. The Beep Mat is mounted on a small sled that is then pulled behind a person/ATV/snowmobile during the surveying process while a built-in GPS monitors position. The sled-like design of the unit can cause issues when surveying in the warmer months as the apparatus can easily get caught in thick ground cover or brush. The survey detects the magnetic susceptibility and relative EM conductivity of the underlying substrate to a maximum depth of approximately 3m (10 feet). The response of the machine to a conductor it passes over is instantaneous and proportional to the strength of the conductor, meaning one can immediately follow up on, and quickly define, an anomalous region without having to strictly adhere to planned survey lines.

The proposed Beep Mat survey was initially planned to cover all the claims at 200m line spacing in both N-S and E-W directions. Line spacing was tightened to 100m in areas with previously identified aeromagnetic anomalies for a planned total of 203km of Beep Mat. Unfortunately, due to time constraints, a large portion of the planned Beep Mat survey lines were not completed. However, data was collected in targeted areas, notably along the UDZ and across known Aeromag anomalies. In total, 89.3 line km of Beep Mat were completed, with survey

locations and results available in Figure 6. Location of survey lines was tracked using handheld GPS units in addition to the units built into the Beep Mat tools.

Over the course of the Beep Mat survey, sixty-one (61) locations returned anomalous HFR, LFR and/or Mag readings, most of which were boulders representing point anomalies rather than broader anomalous zones. Several of these Beep Mat anomalies were subsequently investigated using the Shaw backpack drills, and these results can be found discussed below in section 6.3.

6.2 Soil Sampling

Soil sampling is often viewed as a cost-effective manner of quickly finding metal-in-soil anomalies. Contouring of these anomalies can then be compared to geophysical anomalies as a means of identifying potential targets. In an area with very little topographic relief and few outcrops, contouring of soil anomalies could be a valuable key in discovering potential new deposits.

Soil sampling at Urban Barry was completed in two programs: An initial program with a 200x200m grid and a follow-up program to tighten spacing in areas with numerous anomalous results. The first phase of sampling was completed between May 16th and June 16th 2016, while the second phase of sampling was completed between August 10th and 17th 2016.

May – June 2016

The preliminary soil sampling program proposed for the Urban Barry property consisted of a 200m x 200m grid for a total of 325 planned samples covering the entire main claim block as well as all three Lac Chanceux claims. In total, field crews collected 244 soil samples at depths ranging from 0.15m to 3.09m with an average of 0.80m. The samples were collected from

sections of the main claim block and a small section of the westernmost Lac Chanceux claim. A GPS location and sample depth was recorded for each individual sample as well as a brief description of the sampled soil horizon. The bulk of the samples were collected from layers of sand of varying coarseness with silt and pebbles or cobbles. The depth to soil determined the which method was used for sample collection; shallower samples were collected using a stainless-steel soil auger and stainless steel tools to avoid contamination while deeper samples covered with thick moss were collected using the Shaw backpack drills. The backpack drills use stainless steel parts as well as plastic sample tubes to collect the soils in-situ and maintain the integrity of the sample while avoiding contamination. Numerous samples from the proposed grid were not collected due to thick moss cover in swamps. Tight time constraints as well as difficult access resulted in the bulk of the Lac Chanceux claims being skipped during the sampling process as well. Once collected, samples were dried and shipped to ALS Laboratories in Val d'Or for analysis. See Figure 7 for the sample locations and best results from the May-June sampling program.

August 2016

The results of the first phase of soil sampling completed in May and June of 2016 identified several areas of interest with anomalous values of either Au, Ag or Cu. The north-west corner of the main claim block returned numerous anomalous Ag assays while several samples in the center of the main claim block adjacent to the Saint-Cyr River returned anomalous Au values. Due to the wide sample spacing, grade contouring was difficult and imprecise. For this reason, a second soil sampling program was planned and executed in August 2016. In the second program, line and sample spacing was tightened to 25-50m with a total of 282 additional samples collected. The additional samples on the Ag grid were taken at 50m intervals and the additional samples for the Au grid were taken at 25-50m intervals. These samples were collected using the Shaw backpack drills. Sampling on the smaller grids (Au, Ag and Cu) throughout the claim block were also on 25-50m spacing and were collected using soil augers. Samples were collected from silty sand horizons at depths ranging from 0.15m to 4.00m and an

average of 1.10m. Figures 8, 9 and 10 show the sample locations and best results for the in-fill soil sampling program completed in August. Figures 11, 12 and 13 show the results of the soil sampling programs with grade contouring for Au (Figure 11), Ag (Figure 12) and Cu (Figure 13). See section 7 for discussion of analysis and results.

The method used to contour the soil assay data ($n=537$) in ArcGIS Spatial Analyst was inverse distance weighted (IDW) interpolation. With this method, the interpolation algorithm estimates cell values by weighting sample data points in the neighborhood of each processing cell. IDW uses the assumption that each measured point has a local influence that diminishes with distance. The following IDW parameters were used to generate the contour maps:

1. Output cell size = 5m
2. Search radius = Variable
3. Search radius number of points = 12

Soil sample contour rasters were then classified into nine classes using the Jenks' Natural Breaks algorithm. Natural breaks classification is a cartographic data classification method that partitions data into classes based on natural groups in the data distribution. This method aims to reduce the variance within classes and maximize variance between classes.

6.3 Diamond Drilling

During the initial May – June 2016 exploration program, small-diameter diamond drilling was completed using a Shaw backpack drill producing 25mm diameter core. The backpack drill is a great tool for investigating shallow anomalies as it is very cost- and time-effective. The drilling was used to follow up on Beep Mat conductors with elevated HFR and MAG values. Since Beep Mat conductors are within 3m of surface, and backpack drills can reliably drill to 8-10m depth, the drills were an efficient way of immediately verifying conductors and magnetic anomalies. All drill holes were logged, geoteched, photographed and sampled by geologists in the field. A map showing drill hole locations and assay values of note can be found in Figure 14.

A total of Fifteen (15) drill holes were completed for 12.92m of drilling consisting of 0.38m of overburden and 12.54m of bedrock. Drill hole locations can be found in Figure 14 in Appendix A. Eleven (11) of the holes were drilled into suspected boulders and subsequently stopped when the holes intersected soil. Three (3) of the holes were drilled into bedrock and stopped when the intensity of the fabric, alteration or mineralization of interest disappeared. One hole, UB16-011, was drilled in two parts, UB16-011 and UB16-011a, but sampled as one single hole. In total, sixteen (16) samples were collected and sent to ALS Laboratories in Val d'Or for analysis. The results of these samples are discussed below in section 7 and available in Appendix B.

Four (4) of the drill holes intersected boulders of chert-rich iron formation with up to 10% Pyrite, minor Chalcopyrite and trace disseminated Magnetite. Three (3) holes intersected boulders of granodiorite with trace amounts of disseminated Magnetite and fine grained Pyrite along vein margins. Holes also intercepted boulders of Quartz veining (1), Syenite (1) and Mafic Volcanic (1). Two (2) of the three holes drilled into outcropping, UB16-013 and UB16-014 intersected fine grained basalts with varying amounts of fine grained disseminated Pyrite and fine to medium grained disseminated Magnetite. The basalts were massive to vesicular with chloritic alteration and quartz-ankerite stringers. The third hole drilled into outcropping, UB16-012, intersected Phyllite with 3% quartz veining and 2% Pyrite. The final hole intersected a variety of boulders of varying lithologies that were sampled together. The drill hole locations and their respective results can be found in Figure 14 in Appendix 1.

6.4 Field Mapping and Sampling

In order to maximize productivity while in the field, crews completing geophysical surveys also spent time noting outcrop locations and taking structural measurements where possible. Over the course of the four-week program, two (2) grab samples were collected and seventy (70)

potential outcrop locations were noted (although the majority were indicated as being subcrop or boulders). Grab samples were collected using rock hammers and inserted into plastic bags with sample tags. Data was recorded into a sample book or note book while in the field, then subsequently entered into a master spreadsheet at the end of the day. The location of the two grab samples and their results can be found in Figure 14. Field mapping was also included within the scope of the program, however only a small portion of the westernmost Lac Chanceux claim was mapped (see Figure 15).

7. Analysis, Results and Discussion

Sample locations and notable results for the soils, drill core and grab samples collected during both exploration programs can be found in Figures 7 to 14 in Appendix A. All samples collected were submitted to ALS Labs in Val d'Or Quebec for analysis. The lab certificates with the associated results can be found in Appendix B. All samples were collected, bagged and tagged by EFU employees in the field. Samples were placed in clear plastic bags with the sample number written on the outside of the bag. A paper tag was then inserted in the bag before sealing the bag with a zip tie. Soil samples were placed in paper sample bags instead of plastic bags. All bags were triple checked for correct ID numbers before leaving site and were delivered by EFU employees to the lab in person. No standards, blanks or duplicates were inserted into the sample stream by EFU. QA/QC for these samples relied on internal QA/QC protocols for ALS Labs. The samples were sent in 4 batches, 3 for the soils, grabs and drill core samples in May/June and 1 batch for the soils collected in August.

7.1 Sample Analysis – Soils

The soil samples collected at Urban Barry were dried before being submitted to ALS Laboratories in Val d'Or for analysis. 244 soil samples were submitted to ALS on June 13th 2016 in two batches and 295 soil samples were submitted to ALS on August 19th 2016 in one batch. It

should be noted that the analysis method for the samples submitted in August was altered to include Au analysis using Fire Assay and Atomic Absorption for increased accuracy and consistency of results.

June Submission

The soil samples were submitted in two batches: the first containing 123 samples and the second containing 121. Preparation involved screening of the sample to $-180\mu\text{m}$ followed by ME-MS41L analysis, which combines Aqua Regia digestion and analysis by ICP-MS and ICP-AES to provide extremely low detection limits for: Au, Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, Hg, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Pd, Pt, Rb, Re, S, Sb, Se, Sn, Se, Ta, Te, th, Ti, Tl, U, V, W, Y, Zn and Zr. It should be noted, however, that Au values are semi-quantitative due to the small sample size used during analysis (0.5g). Sample preparation was completed at the ALS labs in Thunder Bay, while the ICP-MS analysis was completed in North Vancouver. As mentioned previously, EFU did not insert any standards, duplicates or blanks in the sample stream. During the analysis of the two hundred forty-four (244) soils, ALS inserted a total of twelve (12) standards, eight (8) blanks and analyzed eight (8) duplicates for QA/QC purposes.

August Submission

Following the second soil sampling program at Urban Barry, an additional two hundred eighty-two (282) samples were submitted to ALS for analysis. During sample submission, an additional thirteen (13) sample numbers - for samples not collected during the program - were erroneously submitted to the lab, explaining why the lab certificates state 295 samples were submitted. Also, due to the semi-quantitative nature of the Au results associated with the analysis package used previously, it was decided to add Au analysis using a FA AA finish on 50g samples to get accurate Au values. Here, samples were once again screened to $-180\mu\text{m}$. A 50g sample was then analyzed by fire assay with an AAS finish. Additional multi-element analysis

was then completed on a sample (minimum 1g) using aqua regia digestion combined with ICP-AES analysis for: Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo, Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W and Zn. Preparation of all samples submitted in August was completed at the ALS labs in Sudbury, Ontario with analysis completed in North Vancouver, BC. The lab inserted a total of seventeen (17) standards, nine (9) blanks and analyzed twenty (20) duplicates for the Au FA AA samples and twenty-six (26) standards, fourteen (14) blanks and analyzed fifteen (15) duplicates for the ICP-AES samples for QA/QC purposes.

7.2 Sample Analysis – Drill Core

Sixteen (16) drill core samples and two (2) grab samples were submitted to ALS labs in Val d'Or for analysis on June 13th 2016. Here, samples were crushed to 70% passing <2mm before being split with a riffle splitter. The split was then pulverized to 85% passing <75µm before analysis. The analysis methods used on the core samples are the same as the methods used on the soils submitted in August 2016. 50g samples were analyzed for Au by fire assay with an AAS finish in addition to the multi-element aqua regia ICP-AES analysis. Two (2) standards, one (1) blank and three (3) duplicates were added to the Au sample stream while four (4) standards, two (2) blanks and two (2) duplicates were added to the ICP-AES sample stream for QA/QC purposes. Sample preparation was completed at the ALS laboratories in Thunder Bay, ON while analysis was completed in North Vancouver, BC.

7.3 Discussion of Results

The results of the VLF-EM survey were processed and interpreted by a geophysicist registered in the Province of Québec, as required by law. The results and interpretations can be found in Appendix C. Several VLF anomalies were identified from the data while the mag data identified two lithological domains as well as what are likely gabbroic intrusions. The VLF anomalies appear to be concentrated in the southern domain composed of intermediate to felsic rocks.

These anomalies require follow-up and confirmation using an alternative electromagnetic method, such as MaxMin or induced polarization. The geophysical data also appears to show the intersection of the Rouleau and Milner faults occurs within the UB claims as opposed to east of the claims as indicated by the government maps on SIGEOM.

Sixty-one (61) locations returned anomalous HFR, LFR and/or MAG values over the course of the Beep Mat survey. The majority of these locations were subsequently identified as boulders with point rather than broad-scale/continuous anomalies. Of the sixty-one locations, follow-up drilling was completed on fourteen (14) anomalies using the Shaw backpack drills. Eleven (11) of the holes were drilled into boulders of iron formation or rocks containing varying levels of disseminated sulfides or magnetite. Three (3) holes were drilled into outcrop or subcrop of rocks containing disseminated magnetite or sulfides. All the core from the follow-up drilling was sent for analysis, with results returning low values that, at the present time, do not warrant further investigation.

By far, the most interesting and promising results were the assays from the soil sampling program. The tighter line and sample spacing from the second soil sampling program completed in August permitted the use of various methods to complete grade contouring. It was already quite apparent from the initial soil sampling program that there were broad-scale areas of anomalous Au, Ag and Cu. Initial results had Au values ranging from trace to 0.127 g/t and trace to 62 g/t Ag including eighteen (18) soil samples returning assays greater than 10 g/t Ag. When silver's relative immobility is taken into consideration, these values suggest that the source of the mineralization could be quite close. With the larger sample population, these zones became even more apparent. From the resulting maps, we can see that while the anomalous zones for Ag and Cu are immediately adjacent to – and paralleling – the Urban Deformation Zone in the north-west corner of the main claim block, the anomalous Au zones appear to follow both the UDZ (and associated Milner Fault) and the Rouleau Fault. These anomalous Au zones appear to intersect within the claim boundaries, which would further support the Milner and Rouleau Faults intersecting on the property as indicated by the

geophysics. It should also be noted that the anomalous gold zone associated with the Rouleau Fault is a mere 500m from the Saint-Cyr Fault, the structure that hosts Bonterra Resources' Gladiator Zone. The soils also indicated a zone of base metal enrichment, with values ranging from trace amounts up to: 109ppm Ni, 268ppm Cu, 238ppm Cr and 614ppm Co.

While the geophysical data appears to indicate electromagnetic and magnetic anomalies in the southern half of the UB property, the metal-in-soils data seems to indicate potential structurally controlled mineralization within the northern half of the claim block. That said, with so little rock outcropping on the property, it would be economical to utilize an alternative geophysical method such as IP to investigate the source (or sources) of the soil anomalies before stepping up something much costlier such as larger diameter diamond drilling. While it is clear that the numerous large-scale shear and fault systems cross-cutting the property served as pathways for fluid migration, it is not clear whether these structures also host any potential mineralization.

8.0 References

ALS Labs www.alsglobal.com accessed January 10th, 2017.

Climate Canada climate.weather.gc.ca, accessed October 18th, 2016.

Cote, R., 1977. Progress report, Barry North and Barry (Reassessment) Projects, Barry Lake Area, Quebec; GM38829, 20 pages, 3 maps.

De Carle, R.J., 1977 (Shell Canada Resources Ltd.). Airborne electromagnetic survey, Barry (North) Project, Qc; GM38804, 58 pages, 2 maps.

DV88-06, 1988. Traitement des données géophysiques (aeromagnétiques), Lac Hebert, Ministère de l'Énergie et des Ressources (Mines), Québec; DV88-06, 4 maps, 1:50,000.

Freeman, B.C., 1939. Advance Report, Buteux Area, Abitibi County and Abitibi Territory. Department of Mines, Division of Mineral Deposits; RP142(A), 11 pages, 1 map.

Gobeil, A., 1983. Levé input (MK VI) dans la région de Marin-Barry, Ministère de l'Énergie et des Ressources, Québec; DP 83-08, 27 maps 1/20,000.

Joly, M., 1990. Géologie de la région du Lac aux Loutres et du Lac Lacroix, Ministère de l'Énergie et des Ressources, Québec; MB 90-42, 55 pages, 1 map.

McCurdy, S., 1987. A report on geophysical surveys conducted on the Eagle River Property in Urban and Belmont Townships of northwestern Quebec; GM45207, 23 pages, 9 maps.

McCurdy, S., 1988. A report on geophysical surveys conducted on the Eagle River Property in Urban and Belmont Townships of northwestern Quebec; GM46701, 36 pages, 13 maps.

McLaughlin, M., Kesavanathan, D., Sweeney, D., Hafez, S.A., Chartier, D., Couture, J-F., Ravenelle, J-F., Roy, P., d'Anjou, N., and Dion St-Pierre, M-C., 2015. Preliminary economic assessment of the Windfall Lake gold property, Quebec, Canada; April 28, 2015.

Milner, R.L., 1943. Barry Lake Area, Abitibi County and Abitibi Territory. Department of Mines, Division of Mineral Deposits; RG014(A), 27 pages, 1 map.

Plante, L., 1998. Levé de polarisation provoquée pour Ressources Aur Inc., Projet Belmont, Cantons Belmont et Lacroix; GM56185, 26 pages, 56 maps.

Richer, V., 1989 (Les Entreprises Minières DIG). Rapport sur les résultats de la cartographie géologique et de l'échantillonnage lithogéochimique effectués sur la propriété « Rivière de l'Aigle », cantons Urban et Belmont, Québec; GM48572, 72 pages, 2 maps.

Rhéaume, P. and Bandyayera, D., 2006. Révision stratigraphique de la Ceinture d'Urban Barry, Ministère des Ressources Naturelles et de la Faune, Québec; RP2006-08, 11 pages.

9.0 STATEMENT OF QUALIFICATIONS

I, Abby Peterson, P.Geo. do hereby certify that:

1. I am an employee of Exploration Facilitation Unlimited Inc. with my office based at 171 David Street, Chelmsford, Ontario, P0M 1L0.
2. I am a graduate of McGill University, Montréal, in the Province of Québec, with a Bachelor of Science degree in Earth and Planetary Sciences.
3. I am registered as a Professional Geoscientist (P. Geo./Géo) in the Province of Québec with the Ordre des Géologues du Québec (OGQ No.1463).
4. I have practiced my profession as an exploration geologist in the mineral exploration industry continuously since 2005. I have worked on gold and base metal exploration projects as a geologist in Ontario, Nunavut, the Yukon Territory, Québec (including Val d'Or) and in Burkina Faso, West Africa.
5. This report is for Assessment purposes and is not intended to be a NI 43-101 compliant report; nevertheless, it has been prepared with care.
6. I am responsible for the preparation of all sections of this report except for the Expenditures, which was prepared by EFU Inc. management.
7. I visited the Urban Barry Property personally between June 10th and June 12th, 2016. During this time, I visited the field, logged drill core and discussed the Beep Mat and VLF-EM surveys. I also went through the core drilling, logging and sampling procedures with all geologists involved.

Abby Peterson



.....
Abby Peterson, P.Geo.
Geologist
Exploration Facilitation Unlimited Inc.

DATED at Chelmsford, Ontario this 20th Day of January, 2017.

APPENDIX A

Figures




Figure 1. Claim Location Map – Quebec.




Figure 2. Urban Barry Claims with landmarks and access.




Figure 3. Regional geology on and around the Urban Barry Property with structures.




Figure 4. VLF-EM/MAG ground survey transect lines.




Figure 5. Interpreted Magnetic and VLF anomalies, interpreted structures.




Figure 6. Beep-Mat survey transect locations.




Figure 7. May-June soil sample locations with anomalous Au, Ag and Cu values.




Figure 8. August soil sample locations with Anomalous Au, Ag and Cu values, map 1 of 3.




Figure 9. August soil sample locations with Anomalous Au, Ag and Cu values, map 2 of 3.




Figure 10. August soil sample locations with Anomalous Au, Ag and Cu values, map 3 of 3.




Figure 11. Soil sampling compilation with Au grade contouring.




Figure 12. Soil sampling compilation with Ag grade contouring.




Figure 13. Soil sampling compilation with Cu grade contouring.




Figure 14. Drill and Grab sample locations with Au, Ag and Cu values.




Figure 15. Geological Field Mapping – Lac Chanceux.

Appendix B

Lab Results/Certificates



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2016
 This copy reported on
 22-JUL-2016
 Account: GNKCOZ

CERTIFICATE VO16093491

Project: URBAN BARRY

This report is for 18 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 13-JUN-2016.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rod w/o BarCode
CRU- QC	Crushing QC Test
PUL- QC	Pulverizing QC Test
CRU- 31	Fine crushing - 70% < 2mm
SPL- 21	Split sample - riffle splitter
PUL- 31	Pulverize split to 85% < 75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA24	Au 50g FA AA finish	AAS
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**** See Appendix Page for comments regarding this certificate ****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093491

Sample Description	Method Analyte Units LOR	WE- 21 Reconc. Wt. kg 0.02	Au- AA24 Au ppm 0.005	ME- ICP41 Ag ppm 0.2	ME- ICP41 Al % 0.01	ME- ICP41 As ppm 2	ME- ICP41 B ppm 10	ME- ICP41 Ba ppm 10	ME- ICP41 Be ppm 0.3	ME- ICP41 Bi ppm 2	ME- ICP41 Ca % 0.01	ME- ICP41 Cd ppm 0.5	ME- ICP41 Co ppm 1	ME- ICP41 Cr ppm 1	ME- ICP41 Cu ppm 1	ME- ICP41 Fe % 0.01
20101		0.77	0.011	<0.2	3.05	7	<10	10	<0.5	<0.2	5.43	<0.5	39	51	205	5.48
20102		0.49	<0.005	<0.2	3.27	8	<10	<10	<0.5	<0.2	4.42	<0.5	40	85	98	6.67
20103		0.88	0.012	<0.2	3.62	2	<10	<10	<0.5	<0.2	8.5	<0.5	41	414	215	6.37
20131		0.62	0.019	0.2	0.29	2	<10	80	<0.5	<0.2	3.67	<0.5	37	37	102	6.36
20132		0.57	0.013	0.3	0.26	>	<10	80	<0.5	<0.2	4.09	<0.5	35	35	93	6.08
20133		0.37	0.030	0.3	0.26	3	<10	80	<0.5	<0.2	4.86	<0.5	37	30	83	6.25
20134		0.15	<0.005	0.2	1.03	>	<10	30	<0.5	<0.2	0.74	<0.5	10	29	18	2.06
20135		0.52	0.014	<0.2	0.20	2	<10	120	<0.5	2	4.80	<0.5	30	32	74	5.65
20136		0.77	<0.005	<0.2	1.08	>	<10	30	<0.5	<0.2	0.89	<0.5	10	57	30	1.84
20137		0.80	<0.005	<0.2	1.36	>	<10	120	<0.5	<0.2	0.45	<0.5	10	14	23	2.61
20138		0.26	<0.005	<0.2	1.51	>	<10	30	<0.5	<0.2	1.86	<0.5	12	39	146	2.39
20139		0.44	<0.005	0.2	1.21	2	<10	60	<0.5	3	0.87	<0.5	10	11	13	2.51
20160		0.38	<0.005	<0.2	1.67	>	<10	20	<0.5	<0.2	2.22	<0.5	19	90	2	3.09
20161		1.07	0.007	<0.2	0.56	>	<10	30	<0.5	<0.2	3.60	<0.5	13	110	50	2.69
20162		1.06	<0.005	<0.2	4.26	>	<10	60	<0.5	<0.2	6.25	<0.5	46	440	71	7.57
20163		1.75	<0.005	<0.2	3.50	3	<10	30	<0.5	<0.2	6.73	<0.5	48	405	53	6.45
20164		0.31	<0.005	<0.2	4.00	3	<10	20	<0.5	<0.2	8.1	<0.5	46	441	10	7.37
20165		0.16	<0.005	<0.2	1.16	>	<10	80	<0.5	<0.2	1.21	<0.5	9	32	11	2.55

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093491

Sample Description	Method Analyte Units LDR	ME-ICP41 Ca ppm 10	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Se ppm 1	ME-ICP41 Sr ppm 1
20101		10	<1	0.02	10	2.63	873	<1	0.03	72	820	<2	0.09	<2	8	67
20102		10	<1	0.01	10	2.85	917	1	0.04	103	900	<2	0.03	<2	8	63
20103		10	<1	0.02	10	3.19	1060	1	0.02	148	190	<2	0.02	<2	14	87
20131		<10	<1	0.17	10	1.14	1300	3	0.04	55	1830	8	0.52	<2	7	440
20132		<10	<1	0.17	10	1.17	1375	2	0.04	49	1880	10	0.41	<2	7	430
20133		<10	<1	0.18	10	1.48	1370	2	0.05	46	1740	13	0.95	<2	8	560
20134		<10	1	0.12	10	0.62	335	<1	0.10	13	810	3	0.02	<2	2	53
20135		<10	<1	0.11	10	1.25	1215	2	0.05	43	1730	10	0.42	<2	8	456
20136		10	<1	0.21	20	0.88	280	1	0.09	20	840	4	<0.01	<2	3	49
20137		10	<1	0.47	10	0.83	348	<1	0.08	12	320	<2	0.03	<2	2	24
20138		<10	<1	0.15	10	1.69	355	<1	0.07	29	370	<2	0.02	<2	3	43
20139		10	<1	0.62	50	0.87	429	1	0.08	7	1360	7	0.01	<2	1	82
20160		10	<1	0.13	<10	2.00	414	<1	0.24	39	2720	<2	<0.01	<2	9	45
20161		<10	<1	0.01	<10	1.88	672	1	0.03	49	190	4	0.02	<2	8	94
20162		10	5	0.41	<10	3.71	1090	1	0.02	211	190	<2	<0.01	<2	8	53
20163		10	<1	0.03	<10	3.69	915	<1	0.03	160	200	<2	0.06	<2	23	79
20164		10	5	0.10	<10	4.00	914	<1	0.02	170	190	<2	<0.01	<2	30	130
20165		10	<1	0.34	70	0.88	377	1	0.09	17	1220	5	0.01	<2	2	116

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 21-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093491

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Th ppm 20	Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
20101		<20	0.26	<10	<10	115	<10	35
20102		<20	0.31	<10	<10	147	<10	36
20103		<20	0.14	<10	<10	144	<10	35
20131		<20	0.01	<10	<10	60	<10	97
20132		<20	0.01	<10	<10	51	<10	92
20133		<20	0.01	<10	<10	58	<10	71
20134		<20	0.12	<10	<10	29	<10	30
20135		<20	<0.01	<10	<10	40	<10	85
20136		<20	0.19	<10	<10	46	<10	35
20137		<20	0.16	<10	<10	37	<10	55
20138		<20	0.14	<10	<10	38	<10	35
20139		<20	0.25	<10	<10	47	<10	71
20180		<20	0.19	<10	<10	79	<10	54
20181		<20	<0.01	<10	<10	29	<10	12
20182		<20	0.22	<10	<10	146	<10	40
20183		<20	0.03	<10	<10	154	<10	30
20184		<20	0.14	<10	<10	185	<10	38
20185		<20	0.24	<10	<10	45	<10	50

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 51 5 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 21- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093491

CERTIFICATE COMMENTS									
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">CRU- 31</td> <td style="width: 33%;">CRU- QC</td> <td style="width: 33%;">LOC- 22</td> <td style="width: 15%; text-align: right;">PUL- 31</td> </tr> <tr> <td>PUL- QC</td> <td>SPL- 21</td> <td>WEI- 21</td> <td></td> </tr> </table>	CRU- 31	CRU- QC	LOC- 22	PUL- 31	PUL- QC	SPL- 21	WEI- 21	
CRU- 31	CRU- QC	LOC- 22	PUL- 31						
PUL- QC	SPL- 21	WEI- 21							
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.</p> <table style="width: 100%; border: none;"> <tr> <td style="width: 33%;">Au- AA24</td> <td style="width: 66%;">ME- ICP41</td> </tr> </table>	Au- AA24	ME- ICP41						
Au- AA24	ME- ICP41								



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- JUL- 2016
 This copy reported on
 18- JUL- 2016
 Account: GNKCQZ

CERTIFICATE VO16093497

Project: URBAN BARRY

This report is for 123 Soil samples submitted to our lab in Val d'Or, QC, Canada on 13-JUN-2016.

The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rod w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME- MS41L	Super Trace Lowest DL AR by ICP- MS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	WE-21	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Reod Wt. Ag	Au ppm	Ag ppm	Al %	As ppm	B ppm	Bi ppm	Be ppm	Ba ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm	Cu ppm
400000 X 3433200		0.53	<0.0002	0.010	0.58	0.32	<10	9.9	0.07	0.022	0.09	0.019	13.85	1.400	16.10	0.230
400000 X 3433400		0.67	0.0002	0.236	2.46	0.90	<10	16.3	0.29	0.072	0.08	0.106	12.30	2.93	29.7	0.616
400000 X 3433600		0.08	0.0016	15.25	0.92	4.15	<10	21.2	0.14	0.051	0.42	0.035	23.0	32.5	46.7	0.759
400000 X 3433800		0.59	<0.0002	0.057	2.61	1.01	<10	14.3	0.30	0.077	0.10	0.066	9.43	2.84	32.0	0.643
400000 X 3434000		0.43	0.0005	0.053	2.05	0.86	<10	15.1	0.24	0.036	0.11	0.062	11.55	2.93	25.0	0.326
400000 X 3436200		0.68	0.0008	0.010	0.88	0.57	<10	15.9	0.11	0.023	0.19	0.019	25.0	3.72	18.05	0.350
400000 X 3436600		0.68	0.0028	0.010	1.07	0.31	<10	8.0	0.13	0.042	0.10	0.038	14.10	1.195	14.35	0.292
400000 X 3436800		0.83	<0.0002	0.021	1.72	0.65	<10	10.7	0.21	0.032	0.15	0.055	12.70	2.05	26.2	0.299
400000 X 3437000		0.28	0.0005	7.31	0.61	1.17	<10	26.7	0.10	0.026	0.69	0.663	28.5	253	146.5	0.478
400000 X 3437200		0.53	<0.0002	0.029	2.79	0.65	<10	40.8	0.31	0.058	0.10	0.059	9.07	2.60	31.6	0.362
400000 X 3437400		0.66	0.0023	0.026	0.77	0.56	<10	9.6	0.11	0.019	0.10	0.052	15.65	2.47	13.45	0.244
400000 X 3437600		0.16	<0.0002	4.45	0.27	0.23	<10	6.1	0.04	0.014	0.17	0.336	13.85	23.9	9.72	0.099
400000 X 3437800		0.15	<0.0002	4.17	0.42	0.08	<10	6.4	0.06	0.021	0.24	0.314	15.00	45.2	14.90	0.150
400000 X 3438000		0.21	<0.0002	10.10	0.46	0.12	<10	7.5	0.07	0.020	0.19	0.655	12.80	39.5	14.70	0.233
400000 X 3438200		0.28	<0.0002	1.555	0.26	0.33	<10	9.7	0.05	0.015	0.22	0.109	16.65	12.05	18.35	0.140
400000 X 3438400		0.17	<0.0002	2.19	0.34	0.46	<10	10.0	0.05	0.018	0.24	0.135	13.70	10.75	13.70	0.241
400000 X 3438600		0.38	0.0005	16.45	0.32	0.69	<10	16.9	0.06	0.012	0.31	1.150	17.10	269	32.8	0.215
400000 X 3433200		0.52	<0.0002	0.008	0.34	0.11	<10	6.0	0.05	0.016	0.17	0.019	10.60	1.835	9.22	0.167
400000 X 3433400		0.42	0.0002	0.012	0.18	0.32	<10	5.4	0.01	0.064	0.04	0.069	3.10	0.462	4.47	0.092
400000 X 3433600		0.59	0.0004	0.044	3.98	1.43	<10	20.2	0.51	0.064	0.09	0.110	14.90	5.26	41.1	0.622
400000 X 3433800		0.66	<0.0002	0.007	0.99	0.46	<10	6.5	0.15	0.028	0.12	0.032	12.75	2.97	14.35	0.185
400000 X 3434000		0.57	0.0013	0.031	2.21	1.52	<10	31.4	0.34	0.066	0.21	0.090	33.4	9.29	33.4	0.621
400000 X 3436200		0.60	0.0356	0.037	1.58	1.64	<10	12.4	0.23	0.024	0.12	0.070	18.05	3.86	21.4	0.368
400000 X 3436400		0.60	0.0004	0.016	0.40	0.35	<10	15.7	0.06	0.058	0.06	0.032	5.37	0.620	7.30	0.203
400000 X 3436600		0.63	<0.0002	0.006	0.50	0.12	<10	6.7	0.05	0.036	0.13	0.019	10.20	1.445	12.70	0.249
400000 X 3436800		0.17	0.0004	3.86	0.37	0.46	<10	16.2	0.07	0.026	0.51	0.273	17.55	24.4	30.5	0.229
400000 X 3437000		0.95	0.0005	0.012	0.63	0.58	<10	15.7	0.10	0.031	0.19	0.042	20.9	4.34	18.50	0.307
400000 X 3437200		0.49	0.0004	0.006	0.79	0.75	<10	13.3	0.16	0.023	0.19	0.029	27.8	8.10	17.20	0.259
400000 X 3437400		0.88	0.0007	0.016	0.45	0.29	<10	16.6	0.07	0.025	0.27	0.020	20.6	2.66	12.95	0.322
400000 X 3437600		0.55	0.0004	0.058	1.57	1.45	<10	17.7	0.18	0.098	0.11	0.125	9.31	3.91	22.7	0.425
400000 X 3437800		0.20	0.0003	20.4	0.73	0.32	<10	14.3	0.06	0.028	0.27	1.335	19.85	107.0	60.0	0.255
400000 X 3438000		0.28	0.0011	6.78	0.38	0.29	<10	10.6	0.07	0.021	0.21	0.445	16.00	29.5	37.9	0.194
400000 X 3438200		0.30	<0.0002	1.015	0.28	0.62	<10	9.7	0.05	0.080	0.30	0.078	16.90	6.18	15.85	0.164
400000 X 3438400		0.37	0.0004	6.29	0.43	0.53	<10	16.4	0.08	0.026	0.29	0.364	22.2	74.9	18.75	0.217
400000 X 3438600		0.57	0.0004	10.50	0.32	0.12	<10	11.9	0.06	0.017	0.40	0.720	18.70	151.5	19.70	0.182
407000 X 3433000		0.26	<0.0002	0.140	2.25	0.73	<10	17.3	0.30	0.050	0.09	0.061	8.61	3.83	26.9	0.600
407000 X 3433400		0.49	<0.0002	0.017	0.31	0.04	<10	6.0	0.05	0.020	0.19	0.062	8.67	1.670	10.25	0.151
407000 X 3433600		0.58	0.0014	0.028	0.66	0.46	<10	12.0	0.12	0.022	0.11	0.039	19.65	3.01	15.50	0.205
407000 X 3433800		0.33	0.0003	0.057	0.90	1.59	<10	7.9	0.08	0.108	0.06	0.091	4.08	1.185	12.20	0.303
407000 X 3436000		0.33	0.0009	0.026	0.72	0.94	<10	10.1	0.06	0.078	0.07	0.069	5.22	1.150	11.85	0.149

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Cu ppm 0.01	Fe % 0.001	Ca ppm 0.004	Ce ppm 0.005	Hf ppm 0.002	Hg ppm 0.004	In ppm 0.005	K % 0.01	La ppm 0.002	Li ppm 0.1	Mg % 0.01	Mn ppm 0.1	Mo ppm 0.01	Na % 0.001	Nb ppm 0.002	
405500 X 1433200		4.09	0.520	2.29	0.028	0.004	0.017	<0.005	0.01	7.19	3.5	0.18	38.9	0.18	0.007	0.685	
405500 X 1433400		6.65	1.770	7.07	0.037	0.053	0.074	0.013	0.02	4.72	7.5	0.18	63.3	0.62	0.007	1.975	
405500 X 1433600		87.3	1.280	5.67	0.094	0.047	0.014	0.048	0.08	12.70	13.9	0.61	163.0	9.90	0.016	0.857	
405500 X 1433800		4.73	2.14	8.85	0.032	0.083	0.057	0.013	0.02	4.29	6.5	0.18	50.7	0.41	0.008	1.880	
405500 X 1438000		4.13	1.360	3.82	0.031	0.052	0.036	0.009	0.01	4.44	5.8	0.15	50.1	0.28	0.010	1.680	
405500 X 1438200		10.70	0.840	1.910	0.048	0.035	0.015	<0.005	0.02	8.89	5.0	0.22	82.3	0.11	0.012	1.115	
405500 X 1438600		4.01	0.720	3.83	0.032	0.025	0.026	0.011	0.01	5.55	3.5	0.08	30.0	0.18	0.006	1.250	
405500 X 1438800		4.71	1.890	4.42	0.043	0.063	0.060	0.012	0.01	6.39	3.3	0.14	48.5	0.42	0.007	1.450	
405500 X 1437000		64.7	0.790	1.900	0.054	0.018	0.024	<0.005	0.04	15.35	6.7	0.28	96.6	4.01	0.015	0.702	
405500 X 1437200		2.55	2.00	9.10	0.030	0.069	0.061	0.018	0.01	3.90	3.0	0.08	98.2	0.28	0.006	1.850	
405500 X 1437400		4.71	0.670	1.405	0.032	0.040	0.021	0.007	0.01	4.68	3.2	0.13	42.1	0.13	0.006	1.015	
405500 X 1437600		37.7	0.280	0.950	0.035	0.019	0.006	<0.005	0.01	6.99	2.2	0.13	38.6	0.15	0.008	0.590	
405500 X 1437800		51.4	0.410	1.425	0.044	0.021	0.005	<0.005	0.02	7.19	2.9	0.17	51.3	0.15	0.011	0.916	
405500 X 1438000		43.8	0.430	2.08	0.041	0.010	0.006	<0.005	0.02	9.11	4.4	0.19	55.4	0.39	0.009	0.795	
405500 X 1438200		13.55	0.370	1.005	0.041	0.062	<0.004	<0.005	0.02	8.04	2.5	0.16	49.8	0.24	0.009	0.495	
405500 X 1438400		18.10	0.450	1.965	0.040	0.047	<0.004	0.008	0.03	6.52	3.7	0.20	57.8	0.27	0.009	0.725	
405500 X 1438600		131.5	0.690	1.300	0.051	0.045	0.005	0.005	0.03	8.32	2.9	0.20	116.0	0.42	0.016	0.604	
405500 X 1435200		2.52	0.370	1.025	0.033	0.028	<0.004	<0.005	0.02	5.10	2.5	0.14	42.0	0.06	0.006	0.704	
405500 X 1435400		0.69	0.176	2.67	0.015	0.004	0.009	<0.005	0.01	1.530	0.3	0.02	11.4	0.19	0.006	0.431	
405500 X 1435600		12.25	2.21	6.43	0.043	0.077	0.072	0.022	0.02	5.75	15.3	0.29	94.9	0.47	0.009	1.730	
405500 X 1435800		2.21	0.730	1.840	0.033	0.027	0.010	0.005	0.01	4.74	3.1	0.12	65.1	0.14	0.007	0.942	
405500 X 1436000		22.2	2.07	4.78	0.060	0.052	0.028	0.008	0.07	13.90	18.4	0.49	199.0	0.79	0.011	1.330	
405500 X 1436200		6.29	1.100	2.35	0.033	0.031	0.026	0.009	0.02	5.32	8.1	0.19	85.8	0.25	0.009	1.090	
405500 X 1436400		1.39	0.550	3.61	0.015	0.004	0.016	<0.005	0.01	2.58	1.0	0.03	40.7	0.15	0.005	0.595	
405500 X 1436600		2.46	0.460	3.20	0.033	0.011	0.012	<0.005	0.01	4.23	2.1	0.10	34.2	0.16	0.007	1.190	
405500 X 1436800		28.1	0.590	1.250	0.040	0.035	0.013	<0.005	0.03	7.62	3.9	0.21	64.5	2.11	0.013	0.616	
405500 X 1437000		8.71	0.840	1.885	0.038	0.030	0.018	<0.005	0.02	7.11	4.5	0.21	89.3	0.10	0.014	0.968	
405500 X 1437200		10.40	1.520	1.415	0.049	0.050	0.023	<0.005	0.01	10.25	4.4	0.17	41.3	0.22	0.009	0.916	
405500 X 1437400		10.10	0.480	1.700	0.044	0.013	0.007	<0.005	0.02	9.82	7.7	0.20	53.5	0.10	0.010	0.603	
405500 X 1437600		5.45	1.780	6.77	0.035	0.017	0.068	0.011	0.03	4.38	5.0	0.16	108.0	0.46	0.009	1.280	
405500 X 1437800		115.0	0.620	2.16	0.049	0.032	0.011	0.008	0.02	9.07	6.8	0.28	78.9	0.94	0.013	1.135	
405500 X 1438000		46.2	0.440	1.395	0.042	0.028	0.006	<0.005	0.02	7.08	4.1	0.20	61.5	0.60	0.009	0.679	
405500 X 1438200		12.45	0.450	1.105	0.046	0.064	<0.004	0.005	0.02	8.65	3.3	0.21	61.0	0.20	0.010	0.562	
405500 X 1438400		52.6	0.610	1.535	0.045	0.085	0.004	<0.005	0.04	10.05	4.5	0.25	83.2	0.20	0.015	0.733	
405500 X 1438600		75.9	0.580	1.110	0.045	0.083	<0.004	0.005	0.02	8.34	2.9	0.24	61.2	0.17	0.015	0.493	
407000 X 1435000		3.71	1.460	4.30	0.024	0.029	0.048	0.011	0.01	3.49	9.1	0.14	49.0	0.31	0.009	1.335	
407000 X 1435400		8.81	0.300	1.240	0.037	0.025	0.013	<0.005	0.01	3.84	3.2	0.13	36.9	0.09	0.007	0.654	
407000 X 1435600		3.89	0.650	1.335	0.031	0.027	0.013	<0.005	0.01	5.78	3.8	0.15	52.0	0.09	0.009	0.894	
407000 X 1435800		1.84	1.330	8.38	0.025	0.014	0.037	0.007	0.01	2.30	2.8	0.06	24.1	0.28	0.007	1.290	
407000 X 1436000		2.45	0.910	6.01	0.020	0.009	0.030	0.007	0.01	2.39	1.5	0.09	29.1	0.51	0.007	0.881	

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Ni ppm 0.04	P % 0.001	Pb ppm 0.003	Rd ppm 0.001	Rd ppm 0.002	Rb ppm 0.005	Re ppm 0.001	S % 0.01	Sb ppm 0.005	So ppm 0.003	Se ppm 0.1	Sm ppm 0.01	Sr ppm 0.01	Ta ppm 0.005	Te ppm 0.01
400000 X 1431200		4.51	0.010	1.645	<0.001	<0.002	0.969	<0.001	0.01	0.025	1.090	0.2	0.22	6.47	<0.005	0.01
400000 X 1431400		7.28	0.070	4.06	<0.001	<0.002	2.74	<0.001	0.02	0.046	2.24	0.4	0.43	9.60	0.041	<0.01
400000 X 1431600		23.7	0.080	5.13	0.002	<0.002	5.03	0.001	0.03	0.063	2.05	1.0	2.91	22.9	<0.005	<0.01
400000 X 1431800		6.68	0.062	4.77	<0.001	<0.002	2.61	<0.001	0.03	0.046	2.54	0.5	0.42	9.34	0.038	<0.01
400000 X 1432000		8.84	0.062	2.91	<0.001	<0.002	1.420	<0.001	0.02	0.039	2.08	0.5	0.26	9.99	0.038	0.01
400000 X 1432200		9.54	0.032	1.290	<0.001	<0.002	1.635	<0.001	0.01	0.013	1.575	0.2	0.17	13.75	0.014	<0.01
400000 X 1432400		3.54	0.018	2.53	0.001	<0.002	1.170	<0.001	0.01	0.014	1.580	0.3	0.26	8.48	0.025	<0.01
400000 X 1432600		5.00	0.045	1.840	<0.001	<0.002	1.200	0.001	0.02	0.024	1.805	0.5	0.21	10.30	0.033	0.02
400000 X 1432800		57.3	0.061	1.620	<0.001	<0.002	4.24	0.004	0.24	0.038	1.275	0.4	0.63	19.30	<0.005	<0.01
400000 X 1433000		5.53	0.136	4.59	<0.001	<0.002	1.525	<0.001	0.03	0.029	2.68	0.6	0.36	11.55	0.058	0.01
400000 X 1433200		7.18	0.027	1.115	<0.001	<0.002	1.065	<0.001	0.01	0.013	1.270	0.1	0.14	9.25	0.027	<0.01
400000 X 1433400		9.39	0.038	0.914	0.001	<0.002	0.946	<0.001	<0.01	0.017	0.687	0.1	0.49	9.60	<0.005	<0.01
400000 X 1433600		7.82	0.048	1.365	0.001	<0.002	1.195	<0.001	<0.01	0.014	0.960	<0.1	0.53	12.75	<0.005	<0.01
400000 X 1433800		11.25	0.039	1.715	<0.001	<0.002	1.610	<0.001	0.01	0.036	0.937	0.1	1.03	10.90	<0.005	<0.01
400000 X 1434000		19.65	0.043	0.771	<0.001	<0.002	1.530	<0.001	<0.01	0.021	0.734	<0.1	0.24	10.55	<0.005	0.01
400000 X 1434200		8.43	0.042	1.205	<0.001	<0.002	2.61	<0.001	0.03	0.015	0.851	0.2	0.31	11.65	<0.005	0.01
400000 X 1434400		25.5	0.052	1.380	<0.001	<0.002	2.57	<0.001	0.01	0.026	1.035	<0.1	1.49	16.70	<0.005	<0.01
400000 X 1434600		5.71	0.040	0.872	0.001	<0.002	1.485	<0.001	0.01	0.008	0.684	<0.1	0.12	8.89	<0.005	<0.01
400000 X 1434800		1.11	0.007	3.46	<0.001	<0.002	0.869	<0.001	0.01	0.042	0.247	<0.1	0.45	5.54	<0.005	<0.01
400000 X 1435000		12.30	0.096	4.05	<0.001	<0.002	2.91	<0.001	0.04	0.096	4.00	0.7	0.32	10.20	0.031	<0.01
400000 X 1435200		6.46	0.050	1.340	<0.001	<0.002	1.065	<0.001	0.01	0.015	1.560	0.4	0.12	7.97	0.035	<0.01
400000 X 1435400		17.65	0.062	2.75	<0.001	<0.002	4.65	<0.001	0.02	0.046	2.35	0.5	0.23	14.10	0.022	0.01
400000 X 1435600		9.16	0.054	1.560	<0.001	<0.002	1.930	<0.001	0.02	0.016	1.760	0.4	0.14	10.00	0.022	<0.01
400000 X 1435800		1.80	0.025	2.70	<0.001	<0.002	1.255	<0.001	0.01	0.020	0.589	0.4	0.32	8.48	<0.005	<0.01
400000 X 1436000		4.16	0.028	2.29	0.001	<0.002	1.270	<0.001	0.01	0.012	0.887	0.2	0.29	9.05	0.008	<0.01
400000 X 1436200		10.60	0.051	1.080	<0.001	<0.002	2.93	0.001	0.25	0.025	1.120	0.3	0.41	16.95	<0.005	<0.01
400000 X 1436400		9.98	0.040	1.420	<0.001	<0.002	1.720	<0.001	0.01	0.013	1.880	0.2	0.20	14.70	0.008	0.01
400000 X 1436600		8.33	0.046	1.340	0.001	<0.002	1.255	<0.001	0.01	0.025	1.640	0.3	0.14	11.85	0.022	0.02
400000 X 1436800		7.73	0.051	1.295	<0.001	<0.002	1.835	<0.001	0.01	0.013	1.175	0.4	0.13	14.40	<0.005	<0.01
400000 X 1437000		6.17	0.095	4.61	<0.001	<0.002	2.15	<0.001	0.03	0.054	1.485	0.6	0.44	8.72	0.036	0.01
400000 X 1437200		23.8	0.056	2.12	0.001	<0.002	1.585	0.001	0.02	0.030	1.560	0.1	1.60	15.40	0.006	<0.01
400000 X 1437400		16.10	0.043	1.270	0.001	<0.002	1.625	<0.001	0.01	0.020	0.971	0.2	0.61	11.60	<0.005	<0.01
400000 X 1437600		8.65	0.048	0.936	0.001	<0.002	1.785	<0.001	0.04	0.009	1.025	0.2	0.13	12.25	<0.005	<0.01
400000 X 1437800		10.50	0.052	1.450	<0.001	<0.002	2.69	<0.001	0.04	0.011	1.390	0.2	0.66	15.55	<0.005	<0.01
400000 X 1438000		9.08	0.054	1.330	<0.001	<0.002	1.955	<0.001	0.01	0.012	1.290	0.1	0.96	14.80	<0.005	<0.01
407000 X 1435000		8.19	0.042	2.73	<0.001	<0.002	2.33	<0.001	0.03	0.034	2.32	0.4	0.28	9.69	0.042	0.02
407000 X 1435400		4.70	0.041	0.914	<0.001	<0.002	0.898	<0.001	0.02	0.009	0.694	0.2	0.12	10.95	<0.005	<0.01
407000 X 1435800		8.10	0.037	1.095	<0.001	<0.002	1.270	<0.001	0.01	0.009	1.480	0.2	0.15	8.51	0.029	<0.01
407000 X 1436200		2.98	0.031	6.57	0.001	<0.002	1.340	<0.001	0.02	0.090	0.788	0.4	0.59	6.23	0.020	0.01
407000 X 1436600		3.15	0.030	5.06	<0.001	<0.002	0.732	<0.001	0.02	0.075	0.835	0.3	0.50	7.04	0.019	0.01

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOD	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Th ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.005	V ppm 0.1	W ppm 0.001	Y ppm 0.001	Zn ppm 0.1	Zr ppm 0.01
466600 X 3433200		0.368	0.049	0.017	0.288	13.7	0.028	1.820	7.9	0.11
466600 X 3433400		1.465	0.108	0.027	0.288	40.1	0.083	1.945	21.9	1.36
466600 X 3433600		1.475	0.081	0.042	1.955	27.8	0.185	4.24	78.6	1.21
466600 X 3433800		1.430	0.129	0.029	0.237	45.7	0.076	2.09	15.3	2.08
466600 X 3436000		1.210	0.084	0.020	0.256	28.1	0.058	1.940	8.1	1.40
466600 X 3436200		1.520	0.080	0.028	0.274	18.1	0.044	3.19	10.8	0.90
466600 X 3436400		0.695	0.082	0.013	0.204	19.2	0.032	2.32	5.7	0.68
466600 X 3436600		0.960	0.079	0.020	0.303	30.2	0.052	2.37	8.5	1.28
466600 X 3437000		0.638	0.047	0.038	0.873	18.9	1.105	4.25	40.4	0.59
466600 X 3437200		0.636	0.085	0.020	0.250	42.7	0.065	2.18	12.8	1.49
466600 X 3437400		1.000	0.059	0.010	0.186	12.5	0.067	1.820	7.4	0.94
466600 X 3437600		0.823	0.042	0.025	0.204	7.0	0.045	2.07	18.4	0.58
466600 X 3437800		1.045	0.058	0.010	0.201	11.4	0.082	2.50	26.8	0.78
466600 X 3438000		0.906	0.063	0.011	0.200	11.7	0.057	2.25	26.2	0.32
466600 X 3438200		1.220	0.045	0.014	0.180	9.4	0.191	2.37	11.5	1.73
466600 X 3438400		1.155	0.052	0.028	0.208	10.6	0.033	2.21	14.9	1.38
466600 X 3438600		1.160	0.048	0.018	0.420	14.4	0.313	3.06	99.5	1.47
466600 X 3433200		0.978	0.048	0.008	0.144	8.6	0.033	1.825	8.4	0.76
466600 X 3433400		0.065	0.040	0.014	0.078	10.4	0.004	0.453	4.3	0.17
466600 X 3433600		1.870	0.104	0.034	0.262	41.5	0.075	2.48	32.5	2.19
466600 X 3433800		1.060	0.056	0.010	0.185	14.5	0.039	1.965	7.1	0.86
466600 X 3436000		2.18	0.113	0.037	0.274	40.1	0.073	3.83	33.9	1.59
466600 X 3436200		1.235	0.070	0.024	0.263	19.8	0.060	2.06	14.3	0.73
466600 X 3436400		0.206	0.055	0.015	0.086	15.1	0.022	0.791	5.1	0.13
466600 X 3436600		0.402	0.094	0.010	0.147	14.0	0.026	1.690	6.0	0.35
466600 X 3436800		1.165	0.042	0.031	0.386	11.7	1.125	2.62	18.3	0.90
466600 X 3437000		1.380	0.074	0.014	0.207	17.0	0.050	3.00	11.8	1.12
466600 X 3437200		1.635	0.055	0.030	0.247	14.8	0.080	3.78	9.3	1.33
466600 X 3437400		0.743	0.055	0.018	0.262	11.0	0.033	2.79	13.9	0.33
466600 X 3437600		2.11	0.091	0.022	0.205	37.0	0.045	1.635	18.3	0.48
466600 X 3437800		2.23	0.083	0.018	0.263	18.9	1.870	3.00	57.2	0.90
466600 X 3438000		0.982	0.052	0.020	0.188	10.8	0.498	2.22	26.5	0.69
466600 X 3438200		1.410	0.048	0.023	0.214	17.8	0.058	2.87	11.2	2.15
466600 X 3438400		1.745	0.062	0.025	0.256	15.7	0.117	3.17	31.7	2.66
466600 X 3438600		1.115	0.050	0.018	0.175	16.3	0.081	3.12	40.0	2.55
467000 X 3433000		0.898	0.084	0.028	0.208	26.3	0.082	1.695	19.8	0.89
467000 X 3433400		0.684	0.043	0.018	0.143	7.0	0.019	1.745	9.5	0.66
467000 X 3433600		1.065	0.081	0.012	0.178	13.5	0.059	2.74	7.7	0.82
467000 X 3433800		0.460	0.109	0.014	0.118	42.1	0.041	0.785	8.1	0.37
467000 X 3436000		0.738	0.064	0.012	0.108	28.1	0.022	0.739	9.1	0.32

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone - 1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	WB-21 Recvd Wt. kg	ME-Ms41L Au ppm	ME-Ms41L Ag ppm	ME-Ms41L Al %	ME-Ms41L Ac ppm	ME-Ms41L As ppm	ME-Ms41L Ba ppm	ME-Ms41L Be ppm	ME-Ms41L Bi ppm	ME-Ms41L Ca %	ME-Ms41L Cd ppm	ME-Ms41L Ce ppm	ME-Ms41L Co ppm	ME-Ms41L Cr ppm	ME-Ms41L Cs ppm
467000 X 5436200		0.50	0.0016	0.042	0.88	0.39	<10	6.8	0.10	0.020	0.13	0.049	13.45	2.15	14.30	0.215
467000 X 5436400		0.25	0.0004	0.006	0.63	0.33	<10	9.3	0.08	0.021	0.21	0.017	13.70	2.57	12.80	0.229
467000 X 5436600		1.03	<0.0002	0.015	1.01	0.37	<10	10.4	0.12	0.030	0.21	0.025	16.35	2.10	14.65	0.219
467000 X 5436800		0.64	0.0012	0.058	1.45	0.64	<10	24.2	0.18	0.025	0.14	0.058	22.0	5.48	25.5	0.483
467000 X 5437000		0.70	0.0002	0.010	0.76	1.22	<10	25.7	0.08	0.035	0.33	0.037	14.35	6.43	16.20	0.500
467000 X 5437200		0.44	0.0004	0.017	0.42	0.27	<10	6.8	0.01	0.105	0.07	0.054	3.32	0.941	11.15	0.275
467000 X 5437400		0.91	0.0002	0.012	1.78	0.79	<10	8.5	0.17	0.022	0.15	0.024	23.5	2.48	21.8	0.273
467000 X 5437600		0.22	0.0003	5.90	0.32	0.22	<10	13.0	0.05	0.013	0.26	0.343	16.80	39.7	12.80	0.202
467000 X 5437800		0.19	0.0055	48.1	2.58	1.20	<10	16.7	0.20	0.052	0.17	2.98	17.70	326	126.5	0.390
467000 X 5438000		0.26	0.0004	11.40	0.92	0.71	<10	28.8	0.28	0.038	0.21	0.674	82.0	43.7	100.0	0.399
467000 X 5438200		0.88	0.0004	0.013	1.07	0.49	<10	7.2	0.15	0.021	0.10	0.070	17.05	2.98	18.85	0.221
467000 X 5438400		0.47	0.0003	0.016	0.84	0.64	<10	11.1	0.10	0.029	0.15	0.031	18.65	4.71	20.3	0.304
467000 X 5438600		0.32	0.0002	0.004	0.62	1.01	<10	6.6	0.06	0.086	0.06	0.071	4.18	1.510	13.85	0.291
467000 X 5438800		0.23	0.0002	0.049	1.79	1.59	<10	18.2	0.14	0.090	0.07	0.183	7.86	2.15	24.5	0.387
467000 X 5439000		0.63	<0.0002	0.016	0.59	0.31	<10	6.3	0.06	0.023	0.08	0.032	11.50	2.12	12.00	0.159
467000 X 5439200		0.32	0.0010	0.017	1.43	0.38	<10	8.9	0.15	0.049	0.04	0.039	6.06	1.075	16.25	0.217
467000 X 5439400		0.62	<0.0002	0.282	1.78	0.89	<10	11.8	0.17	0.048	0.07	0.077	7.80	2.50	22.1	0.528
467000 X 5439600		0.63	0.0002	0.022	1.50	0.80	<10	14.1	0.14	0.026	0.12	0.039	16.15	3.08	19.25	0.278
467000 X 5439800		0.60	<0.0002	0.011	0.94	1.29	<10	13.4	0.08	0.062	0.06	0.047	6.08	0.951	14.55	0.136
467000 X 5436000		0.77	0.0004	0.003	0.66	0.38	<10	9.8	0.07	0.017	0.23	0.013	14.10	2.26	14.05	0.198
467000 X 5436200		0.67	0.0003	0.004	0.36	0.39	<10	8.4	0.05	0.023	0.15	0.017	6.69	1.130	10.70	0.191
467000 X 5437000		0.71	<0.0002	0.011	0.53	0.35	<10	10.8	0.05	0.158	0.10	0.051	5.33	2.31	16.80	0.360
467000 X 5437200		0.71	<0.0002	0.008	0.55	0.38	<10	13.9	0.07	0.015	0.24	0.018	16.10	3.86	13.00	0.191
467000 X 5437400		0.31	0.0002	0.006	0.22	0.10	<10	5.1	0.02	0.047	0.04	0.012	3.24	0.961	7.30	0.257
467000 X 5437800		0.47	0.0003	0.004	0.54	0.41	<10	6.3	0.06	0.021	0.18	0.035	16.80	2.68	14.60	0.134
467000 X 5437900		0.19	0.0003	4.36	0.36	0.13	<10	7.1	0.07	0.019	0.20	0.350	8.31	34.1	13.70	0.135
467000 X 5438000		0.25	0.0018	8.26	0.52	0.29	<10	10.8	0.05	0.025	0.22	0.462	16.25	68.0	17.45	0.225
467000 X 5438200		0.16	0.0010	82.0	0.87	0.35	<10	17.0	0.09	0.034	0.31	4.85	24.0	365	238	0.365
467000 X 5438400		0.29	<0.0002	19.05	0.40	2.33	<10	23.2	0.07	0.021	0.46	1.170	24.3	614	54.5	0.199
467000 X 5438800		0.53	0.0003	0.019	0.41	0.15	<10	12.8	0.06	0.026	0.20	0.048	8.79	1.940	12.95	0.248
467400 X 5435000		0.39	0.0002	0.042	1.03	0.56	<10	8.6	0.12	0.025	0.08	0.045	16.75	2.66	16.45	0.153
467400 X 5435200		0.48	<0.0002	0.080	3.18	1.25	<10	20.8	0.40	0.070	0.08	0.116	12.60	3.67	34.2	0.515
467400 X 5435400		0.64	0.0019	0.023	1.84	0.81	<10	27.7	0.23	0.042	0.24	0.050	27.5	8.71	39.4	0.461
467400 X 5435600		0.54	0.0005	0.021	0.86	0.76	<10	15.7	0.14	0.028	0.18	0.058	22.7	5.78	27.0	0.335
467400 X 5436000		0.68	0.0003	0.012	1.06	0.79	<10	16.8	0.25	0.042	0.12	0.106	23.3	4.62	34.7	0.275
467400 X 5437000		0.36	<0.0002	0.004	0.93	0.43	<10	8.2	0.12	0.046	0.07	0.050	4.63	1.030	12.60	0.174
467400 X 5437200		0.46	0.0011	0.146	0.97	0.35	<10	46.1	0.14	0.047	0.27	0.059	37.7	6.19	27.8	0.322
467400 X 5437400		0.71	<0.0002	0.013	0.28	0.14	<10	7.4	0.04	0.013	0.23	0.024	10.30	1.480	10.90	0.128
467400 X 5437800		0.33	0.0010	5.96	0.31	0.20	<10	11.2	0.05	0.015	0.32	0.458	15.80	160.5	34.8	0.143
467400 X 5437900		0.27	0.0003	22.0	0.56	0.22	<10	12.6	0.07	0.024	0.22	1.405	14.00	203	92.6	0.230

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Cu ppm 0.01	Fe % 0.001	Ca ppm 0.004	Ce ppm 0.003	Hf ppm 0.002	Hg ppm 0.004	In ppm 0.005	K % 0.01	La ppm 0.002	Li ppm 0.1	Mg % 0.01	Mn ppm 0.1	Mo ppm 0.01	Nb % 0.001	Ni ppm 0.002
467000 X 3436200		3.44	0.620	1.320	0.032	0.049	0.025	<0.005	0.01	4.85	3.1	0.13	48.0	0.11	0.011	0.983
467000 X 3436400		6.25	0.610	1.370	0.036	0.031	0.006	0.005	0.01	6.14	3.5	0.15	53.8	0.10	0.011	0.780
467000 X 3436600		5.09	0.540	1.900	0.036	0.033	0.025	<0.005	0.01	8.25	3.4	0.15	49.8	0.15	0.009	0.871
467000 X 3436800		8.54	1.130	2.47	0.031	0.041	0.027	0.010	0.03	6.01	7.8	0.25	82.8	0.12	0.011	1.285
467000 X 3437000		6.14	1.460	3.18	0.039	0.018	0.008	<0.005	0.04	6.37	15.8	0.37	108.0	0.49	0.012	0.701
467000 X 3437200		1.24	0.300	6.04	0.027	0.011	0.026	0.008	0.01	1.505	1.0	0.07	22.7	0.24	0.009	0.798
467000 X 3437400		8.11	0.940	1.875	0.050	0.066	0.034	0.014	0.01	10.05	3.9	0.13	52.3	0.20	0.008	0.987
467000 X 3437600		38.4	0.410	1.175	0.043	0.061	0.005	<0.005	0.03	7.42	3.6	0.17	58.7	0.12	0.010	0.606
467000 X 3437800		148.0	2.50	6.59	0.054	0.064	0.048	0.024	0.04	8.06	9.4	0.34	113.0	1.98	0.016	1.970
467000 X 3438000		67.8	0.760	3.01	0.091	0.016	0.017	0.008	0.05	38.8	8.2	0.32	90.1	1.40	0.011	0.961
467000 X 3438200		4.18	0.840	1.270	0.035	0.049	0.018	0.012	0.01	6.51	3.3	0.12	52.7	0.12	0.007	1.085
467000 X 3438400		6.39	0.920	1.670	0.038	0.044	0.010	<0.005	0.02	6.84	6.9	0.25	86.1	0.17	0.008	0.944
467000 X 3438600		1.44	1.210	8.86	0.021	0.025	0.038	<0.005	0.01	1.880	1.8	0.09	39.3	0.23	0.007	1.690
467000 X 3438800		5.89	1.730	7.02	0.030	0.013	0.060	0.014	0.01	2.88	4.5	0.11	37.1	0.53	0.008	1.400
467000 X 3439000		2.56	0.560	1.105	0.028	0.027	0.008	<0.005	0.01	4.21	2.9	0.12	42.5	0.08	0.005	0.909
467000 X 3439200		0.95	1.030	5.98	0.025	0.044	0.042	0.014	0.01	2.93	2.3	0.08	20.8	0.25	0.004	1.180
467000 X 3439400		5.75	1.350	5.42	0.028	0.033	0.059	0.010	0.02	3.60	4.4	0.11	66.1	0.25	0.005	1.305
467000 X 3439600		7.44	0.990	2.06	0.038	0.048	0.028	0.005	0.01	5.57	7.7	0.17	55.3	0.22	0.006	0.883
467000 X 3439800		2.79	1.100	5.54	0.026	0.017	0.033	0.009	0.01	2.75	1.5	0.05	27.0	0.23	0.006	1.030
467000 X 3439900		6.76	0.640	1.420	0.036	0.060	0.007	0.005	0.02	7.20	3.3	0.17	54.4	0.08	0.009	0.741
467000 X 3439900		1.30	0.400	2.41	0.036	0.008	0.007	<0.005	0.01	3.43	2.0	0.10	35.0	0.07	0.006	0.697
467000 X 3437000		2.15	0.490	8.84	0.028	0.021	0.027	0.008	0.01	2.69	3.3	0.13	40.3	0.30	0.007	1.605
467000 X 3437200		7.16	0.620	1.370	0.039	0.058	0.006	<0.005	0.02	7.85	3.4	0.17	95.2	0.08	0.009	0.689
467000 X 3437400		1.10	0.071	2.82	0.019	0.004	0.016	<0.005	0.01	1.775	0.3	0.01	6.7	0.09	0.006	0.362
467000 X 3437600		4.03	0.720	1.455	0.044	0.029	0.009	0.007	0.01	8.32	2.8	0.14	46.3	0.08	0.006	0.750
467000 X 3437800		33.6	0.260	1.330	0.034	0.041	<0.004	<0.005	0.02	4.20	2.8	0.13	38.0	0.12	0.007	0.633
467000 X 3438000		68.7	0.540	1.815	0.058	0.044	<0.004	0.006	0.02	8.28	4.9	0.24	69.2	0.16	0.011	0.754
467000 X 3438200		192.0	1.130	3.11	0.063	0.024	0.007	0.011	0.04	11.20	10.3	0.48	154.5	4.39	0.018	0.609
467000 X 3438400		173.0	0.810	1.520	0.064	0.072	<0.004	0.009	0.03	12.20	4.3	0.31	98.9	0.98	0.016	0.699
467000 X 3438600		6.04	0.330	2.57	0.032	0.011	0.010	0.006	0.01	4.43	3.6	0.14	45.2	0.09	0.007	0.643
467400 X 3435000		2.42	0.750	1.545	0.027	0.055	0.026	0.011	0.01	5.17	3.2	0.10	34.9	0.12	0.006	1.090
467400 X 3435200		6.70	2.86	10.70	0.049	0.068	0.060	0.021	0.02	6.22	11.1	0.20	73.6	0.48	0.009	1.855
467400 X 3435400		15.90	1.770	3.98	0.062	0.046	0.009	0.009	0.04	10.70	10.7	0.58	165.0	0.15	0.020	1.190
467400 X 3436400		8.09	1.610	2.40	0.054	0.042	0.013	<0.005	0.03	11.25	5.2	0.21	97.8	0.29	0.006	1.120
467400 X 3436600		6.34	1.940	5.41	0.049	0.069	0.045	0.017	0.02	9.82	5.5	0.19	117.0	0.28	0.008	1.445
467400 X 3437000		0.95	0.900	4.70	0.016	0.018	0.019	0.009	0.01	2.30	1.2	0.05	39.0	0.12	0.005	0.956
467400 X 3437200		50.4	0.830	2.93	0.072	0.020	0.056	<0.005	0.03	18.75	11.0	0.38	98.1	0.18	0.010	0.775
467400 X 3437400		3.85	0.260	1.250	0.036	0.021	0.006	<0.005	0.01	5.23	2.3	0.13	40.7	0.10	0.006	0.681
467400 X 3437600		65.6	0.500	1.140	0.039	0.020	0.006	<0.005	0.02	8.20	3.0	0.19	65.2	0.68	0.012	0.510
467400 X 3437800		67.7	0.640	1.885	0.040	0.024	<0.004	0.005	0.04	7.62	5.6	0.28	82.2	1.33	0.013	0.604

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Ni ppm 0.04	F % 0.001	Pb ppm 0.003	Pd ppm 0.001	Pt ppm 0.002	Zb ppm 0.005	Re ppm 0.001	S % 0.01	Sb ppm 0.005	Se ppm 0.003	Sc ppm 0.1	Sm ppm 0.01	Sr ppm 0.01	Ta ppm 0.005	Tb ppm 0.01
467000 X 3436200		6.66	0.036	0.921	<0.001	<0.002	0.979	<0.001	0.02	0.006	1.520	0.4	0.13	10.10	0.022	<0.01
467000 X 3436400		6.75	0.049	1.140	<0.001	<0.002	1.460	<0.001	0.01	0.005	1.220	0.3	0.10	12.10	0.007	<0.01
467000 X 3436600		6.67	0.050	1.265	<0.001	<0.002	1.355	<0.001	0.02	0.008	1.695	0.4	0.14	13.10	0.017	<0.01
467000 X 3436800		13.95	0.027	1.465	<0.001	<0.002	2.89	<0.001	0.02	0.014	2.77	0.5	0.19	13.50	0.030	0.01
467000 X 3437000		11.15	0.067	1.800	<0.001	<0.002	3.53	<0.001	0.02	0.010	1.330	0.1	0.16	15.50	<0.005	<0.01
467000 X 3437200		2.52	0.011	7.42	<0.001	<0.002	1.265	<0.001	0.02	0.050	0.613	0.2	0.54	7.40	<0.005	<0.01
467000 X 3437400		7.79	0.054	1.195	<0.001	<0.002	1.125	<0.001	0.02	0.021	2.33	0.4	0.11	9.48	0.035	<0.01
467000 X 3437600		14.95	0.055	1.035	<0.001	<0.002	2.03	<0.001	0.01	0.006	0.973	0.3	0.60	14.00	<0.005	<0.01
467000 X 3437800		77.3	0.044	3.88	0.001	<0.002	2.76	0.001	0.03	0.070	3.04	0.6	4.06	12.75	0.048	0.03
467000 X 3438000		31.8	0.045	2.35	<0.001	<0.002	3.31	0.001	0.04	0.078	2.24	0.3	1.03	13.15	<0.005	<0.01
467000 X 3438200		7.20	0.035	0.932	<0.001	<0.002	0.970	<0.001	0.03	0.025	2.02	0.2	0.13	8.27	0.039	0.01
467200 X 3439000		11.45	0.037	1.445	0.001	<0.002	2.81	<0.001	0.01	0.006	1.265	0.2	0.15	10.20	0.018	0.01
467200 X 3439200		4.09	0.015	5.51	<0.001	<0.002	1.595	<0.001	0.02	0.054	0.798	0.5	0.58	6.70	0.015	0.02
467200 X 3439400		5.61	0.065	6.68	<0.001	<0.002	1.790	<0.001	0.04	0.077	1.480	0.6	0.52	7.96	0.041	0.01
467200 X 3439600		5.81	0.024	0.860	<0.001	<0.002	0.818	<0.001	0.01	0.005	1.120	0.2	0.14	6.60	0.027	<0.01
467200 X 3439800		2.46	0.016	3.78	<0.001	<0.002	1.165	<0.001	0.02	0.034	1.770	0.3	0.34	4.15	0.040	<0.01
467200 X 3438000		4.07	0.035	2.89	<0.001	<0.002	3.00	<0.001	0.02	0.023	1.815	0.7	0.33	6.24	0.046	0.01
467200 X 3438200		8.94	0.054	1.525	<0.001	<0.002	1.350	<0.001	0.01	0.018	1.590	0.4	0.15	9.66	0.024	0.01
467200 X 3438400		2.78	0.146	3.69	<0.001	<0.002	0.941	<0.001	0.02	0.042	0.998	0.6	0.34	6.79	0.030	0.01
467200 X 3438600		7.09	0.052	0.994	<0.001	<0.002	1.315	<0.001	0.01	<0.005	1.255	0.3	0.11	12.40	0.006	<0.01
467200 X 3438800		3.49	0.028	1.475	<0.001	<0.002	1.095	<0.001	0.01	0.009	0.843	0.3	0.18	12.00	<0.005	0.03
467200 X 3437000		4.52	0.014	4.68	0.001	<0.002	1.915	<0.001	0.02	0.019	1.015	0.2	0.45	10.95	<0.005	0.01
467200 X 3437200		7.53	0.053	0.900	<0.001	<0.002	1.780	<0.001	<0.01	0.006	1.105	0.3	0.10	12.40	<0.005	<0.01
467200 X 3437400		0.76	0.006	3.40	<0.001	<0.002	1.305	<0.001	0.01	0.009	0.289	0.1	0.26	4.87	<0.005	<0.01
467200 X 3437600		6.51	0.046	1.275	<0.001	<0.002	0.911	<0.001	0.01	0.012	0.890	0.2	0.14	10.00	0.013	0.02
467200 X 3437800		13.15	0.053	1.085	<0.001	<0.002	1.105	<0.001	0.01	0.017	0.612	0.3	0.42	10.05	<0.005	0.01
467200 X 3438000		9.91	0.042	1.610	0.001	<0.002	2.02	<0.001	0.02	0.012	1.290	0.2	0.64	12.60	<0.005	0.01
467200 X 3438200		109.0	0.064	3.08	<0.001	<0.002	2.72	0.004	0.02	0.074	1.425	0.3	4.61	17.45	<0.005	<0.01
467200 X 3438400		39.2	0.054	1.880	<0.001	<0.002	1.815	0.001	0.07	0.026	1.205	0.2	1.66	18.60	<0.005	<0.01
467200 X 3438600		5.29	0.032	2.08	<0.001	<0.002	1.290	<0.001	0.01	0.011	1.155	0.2	0.15	12.80	<0.005	0.01
467400 X 3439000		5.95	0.023	1.160	<0.001	<0.002	0.843	<0.001	0.01	0.010	2.11	0.3	0.15	7.85	0.039	0.01
467400 X 3439200		7.40	0.099	4.72	<0.001	<0.002	2.64	<0.001	0.04	0.051	2.44	0.6	0.39	8.82	0.052	0.02
467400 X 3439400		22.7	0.030	2.41	<0.001	<0.002	3.51	<0.001	0.01	0.015	3.52	0.4	0.25	19.60	0.013	0.02
467400 X 3439600		11.20	0.059	1.725	<0.001	<0.002	2.31	<0.001	0.01	0.017	1.435	0.2	0.22	11.10	0.031	0.03
467400 X 3438800		9.03	0.073	2.52	0.001	<0.002	1.980	<0.001	0.02	0.022	3.18	0.3	0.26	9.64	0.056	0.02
467400 X 3437000		2.56	0.076	3.54	<0.001	<0.002	1.215	<0.001	0.01	0.016	1.090	0.4	0.31	6.38	0.037	<0.01
467400 X 3437200		15.05	0.055	1.545	0.001	<0.002	2.10	0.001	0.03	0.021	1.780	0.5	0.17	14.10	<0.005	<0.01
467400 X 3437400		3.99	0.048	1.245	0.001	<0.002	0.831	<0.001	0.01	0.015	0.776	0.2	0.15	12.40	<0.005	<0.01
467400 X 3437600		16.30	0.047	1.070	<0.001	<0.002	1.550	0.001	0.09	0.025	1.020	0.2	0.54	12.20	<0.005	<0.01
467400 X 3437800		53.3	0.042	1.735	0.001	<0.002	2.28	0.001	0.01	0.032	1.070	0.2	1.81	12.15	<0.005	0.02

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Th ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.003	V ppm 0.1	W ppm 0.001	Y ppm 0.003	Zn ppm 0.1	Zr ppm 0.01
467000 X 3436200		0.967	0.053	0.012	0.164	12.3	0.044	1.835	8.1	1.07
467000 X 3436400		0.830	0.051	0.014	0.150	12.1	0.040	2.22	8.3	0.84
467000 X 3436600		0.992	0.056	0.013	0.221	12.3	0.040	2.81	8.9	0.76
467000 X 3436800		1.210	0.088	0.019	0.216	20.5	0.062	2.78	13.2	1.74
467000 X 3437000		0.897	0.074	0.029	0.225	22.1	0.069	2.26	34.0	0.51
467000 X 3437200		0.059	0.097	0.021	0.129	18.0	0.010	0.770	4.7	0.41
467000 X 3437400		1.445	0.054	0.016	0.268	18.2	0.050	3.42	8.1	1.43
467000 X 3437600		1.145	0.046	0.017	0.200	9.9	0.062	2.45	23.4	1.58
467000 X 3437800		1.375	0.118	0.025	0.255	54.0	0.266	2.78	76.8	1.46
467000 X 3438000		1.940	0.079	0.055	0.467	29.0	0.572	6.77	37.0	0.44
467000 X 3438600		0.971	0.056	0.008	0.170	13.9	0.047	2.90	9.1	1.01
467200 X 3433000		1.925	0.063	0.020	0.204	17.5	0.048	2.05	13.5	1.13
467200 X 3433200		0.431	0.144	0.020	0.084	51.9	0.040	0.702	8.5	0.59
467200 X 3433400		0.698	0.086	0.018	0.154	37.3	0.047	1.115	14.8	0.58
467200 X 3433600		0.791	0.053	0.008	0.143	10.4	0.035	1.700	6.4	0.69
467200 X 3433800		0.982	0.078	0.012	0.127	30.8	0.025	1.335	4.5	1.27
467200 X 3434000		0.578	0.092	0.020	0.163	28.6	0.053	1.620	10.5	0.81
467200 X 3434200		1.115	0.056	0.018	0.185	18.1	0.056	1.715	10.4	1.04
467200 X 3434400		0.841	0.074	0.014	0.134	26.0	0.102	0.851	5.9	0.51
467200 X 3434600		1.045	0.052	0.013	0.172	13.9	0.037	2.40	8.5	1.43
467200 X 3434800		0.328	0.060	0.006	0.119	11.3	0.029	1.300	6.4	0.26
467200 X 3435000		0.254	0.178	0.015	0.195	35.0	0.040	1.035	11.8	0.51
467200 X 3435200		1.280	0.051	0.018	0.165	12.9	0.034	2.34	9.7	1.46
467200 X 3435400		0.015	0.054	0.012	0.107	6.3	0.010	0.512	1.8	0.07
467200 X 3435600		1.330	0.058	0.008	0.233	15.5	0.037	2.26	8.6	0.70
467200 X 3435800		0.637	0.048	0.010	0.118	8.3	0.157	1.735	10.4	1.21
467200 X 3436000		1.475	0.064	0.032	0.328	14.6	0.102	2.66	35.3	1.46
467200 X 3436200		2.28	0.080	0.020	0.263	23.9	0.604	3.11	104.5	0.66
467200 X 3436400		1.730	0.056	0.019	0.536	26.5	0.953	4.18	78.4	3.96
467200 X 3436600		0.459	0.058	0.014	0.120	11.1	0.024	1.750	10.9	0.31
467400 X 3433000		1.185	0.069	0.014	0.203	14.6	0.055	2.57	5.6	1.26
467400 X 3433200		1.665	0.130	0.029	0.248	60.9	0.078	1.400	22.8	1.62
467400 X 3433400		1.855	0.114	0.037	0.266	33.4	0.075	4.57	25.1	1.29
467400 X 3433600		2.36	0.085	0.023	0.276	31.4	0.104	3.66	12.7	1.23
467400 X 3433800		1.320	0.108	0.015	0.296	42.1	0.075	4.15	17.8	1.69
467400 X 3437000		0.462	0.072	0.012	0.109	24.3	0.032	0.974	6.4	0.53
467400 X 3437200		2.01	0.070	0.048	0.370	23.6	0.060	3.66	24.4	0.48
467400 X 3437400		0.944	0.054	0.008	0.136	8.5	0.032	1.975	8.0	0.58
467400 X 3437600		1.055	0.041	0.020	0.211	11.4	0.290	2.45	29.9	0.83
467400 X 3437800		1.180	0.062	0.018	0.153	14.9	0.965	1.950	47.8	0.65

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	WE-21 Recvd Wt. kg 0.02	ME-M641L Au ppm 0.0002	ME-M641L Ag ppm 0.001	ME-M641L Al % 0.01	ME-M641L As ppm 0.01	ME-M641L B ppm 10	ME-M641L Ba ppm 0.5	ME-M641L Be ppm 0.01	ME-M641L Bi ppm 0.001	ME-M641L Ca % 0.01	ME-M641L Cd ppm 0.001	ME-M641L Ce ppm 0.005	ME-M641L Co ppm 0.001	ME-M641L Cr ppm 0.01	ME-M641L Cu ppm 0.005
407400 X 1438200		0.75	0.0014	0.019	0.53	0.18	<10	11.3	0.08	0.026	0.23	0.026	14.85	2.40	12.00	0.226
407400 X 1438400		0.12	0.0003	11.85	0.32	0.26	<10	11.2	0.05	0.016	0.25	0.884	14.95	88.3	38.3	0.163
407400 X 1438600		0.58	0.0051	0.040	0.62	0.96	<10	7.0	0.05	0.089	0.08	0.079	4.03	1.290	13.70	0.177
407300 X 1438700		0.32	<0.0002	0.017	1.67	0.85	<10	13.5	0.17	0.046	0.11	0.070	15.45	3.88	27.0	0.323
407800 X 1433200		0.47	0.0005	0.135	2.46	5.55	<10	24.8	0.22	0.080	0.12	0.154	9.26	5.18	35.5	0.674
407800 X 1433400		0.35	0.0002	0.098	2.65	2.14	<10	20.1	0.20	0.072	0.11	0.090	7.85	4.54	38.6	0.733
407800 X 1433800		0.50	<0.0002	0.057	0.89	0.49	<10	12.8	0.12	0.023	0.15	0.058	16.10	4.18	10.80	0.274
407800 X 1433000		0.30	0.0025	0.128	2.65	1.10	<10	36.4	0.35	0.052	0.11	0.096	9.28	2.98	31.3	0.504
407800 X 1436000		0.39	0.0005	0.017	1.48	1.82	<10	15.7	0.23	0.031	0.08	0.069	16.40	6.48	27.1	0.478
407800 X 1436200		0.44	<0.0002	0.009	0.87	0.43	<10	11.3	0.10	0.021	0.11	0.071	11.80	3.16	15.70	0.253
407800 X 1436400		0.20	0.0008	0.023	1.23	0.83	<10	13.3	0.17	0.037	0.09	0.067	16.20	3.53	22.3	0.358
407800 X 1436800		0.30	0.0087	0.721	0.29	0.25	<10	13.6	0.05	0.021	0.36	0.479	15.60	10.35	13.60	0.139
407800 X 1437000		0.54	<0.0002	0.014	1.44	0.40	<10	11.9	0.20	0.031	0.10	0.067	15.75	3.02	20.7	0.270
407800 X 1437200		0.43	0.0003	0.009	1.46	0.67	<10	10.3	0.17	0.036	0.10	0.055	13.55	2.62	17.10	0.254
407800 X 1437400		0.61	0.0002	0.004	0.45	0.17	<10	6.3	0.06	0.018	0.13	0.035	16.40	2.29	11.65	0.160
407800 X 1437600		0.98	0.0000	0.008	0.89	0.29	<10	23.2	0.09	0.028	0.32	0.028	26.6	4.48	10.35	0.303
407800 X 1437800		0.30	0.0007	38.9	1.10	0.49	<10	25.4	0.13	0.033	0.27	2.62	26.3	2.18	200	0.468
407800 X 1438000		0.33	0.0042	32.1	0.71	0.02	<10	17.6	0.14	0.031	0.24	2.18	33.8	246	84.2	0.309
407800 X 1438200		0.70	0.0003	0.025	0.49	0.19	<10	7.7	0.08	0.026	0.23	0.035	10.05	3.17	14.45	0.190
407800 X 1438400		0.55	0.0002	0.008	0.57	0.30	<10	8.8	0.08	0.020	0.21	0.031	14.70	2.29	13.05	0.182
407800 X 1438600		0.20	0.0008	13.55	0.58	<0.01	<10	16.9	0.08	0.040	0.28	0.990	20.1	116.0	47.3	0.288
407800 X 1438800		0.31	0.0018	0.134	2.89	0.96	<10	26.4	0.37	0.077	0.22	0.079	19.70	5.46	40.8	0.678
407800 X 1439000		0.40	0.0007	0.140	2.13	0.79	<10	13.2	0.20	0.076	0.08	0.155	5.90	1.720	20.6	0.458
407800 X 1438400		0.32	0.0004	0.018	0.82	0.57	<10	17.2	0.12	0.042	0.19	0.049	16.90	4.43	17.50	0.265
407800 X 1438600		0.33	0.127	0.046	0.85	0.29	<10	10.0	0.11	0.023	0.15	0.047	17.00	4.15	17.45	0.203
407800 X 1437000		0.60	0.0007	0.014	1.29	0.78	<10	14.5	0.15	0.037	0.20	0.049	24.3	3.93	20.3	0.294
407800 X 1437200		0.67	0.0005	0.008	1.07	1.03	<10	15.7	0.11	0.039	0.22	0.058	13.15	5.18	21.5	0.370
407800 X 1437400		0.67	0.0003	0.008	1.80	0.61	<10	8.0	0.13	0.046	0.11	0.023	11.70	1.435	18.45	0.287
407800 X 1437600		0.19	0.0003	4.84	0.45	0.18	<10	11.2	0.05	0.022	0.23	0.349	17.50	25.2	26.8	0.177
407800 X 1437800		0.90	0.0003	0.017	0.96	0.55	<10	11.6	0.11	0.026	0.14	0.051	22.2	3.75	20.3	0.291
407800 X 1438000		0.20	0.0007	51.9	1.15	0.14	<10	18.4	0.13	0.043	0.24	3.54	23.5	263	131.0	0.472
407800 X 1438200		0.22	0.0015	21.1	0.51	0.14	<10	21.7	0.12	0.032	0.38	1.290	43.3	137.0	43.7	0.279
407800 X 1438400		0.88	0.0003	0.020	1.15	0.41	<10	8.0	0.12	0.028	0.13	0.042	19.35	2.70	19.35	0.297
407800 X 1438600		0.70	0.0010	0.224	2.83	1.02	<10	13.2	0.33	0.044	0.09	0.133	30.5	3.89	36.0	0.398
408000 X 1439000		0.28	0.0004	0.052	1.71	0.67	<10	16.7	0.21	0.059	0.14	0.127	12.30	4.08	26.2	0.467
408000 X 1439200		0.37	0.0003	0.045	1.18	0.73	<10	17.9	0.18	0.137	0.13	0.082	15.35	3.39	15.50	0.700
408000 X 1439400		0.27	0.0008	15.20	0.54	9.91	<10	23.8	0.09	0.022	0.28	1.300	32.5	2.19	23.4	0.309
408000 X 1439600		0.25	0.0002	0.030	0.76	0.34	<10	7.4	0.10	0.025	0.10	0.062	17.60	3.11	16.25	0.182
408000 X 1439800		0.22	0.0002	2.08	0.37	<0.01	<10	6.6	0.05	0.017	0.21	0.133	12.35	5.11	15.20	0.140
408000 X 1437000		0.74	0.0004	0.018	0.35	0.22	<10	7.5	0.07	0.018	0.19	0.018	14.75	1.625	9.76	0.130

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LDR	ME-Ms41L Cu ppm 0.01	ME-Ms41L Fe % 0.001	ME-Ms41L Ca ppm 0.004	ME-Ms41L Ce ppm 0.003	ME-Ms41L Hf ppm 0.002	ME-Ms41L Hg ppm 0.004	ME-Ms41L In ppm 0.003	ME-Ms41L K % 0.01	ME-Ms41L La ppm 0.002	ME-Ms41L Li ppm 0.1	ME-Ms41L Mg % 0.01	ME-Ms41L Mn ppm 0.1	ME-Ms41L Mo ppm 0.01	ME-Ms41L Na % 0.001	ME-Ms41L Nb ppm 0.002
407400 X 3438200		7.98	0.410	1.670	0.058	0.033	0.004	<0.005	0.02	16.35	4.5	0.18	60.1	0.04	0.008	0.590
407400 X 3438400		133.0	0.450	1.225	0.030	0.052	<0.004	<0.005	0.03	7.57	3.4	0.18	57.1	0.68	0.011	0.500
407400 X 3438600		2.04	1.230	9.79	0.020	0.026	0.020	0.007	0.01	2.19	1.4	0.08	28.3	0.33	0.006	1.505
407300 X 3438700		6.90	1.400	3.57	0.036	0.079	0.024	0.015	0.02	6.20	5.6	0.19	77.1	0.20	0.009	1.340
407600 X 3433200		8.64	2.69	10.75	0.039	0.038	0.053	0.016	0.03	4.84	11.1	0.32	98.8	0.47	0.010	1.825
407800 X 3433400		8.11	2.40	8.28	0.034	0.079	0.052	0.023	0.03	4.05	11.5	0.28	99.8	0.55	0.009	1.620
407800 X 3433800		10.35	0.890	2.11	0.035	0.032	0.038	0.008	0.02	6.75	5.5	0.25	94.8	0.07	0.011	0.843
407800 X 3436000		4.29	2.14	7.84	0.031	0.045	0.077	0.012	0.02	5.22	5.7	0.18	67.0	0.40	0.009	1.585
407800 X 3438200		12.40	3.19	3.25	0.042	0.047	0.058	0.009	0.02	8.78	8.8	0.25	321	1.18	0.007	1.415
407800 X 3438400		5.47	0.750	1.815	0.025	0.037	0.012	<0.005	0.01	5.22	4.5	0.17	57.8	0.08	0.007	0.620
407800 X 3438600		9.14	1.130	3.21	0.028	0.048	0.024	0.006	0.01	5.40	5.4	0.18	82.9	0.25	0.009	1.485
407800 X 3438800		34.6	0.460	1.050	0.044	0.031	<0.004	<0.005	0.02	7.41	2.2	0.21	65.6	0.17	0.009	0.549
407800 X 3437000		2.95	1.040	2.48	0.034	0.030	0.012	0.008	0.01	5.02	3.2	0.14	53.5	0.14	0.006	1.340
407800 X 3437200		0.95	0.630	2.77	0.020	0.020	0.027	0.006	0.01	5.05	3.7	0.15	47.2	0.11	0.006	1.310
407800 X 3437400		2.72	0.590	1.010	0.028	0.028	0.008	<0.005	0.01	5.83	1.8	0.10	58.0	0.08	0.004	0.795
407800 X 3437600		16.35	0.860	1.975	0.063	0.052	0.008	0.005	0.03	11.40	3.6	0.24	127.0	0.10	0.012	0.639
407800 X 3437800		161.0	1.350	3.28	0.057	0.032	0.014	0.010	0.08	13.65	9.0	0.45	194.5	2.70	0.015	0.925
407800 X 3438000		182.0	0.770	2.79	0.060	0.011	0.009	0.011	0.04	17.20	6.4	0.34	105.0	1.39	0.013	0.709
407800 X 3438200		8.65	0.670	1.410	0.045	0.031	0.008	0.008	0.01	8.30	2.7	0.16	82.7	0.07	0.007	0.721
407800 X 3438400		3.40	0.660	1.500	0.041	0.018	0.007	<0.005	0.02	7.08	2.9	0.18	60.7	0.08	0.005	0.750
407800 X 3438600		70.1	0.850	2.11	0.037	0.038	0.010	0.008	0.03	10.20	5.6	0.30	85.8	0.78	0.011	0.625
407800 X 3438800		7.31	3.04	13.25	0.064	0.093	0.086	0.018	0.04	9.60	12.5	0.31	107.5	0.49	0.009	1.980
407800 X 3439000		4.05	1.550	8.42	0.028	0.034	0.056	0.012	0.01	2.57	3.9	0.10	40.8	0.34	0.004	1.470
407800 X 3439200		9.38	1.030	2.52	0.037	0.028	0.018	0.008	0.02	7.55	4.2	0.21	98.5	0.17	0.005	0.836
407800 X 3439400		4.67	0.950	1.975	0.038	0.035	0.009	0.005	0.02	7.53	3.5	0.18	119.0	0.12	0.005	0.886
407800 X 3437000		7.54	1.040	2.62	0.042	0.025	0.032	0.008	0.02	9.29	4.2	0.22	86.5	0.19	0.008	1.170
407800 X 3437200		7.49	0.960	3.68	0.030	0.019	0.016	0.007	0.02	6.17	7.2	0.31	101.5	0.20	0.009	1.055
407800 X 3437400		2.01	1.280	6.69	0.033	0.044	0.026	0.012	0.01	5.53	2.0	0.10	43.9	0.27	0.005	1.360
407800 X 3437600		46.1	0.850	1.420	0.042	0.021	0.005	<0.005	0.02	7.58	2.5	0.16	74.9	0.33	0.007	0.678
407800 X 3437800		7.78	0.840	1.880	0.042	0.028	0.027	<0.005	0.01	7.50	3.6	0.20	79.1	0.09	0.008	1.070
407800 X 3438000		268	0.930	3.57	0.055	0.027	0.010	0.010	0.08	11.75	8.4	0.42	127.5	2.18	0.014	0.994
407800 X 3438200		47.4	0.750	1.975	0.070	0.043	0.013	0.009	0.04	21.6	4.3	0.28	96.2	0.73	0.017	0.742
407800 X 3438400		5.68	0.810	1.920	0.044	0.030	0.022	0.006	0.01	6.75	3.7	0.17	59.8	0.14	0.010	1.070
407800 X 3438600		8.84	1.900	4.15	0.042	0.061	0.057	0.012	0.01	6.42	9.0	0.20	78.4	0.34	0.007	1.545
408000 X 3438800		7.10	1.760	7.20	0.051	0.046	0.046	0.014	0.03	5.49	5.8	0.23	86.9	0.43	0.009	1.690
408000 X 3439000		4.62	1.830	8.72	0.044	0.053	0.034	0.009	0.03	7.47	8.4	0.25	81.1	0.41	0.007	2.48
408000 X 3439200		88.9	0.790	1.880	0.064	0.029	0.015	<0.005	0.03	16.45	6.4	0.25	87.9	0.53	0.013	0.704
408000 X 3439400		4.29	0.720	1.575	0.029	0.026	0.018	<0.005	0.01	5.63	3.4	0.15	53.9	0.09	0.006	0.996
408000 X 3439600		14.85	0.330	1.215	0.041	0.033	<0.004	0.005	0.01	5.90	2.2	0.13	45.8	0.11	0.007	0.757
408000 X 3437000		9.30	0.360	1.070	0.035	0.025	0.005	<0.005	0.01	6.84	2.0	0.12	41.3	0.12	0.006	0.715

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LDR	ME-Ms41L Ni ppm	ME-Ms41L P %	ME-Ms41L Pb ppm	ME-Ms41L Pd ppm	ME-Ms41L Pt ppm	ME-Ms41L Sb ppm	ME-Ms41L Re ppm	ME-Ms41L S %	ME-Ms41L Se ppm	ME-Ms41L Sr ppm	ME-Ms41L Sm ppm	ME-Ms41L Sn ppm	ME-Ms41L Ta ppm	ME-Ms41L Te ppm	
467400 X 3438200		7.50	0.053	1.245	<0.001	<0.002	1.860	<0.001	0.01	0.007	1.190	0.2	0.11	12.15	0.006	0.01
467400 X 3438400		32.6	0.050	1.425	<0.001	<0.002	1.855	0.001	0.06	0.010	0.887	0.1	0.98	11.55	<0.005	0.01
467400 X 3438600		3.49	0.021	5.21	<0.001	<0.002	1.295	<0.001	0.01	0.061	0.635	0.2	0.67	7.58	0.011	<0.01
467500 X 3438700		10.35	0.045	2.65	<0.001	<0.002	1.690	<0.001	0.02	0.023	2.13	0.3	0.27	9.11	0.045	0.02
467600 X 3433200		10.60	0.124	5.55	<0.001	<0.002	3.37	<0.001	0.03	0.060	2.09	0.8	0.46	10.55	0.046	0.04
467600 X 3433400		9.89	0.112	3.94	<0.001	<0.002	3.42	<0.001	0.04	0.196	2.00	0.8	0.33	8.85	0.040	0.02
467600 X 3433600		11.85	0.049	1.400	<0.001	<0.002	1.820	<0.001	0.01	0.013	1.985	0.3	0.14	11.45	0.016	0.01
467600 X 3433800		8.03	0.108	3.42	<0.001	<0.002	3.28	<0.001	0.03	0.042	2.08	0.7	0.31	12.10	0.046	0.03
467600 X 3436200		8.99	0.025	1.530	0.001	<0.002	1.935	<0.001	0.02	0.029	1.675	0.7	0.25	8.41	0.015	0.01
467600 X 3436400		9.38	0.044	1.295	<0.001	<0.002	1.455	<0.001	0.01	0.017	1.490	0.1	0.14	9.03	0.022	<0.01
467600 X 3436600		8.02	0.041	2.21	<0.001	<0.002	2.07	<0.001	0.01	0.019	2.00	0.3	0.23	9.71	0.041	0.02
467600 X 3436800		8.50	0.052	0.865	<0.001	<0.002	1.500	<0.001	0.03	0.017	1.025	<0.1	3.19	12.80	<0.005	<0.01
467600 X 3437000		9.32	0.049	1.455	<0.001	<0.002	1.255	<0.001	0.03	0.013	2.70	0.1	0.18	10.40	0.053	<0.01
467600 X 3437200		8.43	0.016	1.895	<0.001	<0.002	1.880	<0.001	0.02	0.020	2.85	0.2	0.23	9.82	0.047	<0.01
467600 X 3437400		5.68	0.033	0.821	<0.001	<0.002	0.811	<0.001	<0.01	0.011	1.065	0.1	0.14	9.77	0.019	<0.01
467600 X 3437600		11.95	0.057	1.965	<0.001	<0.002	2.36	<0.001	0.01	0.013	1.865	<0.1	0.16	20.8	<0.005	<0.01
467600 X 3437800		73.3	0.053	2.93	<0.001	<0.002	4.61	0.003	0.01	0.088	1.730	0.2	3.33	18.05	0.008	0.01
467600 X 3438000		64.7	0.042	2.58	0.001	<0.002	3.08	0.001	0.02	0.022	1.695	0.2	2.67	15.45	<0.005	<0.01
467600 X 3438200		8.58	0.050	1.030	<0.001	<0.002	1.120	<0.001	<0.01	0.011	1.285	0.1	0.14	14.35	<0.005	<0.01
467600 X 3438400		6.86	0.049	1.080	<0.001	<0.002	1.235	<0.001	0.01	0.009	1.110	0.1	0.14	12.30	0.006	<0.01
467600 X 3438600		44.3	0.057	1.760	0.001	<0.002	2.21	0.001	0.02	0.052	1.585	0.1	1.10	15.00	<0.005	<0.01
467600 X 3438800		9.74	0.150	5.78	<0.001	<0.002	4.95	<0.001	0.03	0.043	3.69	0.5	0.52	17.70	0.052	0.01
467600 X 3439000		4.23	0.041	5.09	<0.001	<0.002	1.830	<0.001	0.03	0.098	2.38	0.3	0.47	7.26	0.040	0.02
467600 X 3439200		9.95	0.058	2.67	<0.001	<0.002	1.985	<0.001	0.01	0.034	1.490	0.2	0.16	13.20	0.015	<0.01
467600 X 3439400		9.29	0.057	1.315	0.001	<0.002	1.790	<0.001	0.01	0.012	1.810	0.1	0.12	10.65	0.024	<0.01
467600 X 3437000		10.25	0.053	2.43	<0.001	<0.002	1.830	<0.001	0.01	0.028	2.21	0.3	0.20	15.10	0.042	<0.01
467600 X 3437200		14.05	0.034	2.20	<0.001	<0.002	2.57	<0.001	0.01	0.016	1.640	0.1	0.26	16.05	0.007	<0.01
467600 X 3437400		4.20	0.048	3.73	<0.001	<0.002	1.600	<0.001	0.02	0.023	2.61	0.4	0.29	8.73	0.056	0.01
467600 X 3437600		32.4	0.049	1.120	<0.001	<0.002	1.580	<0.001	0.01	0.016	1.180	<0.1	0.46	12.85	<0.005	<0.01
467600 X 3437800		11.25	0.042	1.280	<0.001	<0.002	1.550	<0.001	0.01	0.012	2.29	0.1	0.16	13.30	0.031	0.01
467600 X 3438000		59.2	0.048	3.42	0.001	<0.002	4.32	0.002	0.02	0.048	2.05	0.2	4.18	16.40	0.007	<0.01
467600 X 3438200		23.9	0.049	1.690	<0.001	<0.002	2.91	0.001	0.05	0.038	1.900	0.1	1.59	20.2	<0.005	<0.01
467600 X 3438400		7.61	0.037	1.420	<0.001	<0.002	1.295	<0.001	0.01	0.013	2.34	0.2	0.16	12.20	0.036	<0.01
467600 X 3438600		11.20	0.093	2.71	0.001	<0.002	1.780	<0.001	0.03	0.040	3.61	0.4	0.25	9.72	0.039	0.02
468000 X 3436000		10.30	0.027	4.49	0.001	<0.002	3.12	<0.001	0.03	0.042	2.54	0.3	0.34	12.85	0.051	<0.01
468000 X 3436200		6.27	0.073	5.61	<0.001	<0.002	6.22	<0.001	0.02	0.060	1.180	0.2	0.61	15.10	0.063	0.02
468000 X 3436400		17.45	0.044	1.230	0.003	<0.002	3.22	0.001	0.13	0.017	1.610	0.4	1.25	14.40	<0.005	<0.01
468000 X 3436600		8.12	0.034	1.235	0.001	<0.002	1.230	<0.001	0.01	0.012	1.975	0.1	0.14	10.25	0.028	<0.01
468000 X 3436800		13.85	0.047	0.948	0.001	<0.002	1.215	<0.001	0.01	0.013	1.060	<0.1	0.27	11.40	<0.005	<0.01
468000 X 3437000		5.47	0.041	0.826	<0.001	<0.002	0.878	<0.001	0.01	0.010	0.982	<0.1	0.12	10.70	<0.005	<0.01

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL	ME-Ms4TL
		Th ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.003	V ppm 0.1	W ppm 0.001	Y ppm 0.003	Zn ppm 0.1	Zr ppm 0.01
407400 X 1438200		1.060	0.056	0.015	0.295	9.4	0.030	4.95	12.4	1.00
407400 X 1438400		1.120	0.046	0.019	0.236	10.6	0.104	2.24	59.1	1.56
407400 X 1438800		0.586	0.151	0.019	0.091	63.3	0.042	0.647	7.0	0.82
407300 X 1438700		1.440	0.093	0.016	0.241	28.8	0.110	2.16	13.9	1.61
407800 X 1435200		1.090	0.156	0.033	0.237	66.6	0.095	1.665	31.6	1.03
407800 X 1433400		1.465	0.115	0.024	0.263	45.2	0.092	1.325	23.1	1.67
407800 X 1433800		1.095	0.068	0.018	0.177	17.4	0.065	2.40	13.9	0.63
407800 X 1438000		1.595	0.099	0.031	0.397	45.6	0.057	1.925	22.4	0.94
407800 X 1438200		2.36	0.106	0.030	0.487	31.3	0.114	1.870	20.8	1.54
407800 X 1436400		1.170	0.060	0.014	0.207	14.6	0.045	1.895	13.2	0.98
407800 X 1438800		1.210	0.100	0.019	0.211	25.0	0.068	2.35	11.3	1.28
407800 X 1438800		1.145	0.040	0.017	0.216	10.2	0.061	2.53	10.4	1.10
407800 X 1437000		1.090	0.081	0.015	0.269	22.6	0.066	2.60	11.2	0.75
407800 X 1437200		0.698	0.086	0.024	0.221	17.3	0.058	2.30	9.5	0.66
407800 X 1437400		1.060	0.051	0.011	0.185	11.8	0.051	2.08	5.8	0.85
407800 X 1437600		1.750	0.069	0.033	0.250	18.0	0.065	3.48	15.0	2.24
407800 X 1437800		1.670	0.062	0.045	0.245	26.2	0.719	2.60	87.2	1.00
407800 X 1438000		0.957	0.070	0.033	0.310	20.9	0.651	4.01	75.9	0.36
407800 X 1438200		1.370	0.054	0.018	0.191	13.4	0.057	2.43	10.2	1.05
407800 X 1438400		0.677	0.054	0.011	0.172	13.5	0.049	2.20	10.1	0.59
407800 X 1438800		1.260	0.054	0.026	0.240	15.1	0.213	2.92	42.6	1.32
407800 X 1436000		2.37	0.163	0.046	0.308	76.7	0.058	2.85	35.8	2.42
407800 X 1436200		0.709	0.115	0.023	0.167	48.5	0.038	0.993	10.9	1.25
407800 X 1436400		1.135	0.065	0.025	0.212	21.1	0.047	2.26	15.5	0.84
407800 X 1436600		1.370	0.060	0.017	0.222	19.2	0.057	2.47	13.4	0.91
407800 X 1437000		0.887	0.078	0.026	0.270	21.4	0.060	3.09	13.5	0.65
407800 X 1437200		0.676	0.064	0.024	0.200	22.0	0.059	2.06	18.0	0.65
407800 X 1437400		1.325	0.081	0.021	0.233	33.1	0.048	1.795	6.9	1.62
407800 X 1437600		1.065	0.055	0.021	0.204	14.8	0.112	2.45	13.6	0.82
407800 X 1437800		1.140	0.072	0.015	0.228	16.2	0.084	2.70	12.4	0.78
407800 X 1438000		1.630	0.067	0.036	0.274	26.7	1.130	2.67	121.0	0.96
407800 X 1438200		1.845	0.059	0.029	0.523	25.7	0.280	5.20	27.5	1.36
407800 X 1438400		1.150	0.069	0.017	0.246	16.1	0.075	2.30	10.7	0.88
407800 X 1438600		2.86	0.100	0.022	0.493	35.0	0.093	2.82	19.0	1.68
408000 X 1436000		2.62	0.121	0.028	0.226	45.6	0.053	2.15	20.5	1.57
408000 X 1436200		2.72	0.175	0.054	0.459	38.9	0.039	1.445	24.8	1.50
408000 X 1436400		2.04	0.050	0.061	0.985	18.6	0.182	4.96	56.2	1.07
408000 X 1436600		1.110	0.067	0.013	0.256	15.0	0.051	2.13	8.2	0.63
408000 X 1436800		1.005	0.051	0.013	0.171	9.1	0.077	2.18	10.2	1.16
408000 X 1437000		1.165	0.046	0.015	0.199	9.5	0.095	2.01	7.2	0.90

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: CNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LDR	WE-21 Revd Wt. kg	ME-M41L Au ppm	ME-M41L Ag ppm	ME-M41L Al %	ME-M41L As ppm	ME-M41L B ppm	ME-M41L Ba ppm	ME-M41L Be ppm	ME-M41L Bi ppm	ME-M41L Ca %	ME-M41L Cd ppm	ME-M41L Ce ppm	ME-M41L Co ppm	ME-M41L Cr ppm	ME-M41L Cs ppm
468000 X 3437200		0.69	0.0007	0.075	2.11	0.55	<10	21.9	0.25	0.047	0.13	0.074	22.6	5.15	27.4	0.455
468000 X 3437400		0.83	0.0007	0.009	0.03	0.30	<10	7.8	0.12	0.024	0.18	0.025	14.15	2.95	15.45	0.195
468000 X 3437600		0.21	0.0011	6.34	0.55	0.07	<10	16.5	0.10	0.023	0.27	0.353	22.8	52.1	26.5	0.232

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - 8
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L
		Cu ppm 0.01	Fe % 0.001	Ca ppm 0.004	Ce ppm 0.005	Hf ppm 0.002	Hg ppm 0.004	In ppm 0.005	K % 0.01	La ppm 0.002	Li ppm 0.1	Mg % 0.01	Mn ppm 0.1	Mo ppm 0.01	Ne % 0.001	Nb ppm 0.002
468000 X 1437200		15.50	1.850	4.55	0.048	0.066	0.023	0.008	0.03	11.50	10.1	0.33	107.5	0.21	0.006	1.220
468000 X 1437400		4.81	0.740	1.660	0.034	0.043	0.019	0.011	0.01	6.80	2.8	0.15	56.7	0.14	0.007	0.920
468000 X 1437600		40.6	0.540	1.855	0.049	0.012	0.010	<0.005	0.03	11.35	3.7	0.23	74.1	0.31	0.012	0.676

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15- JUL- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOR	ME-Mb41L Ni ppm	ME-Mb41L P %	ME-Mb41L Pb ppm	ME-Mb41L Pd ppm	ME-Mb41L Pt ppm	ME-Mb41L Rb ppm	ME-Mb41L Re ppm	ME-Mb41L S %	ME-Mb41L Sb ppm	ME-Mb41L Sc ppm	ME-Mb41L Se ppm	ME-Mb41L Sn ppm	ME-Mb41L Sr ppm	ME-Mb41L Ta ppm	ME-Mb41L Te ppm
468000 X 3437200		12.65	0.099	2.44	0.001	<0.002	2.98	<0.001	0.02	0.026	2.90	0.2	0.23	11.25	0.033	<0.01
468000 X 3437400		7.09	0.042	1.135	<0.001	<0.002	1.060	<0.001	0.01	0.008	1.690	0.1	0.13	12.95	0.026	<0.01
468000 X 3437600		19.05	0.048	1.300	0.001	<0.002	2.57	<0.001	0.01	0.012	1.530	0.1	0.59	17.50	<0.005	<0.01

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984-0221 Fax: +1 (604) 984-0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

Sample Description	Method Analyte Units LOI	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Th ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.003	V ppm 0.1	W ppm 0.001	Y ppm 0.003	Zn ppm 0.1	Zr ppm 0.01
468000 X 3437200		2.36	0.093	0.032	0.269	32.0	0.058	2.69	26.4	2.07
468000 X 3437400		1.050	0.055	0.013	0.188	14.9	0.059	2.09	8.5	1.06
468000 X 3437600		0.978	0.055	0.029	0.260	15.6	0.290	3.24	29.8	0.45

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 15-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093497

CERTIFICATE COMMENTS	
Applies to Method:	<p align="center">ANALYTICAL COMMENTS</p> <p>Gold determinations by this method are semi-quantitative due to the small sample weight used (0.5g). ME-MS41 L</p>
Applies to Method:	<p align="center">LABORATORY ADDRESSES</p> <p>Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada. LOG- 22 SCR- 41 WEI- 21</p>
Applies to Method:	<p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME-MS41 L</p>



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: CNKCOZ

CERTIFICATE VO16093501

Project: URBAN BARRY

This report is for 121 Soil samples submitted to our lab in Val d'Or, QC, Canada on 13-JUN-2016.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOC- 22	Sample login - Rod w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES	
ALS CODE	DESCRIPTION
ME- MS41L	Super Trace Lowest DL AR by ICP-MS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

**** See Appendix Page for comments regarding this certificate ****

Signature:



Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	WE-2T Recvd Wt. kg	ME-M641L Au ppm	ME-M641L Ag ppm	ME-M641L Al %	ME-M641L As ppm	ME-M641L I ppm	ME-M641L Ba ppm	ME-M641L Be ppm	ME-M641L Bi ppm	ME-M641L Ca %	ME-M641L Cd ppm	ME-M641L Co ppm	ME-M641L Cr ppm	ME-M641L Cs ppm	
468000 X 3437800		0.68	0.0004	0.003	0.38	0.32	<10	6.3	0.08	0.019	0.16	0.033	15.36	3.20	11.45	0.100
468000 X 3438000		0.77	<0.0002	0.004	0.35	0.20	<10	8.9	0.04	0.016	0.25	0.016	8.40	1.775	12.25	0.161
468000 X 3438200		0.17	<0.0002	18.00	0.36	0.44	<10	11.6	0.05	0.020	0.28	0.972	16.90	53.8	36.5	0.144
468000 X 3438400		0.67	0.0006	0.061	1.37	0.80	<10	14.0	0.23	0.045	0.12	0.119	21.2	4.97	27.1	0.393
468000 X 3438600		0.59	0.0004	0.018	2.89	1.23	<10	7.7	0.24	0.055	0.09	0.070	14.05	2.96	39.2	0.348
468200 X 3436000		0.53	<0.0002	0.010	0.86	0.45	<10	11.5	0.13	0.029	0.12	0.025	17.20	3.77	16.15	0.210
468200 X 3436200		0.68	<0.0002	0.004	0.94	0.49	<10	9.4	0.12	0.024	0.23	0.037	13.65	2.62	17.45	0.198
468200 X 3437200		0.52	0.0002	0.028	1.60	1.26	<10	17.7	0.15	0.062	0.09	0.045	6.60	2.32	24.1	0.224
468200 X 3437400		0.71	0.0003	0.021	1.76	0.68	<10	16.9	0.28	0.036	0.14	0.041	22.2	5.43	25.7	0.443
468200 X 3437600		0.38	0.0006	0.021	1.61	0.64	<10	12.2	0.21	0.032	0.09	0.068	17.00	3.02	29.5	0.219
468200 X 3437800		0.62	0.0011	0.040	1.73	0.70	<10	8.4	0.20	0.035	0.09	0.045	22.0	3.21	22.9	0.379
468200 X 3438000		0.86	0.0006	0.004	0.53	0.51	<10	7.7	0.08	0.025	0.14	0.028	20.3	2.56	15.15	0.173
468200 X 3438200		0.61	0.0006	0.012	1.77	0.37	<10	8.5	0.15	0.023	0.19	0.028	18.55	1.600	24.8	0.158
468200 X 3438400		0.49	0.0006	0.023	2.13	1.00	<10	10.9	0.19	0.062	0.09	0.062	11.25	1.880	32.0	0.200
468200 X 3438600		0.68	0.0002	0.022	1.05	3.31	<10	23.3	0.20	0.069	0.26	0.052	33.2	5.36	28.3	0.447
468400 X 3436000		0.52	<0.0002	0.004	0.53	0.38	<10	6.0	0.08	0.022	0.17	0.021	18.35	1.900	10.65	0.130
468400 X 3436200		0.69	<0.0002	0.022	0.68	0.90	<10	15.5	0.23	0.076	0.23	0.024	44.9	5.08	18.90	0.398
468400 X 3436400		0.43	<0.0002	0.010	0.76	0.49	<10	9.6	0.10	0.020	0.12	0.048	17.20	3.50	15.35	0.197
468400 X 3436600		0.78	0.0005	0.022	1.23	1.02	<10	12.9	0.12	0.038	0.12	0.068	14.90	3.35	26.2	0.346
468400 X 3437000		0.47	0.0004	0.040	0.62	0.39	<10	18.6	0.09	0.031	0.27	0.085	17.15	2.44	18.15	0.459
468400 X 3437200		0.85	0.0003	0.007	0.92	0.54	<10	16.5	0.14	0.024	0.17	0.045	25.3	6.14	18.05	0.302
468400 X 3437400		0.80	0.0664	0.047	1.43	0.75	<10	14.3	0.21	0.048	0.13	0.046	24.0	5.28	25.1	0.272
468400 X 3437800		0.68	0.0010	0.036	1.37	0.70	<10	7.6	0.16	0.024	0.11	0.034	14.40	2.60	20.0	0.238
468400 X 3438000		0.54	0.0025	0.033	1.74	0.71	<10	12.0	0.24	0.035	0.08	0.048	11.85	2.91	22.3	0.321
468400 X 3438200		0.82	0.0008	0.012	1.01	0.65	<10	8.6	0.13	0.023	0.11	0.045	18.60	3.29	17.05	0.212
468400 X 3438400		0.85	<0.0002	0.040	3.44	1.12	<10	21.1	0.42	0.060	0.17	0.108	27.3	6.83	34.5	0.424
468400 X 3438600		0.51	0.0013	0.059	2.50	1.30	<10	27.3	0.26	0.063	0.16	0.103	17.90	4.54	31.0	0.510
468600 X 3436400		0.86	0.0006	0.018	1.16	0.60	<10	18.1	0.17	0.028	0.13	0.068	25.1	5.03	22.5	0.319
468600 X 3436600		0.76	<0.0002	0.007	0.24	0.15	<10	7.3	0.03	0.027	0.13	0.013	5.83	0.868	10.50	0.167
468600 X 3436800		0.74	<0.0002	0.008	0.59	0.19	<10	10.2	0.08	0.042	0.12	0.010	7.23	1.045	8.71	0.230
468600 X 3437000		0.83	0.0004	0.010	0.55	0.16	<10	21.0	0.08	0.062	0.06	0.022	4.93	0.360	8.83	0.123
468600 X 3437200		0.59	0.0003	0.008	1.08	0.42	<10	10.3	0.16	0.022	0.10	0.035	11.70	3.79	16.40	0.208
468600 X 3437400		0.69	<0.0002	0.004	0.54	0.36	<10	7.2	0.06	0.017	0.22	0.025	10.90	1.885	11.85	0.146
468600 X 3437600		0.66	<0.0002	0.010	0.86	0.50	<10	8.4	0.10	0.024	0.13	0.038	14.95	2.64	15.55	0.209
468600 X 3438000		0.65	0.0002	0.014	1.30	0.47	<10	7.8	0.16	0.026	0.10	0.040	15.10	2.63	19.05	0.241
468600 X 3438200		0.24	0.0007	1.000	0.55	0.69	<10	22.4	0.09	0.030	0.63	0.098	21.7	7.39	25.8	0.241
468600 X 3438400		0.65	0.0004	0.025	1.36	0.67	<10	12.8	0.21	0.050	0.09	0.085	21.5	3.34	20.7	0.410
468600 X 3438600		0.63	0.0004	0.015	0.98	0.84	<10	9.9	0.18	0.034	0.14	0.069	23.4	5.45	29.0	0.328
468600 X 3438800		0.76	0.0003	0.004	0.78	0.30	<10	6.3	0.08	0.020	0.21	0.017	13.30	1.755	11.50	0.125
468600 X 3439000		0.73	0.0006	0.021	1.15	0.49	<10	9.9	0.17	0.026	0.10	0.064	23.1	2.77	17.10	0.239

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: + 1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Cu ppm 0.01	Fe % 0.001	Ca ppm 0.004	Ce ppm 0.005	Hf ppm 0.002	Hg ppm 0.004	In ppm 0.005	K % 0.01	La ppm 0.002	Li ppm 0.1	Mg % 0.01	Mn ppm 0.1	Mo ppm 0.01	Na % 0.001	Nb ppm 0.002	
408000 X 5437800		3.17	0.500	0.942	0.048	0.067	0.015	<0.005	0.01	6.28	2.5	0.10	84.2	0.07	0.008	0.664	
408000 X 5438000		1.49	0.380	1.680	0.044	0.027	0.014	0.005	0.02	3.90	4.2	0.18	48.5	0.07	0.007	0.595	
408000 X 5438200		61.0	0.500	1.285	0.051	0.068	0.014	0.005	0.03	7.63	3.6	0.20	72.9	0.53	0.011	0.568	
408000 X 5438400		8.52	1.350	2.60	0.047	0.047	0.047	0.007	0.02	6.91	9.1	0.25	88.6	0.13	0.008	1.015	
408000 X 5438600		3.45	2.18	5.48	0.052	0.059	0.062	0.016	0.02	5.30	5.9	0.21	69.9	0.36	0.006	1.925	
408000 X 5438800		5.05	0.670	1.760	0.034	0.025	0.021	0.008	0.01	5.66	4.3	0.16	65.6	0.08	0.006	0.761	
408000 X 5439000		5.16	0.890	2.15	0.045	0.051	0.018	0.007	0.01	6.17	4.3	0.19	63.0	0.09	0.008	0.861	
408000 X 5439200		3.72	1.990	10.10	0.032	0.022	0.074	0.011	0.01	3.27	4.5	0.14	64.4	0.28	0.006	1.200	
408000 X 5439400		5.93	1.540	3.70	0.059	0.057	0.024	0.008	0.03	8.52	11.3	0.30	108.5	0.25	0.007	1.180	
408000 X 5439600		6.77	0.990	2.49	0.029	0.047	0.034	0.007	0.01	4.50	5.3	0.14	50.7	0.15	0.007	1.060	
408000 X 5439800		4.45	0.670	2.10	0.034	0.047	0.028	0.009	0.01	4.50	5.1	0.14	49.8	0.19	0.007	1.295	
408000 X 5439000		5.45	0.620	1.985	0.035	0.022	0.016	<0.005	0.01	6.08	3.0	0.14	56.0	0.08	0.007	0.785	
408000 X 5438200		5.11	0.720	2.54	0.045	0.067	0.037	0.010	0.01	8.54	2.6	0.11	39.8	0.18	0.006	0.678	
408000 X 5438400		3.78	1.770	7.48	0.043	0.039	0.081	0.010	0.01	5.35	2.4	0.11	61.0	0.33	0.006	1.440	
408000 X 5438600		11.80	2.75	5.12	0.066	0.012	0.037	0.009	0.02	16.45	7.8	0.30	105.0	2.41	0.006	0.600	
408400 X 5438000		3.55	0.510	1.145	0.039	0.027	0.015	<0.005	0.01	6.95	2.5	0.10	42.5	0.08	0.006	0.776	
408400 X 5438200		19.25	0.760	2.74	0.094	0.008	0.018	0.006	0.04	26.1	6.9	0.16	210	0.32	0.008	0.873	
408400 X 5438400		4.66	0.720	1.510	0.043	0.042	0.014	<0.005	0.01	5.18	4.0	0.17	79.1	0.08	0.007	0.797	
408400 X 5438600		4.44	1.440	3.46	0.030	0.062	0.026	0.012	0.02	4.35	5.4	0.22	61.3	0.21	0.010	1.355	
408400 X 5437000		5.17	0.470	2.39	0.033	0.009	0.018	0.006	0.01	7.71	5.2	0.20	58.7	0.32	0.008	0.412	
408400 X 5437200		8.07	1.000	1.930	0.047	0.039	0.015	0.005	0.04	10.10	7.8	0.26	137.5	0.15	0.007	0.707	
408400 X 5437400		13.00	1.270	3.34	0.049	0.054	0.027	0.011	0.02	8.76	7.1	0.22	104.5	0.19	0.008	1.160	
408400 X 5437600		3.11	0.810	1.865	0.037	0.060	0.030	0.006	0.01	5.16	3.6	0.14	51.4	0.16	0.007	1.060	
408400 X 5438000		4.09	1.170	2.83	0.028	0.031	0.039	0.013	0.01	3.44	4.9	0.13	54.2	0.20	0.007	1.080	
408400 X 5438200		4.89	0.760	1.545	0.036	0.038	0.019	0.005	0.01	7.25	3.6	0.14	58.8	0.12	0.007	0.920	
408400 X 5438400		13.35	1.940	4.69	0.079	0.075	0.052	0.015	0.04	13.45	9.3	0.29	171.0	0.42	0.008	1.265	
408400 X 5438600		6.74	2.30	7.85	0.053	0.023	0.053	0.014	0.07	7.37	6.7	0.29	122.0	0.39	0.008	1.080	
408000 X 5438400		7.53	0.990	2.44	0.037	0.033	0.019	0.007	0.02	6.41	6.4	0.27	93.4	0.08	0.010	0.935	
408000 X 5438600		0.88	0.290	2.49	0.025	0.006	0.010	<0.005	0.01	2.68	1.3	0.07	26.2	0.09	0.008	0.828	
408000 X 5438800		1.44	0.480	3.70	0.025	0.006	0.017	0.005	0.01	3.41	2.2	0.07	26.4	0.12	0.006	0.697	
408000 X 5437000		2.16	0.188	3.79	0.017	0.002	0.018	0.005	0.01	2.46	0.6	0.02	9.2	0.09	0.006	0.250	
408000 X 5437200		4.68	0.910	1.680	0.034	0.059	0.009	0.006	0.01	5.08	5.6	0.18	72.8	0.10	0.006	0.739	
408000 X 5437400		4.34	0.530	1.335	0.032	0.036	0.008	<0.005	0.01	5.24	3.0	0.15	49.4	0.07	0.009	0.720	
408000 X 5437600		4.77	0.780	1.835	0.034	0.032	0.013	0.006	0.01	5.90	3.4	0.15	56.0	0.09	0.008	0.966	
408000 X 5438000		2.43	0.930	1.975	0.038	0.047	0.022	0.007	0.01	5.62	3.3	0.13	60.9	0.13	0.006	1.045	
408000 X 5438200		13.90	0.880	1.960	0.060	0.079	0.007	0.007	0.04	9.94	5.0	0.46	121.5	0.17	0.019	0.677	
408000 X 5438400		7.13	1.020	3.41	0.034	0.047	0.035	0.008	0.01	6.48	6.4	0.14	54.4	0.16	0.007	1.540	
408000 X 5438600		9.89	0.960	1.905	0.053	0.047	0.020	<0.005	0.02	9.28	6.9	0.22	101.5	0.13	0.006	1.015	
408000 X 5438800		2.92	0.700	1.295	0.044	0.042	0.012	0.005	0.01	6.17	2.1	0.10	43.3	0.10	0.007	0.856	
408000 X 5439000		5.06	0.630	1.600	0.043	0.034	0.014	<0.005	0.01	7.01	4.1	0.13	47.0	0.14	0.006	1.150	

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L
		Ni ppm	P %	Pb ppm	Pg ppm	Pt ppm	Rb ppm	Re ppm	S %	Sb ppm	Sc ppm	Se ppm	Si ppm	Sr ppm	Ta ppm	Tb ppm
468000 X 3437600		6.16	0.042	0.928	<0.001	0.002	0.847	<0.001	0.02	0.010	1.040	0.1	0.12	9.53	0.011	<0.01
468000 X 3438000		5.59	0.050	1.060	<0.001	0.002	1.250	<0.001	0.02	0.008	1.016	0.1	0.11	13.15	<0.005	<0.01
468000 X 3438200		47.8	0.052	1.165	<0.001	<0.002	1.740	<0.001	0.03	0.021	1.165	0.1	1.39	14.10	<0.005	<0.01
468000 X 3438400		11.85	0.051	2.36	<0.001	0.002	2.16	<0.001	0.05	0.033	2.77	0.2	0.20	11.25	0.022	0.01
468000 X 3438600		7.43	0.043	2.96	<0.001	0.002	1.750	<0.001	0.05	0.033	3.73	0.7	0.28	8.96	0.029	0.01
468200 X 3436000		8.85	0.030	1.615	<0.001	0.003	1.250	<0.001	0.02	0.010	1.795	0.1	0.15	10.45	0.021	0.01
468200 X 3436200		7.94	0.047	1.200	<0.001	0.002	1.325	<0.001	0.02	0.011	1.630	0.2	0.12	13.30	<0.005	<0.01
468200 X 3437200		5.55	0.062	5.17	<0.001	<0.002	1.840	<0.001	0.04	0.035	1.610	0.5	0.39	10.30	0.032	0.01
468200 X 3437400		11.55	0.056	2.06	<0.001	0.003	2.91	<0.001	0.03	0.014	2.37	0.3	0.19	10.70	0.022	<0.01
468200 X 3437600		8.47	0.056	1.855	<0.001	0.003	1.105	<0.001	0.03	0.026	2.24	0.4	0.18	8.44	0.020	0.01
468200 X 3437800		8.83	0.028	1.595	<0.001	<0.002	1.165	<0.001	0.03	0.033	2.66	0.2	0.17	9.22	0.029	<0.01
468200 X 3438000		6.90	0.033	1.030	0.001	0.003	0.902	<0.001	0.02	0.012	1.370	0.1	0.16	10.45	0.013	<0.01
468200 X 3438200		5.22	0.052	1.120	<0.001	0.003	0.751	<0.001	0.03	0.015	2.66	0.3	0.12	9.82	0.035	<0.01
468200 X 3438400		4.34	0.035	3.51	<0.001	0.002	1.105	<0.001	0.04	0.041	2.75	0.6	0.31	8.08	0.067	0.01
468200 X 3438600		9.49	0.059	2.65	<0.001	0.003	1.760	<0.001	0.05	0.033	1.530	0.3	0.23	15.60	<0.005	0.01
468400 X 3436000		5.25	0.042	1.120	<0.001	0.003	0.710	<0.001	0.02	0.007	1.190	0.2	0.14	10.40	0.022	<0.01
468400 X 3436200		7.89	0.052	2.72	<0.001	0.003	3.58	<0.001	0.03	0.015	1.285	0.1	0.28	16.10	0.009	<0.01
468400 X 3436400		9.02	0.032	1.105	<0.001	0.003	1.570	<0.001	0.02	0.014	1.660	0.1	0.14	9.18	0.020	0.01
468400 X 3436600		8.94	0.038	2.66	<0.001	0.004	1.800	<0.001	0.03	0.035	1.860	0.2	0.23	10.15	0.033	<0.01
468400 X 3437000		7.32	0.045	1.725	<0.001	0.002	1.900	<0.001	0.07	0.016	1.245	0.3	0.16	17.30	<0.005	<0.01
468400 X 3437200		9.65	0.048	1.235	<0.001	0.002	2.37	<0.001	0.02	0.015	1.790	0.2	0.13	9.80	0.019	<0.01
468400 X 3437400		10.00	0.037	2.00	<0.001	0.002	1.830	<0.001	0.03	0.023	2.80	0.2	0.17	9.56	0.038	0.01
468400 X 3437600		6.92	0.029	1.220	<0.001	0.002	0.896	<0.001	0.03	0.009	2.25	0.3	0.16	10.15	0.028	0.01
468400 X 3438000		7.83	0.045	1.780	<0.001	<0.002	1.165	<0.001	0.04	0.022	1.880	0.4	0.20	8.74	0.022	0.02
468400 X 3438200		8.26	0.036	1.200	<0.001	0.002	0.967	<0.001	0.03	0.011	1.910	0.2	0.16	9.33	0.029	0.01
468400 X 3438400		11.45	0.062	3.24	<0.001	0.003	2.74	<0.001	0.05	0.038	3.60	0.8	0.34	11.00	0.023	0.01
468400 X 3438600		8.88	0.140	4.10	<0.001	0.002	3.73	<0.001	0.05	0.040	2.17	0.6	0.32	9.69	0.024	<0.01
468500 X 3436400		13.60	0.040	1.590	<0.001	0.002	2.34	<0.001	0.03	0.013	2.36	0.2	0.17	12.45	0.017	<0.01
468500 X 3436600		2.58	0.017	1.935	<0.001	<0.002	1.220	<0.001	0.02	0.008	0.717	0.1	0.20	10.45	<0.005	<0.01
468500 X 3436800		2.97	0.013	2.88	0.004	<0.002	1.515	<0.001	0.03	0.007	0.855	0.2	0.28	11.15	<0.005	<0.01
468800 X 3437000		1.55	0.010	3.01	<0.001	0.002	1.445	<0.001	0.03	0.012	0.399	0.2	0.34	8.84	<0.005	<0.01
468800 X 3437200		8.62	0.036	1.150	0.001	<0.002	1.055	<0.001	0.03	0.012	1.670	0.1	0.12	7.64	0.021	<0.01
468800 X 3437400		6.10	0.047	0.976	<0.001	0.002	1.010	<0.001	0.02	0.011	1.125	0.1	0.11	10.75	<0.005	<0.01
468800 X 3437600		7.08	0.039	1.200	<0.001	0.003	1.250	<0.001	0.03	0.016	1.900	0.1	0.15	9.76	0.031	<0.01
468800 X 3438000		6.64	0.044	1.325	<0.001	0.002	1.155	<0.001	0.03	0.012	2.32	0.3	0.15	8.79	0.028	<0.01
468800 X 3438200		13.45	0.052	1.475	<0.001	<0.002	3.44	<0.001	0.03	0.015	1.850	0.1	0.22	18.15	<0.005	0.01
468800 X 3438400		8.89	0.049	2.37	<0.001	<0.002	1.985	<0.001	0.03	0.016	2.31	0.2	0.24	8.73	0.035	0.01
468800 X 3438600		11.90	0.054	1.660	<0.001	<0.002	1.820	<0.001	0.02	0.028	1.535	0.1	0.15	9.27	0.018	0.02
468800 X 3439000		4.75	0.046	0.880	<0.001	<0.002	0.713	<0.001	0.02	0.011	1.280	0.1	0.12	10.30	0.012	<0.01
468800 X 3439200		7.44	0.040	1.170	<0.001	<0.002	1.065	<0.001	0.04	0.011	2.06	<0.1	0.15	8.96	0.034	0.01

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984-0221 Fax: +1 (604) 984-0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Ti ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.005	V ppm 0.1	W ppm 0.001	Y ppm 0.005	Zn ppm 0.1	Zr ppm 0.01
488000 X 5437800		1.390	0.051	0.009	0.225	11.2	0.037	2.29	5.7	1.28
488000 X 5438000		0.878	0.052	0.008	0.125	9.8	0.030	1.690	10.1	1.08
488000 X 5438200		1.165	0.053	0.020	0.247	11.9	0.069	2.66	21.8	1.96
488000 X 5438400		1.925	0.097	0.020	0.295	27.3	0.074	3.03	24.0	1.27
488000 X 5438600		1.035	0.156	0.017	0.290	56.5	0.063	3.10	18.3	2.79
488200 X 5438000		0.677	0.081	0.014	0.172	13.6	0.035	2.19	10.9	0.64
488200 X 5438200		0.885	0.057	0.012	0.164	20.8	0.038	2.43	12.9	1.31
488200 X 5437200		0.574	0.098	0.022	0.170	54.4	0.044	1.160	16.3	0.74
488200 X 5437400		1.600	0.097	0.022	0.273	29.4	0.065	3.74	22.9	1.60
488200 X 5437600		1.385	0.072	0.017	0.248	18.7	0.056	1.735	11.9	1.21
488200 X 5437800		1.185	0.087	0.017	0.258	18.0	0.064	2.25	11.4	1.21
488200 X 5438000		1.205	0.084	0.013	0.221	13.0	0.053	2.45	8.4	0.68
488200 X 5438200		1.345	0.056	0.015	0.283	17.3	0.043	2.95	9.9	1.37
488200 X 5438400		0.834	0.115	0.015	0.262	56.1	0.056	2.03	9.3	1.06
488200 X 5438600		0.867	0.094	0.050	0.494	80.3	0.455	3.93	31.4	0.57
488400 X 5438000		0.979	0.057	0.009	0.195	11.2	0.038	2.45	6.7	0.83
488400 X 5438200		0.765	0.087	0.066	0.633	19.5	0.033	8.66	15.7	0.27
488400 X 5438400		1.325	0.062	0.013	0.196	13.6	0.050	1.925	10.4	1.28
488400 X 5438600		1.070	0.085	0.019	0.192	26.7	0.073	1.665	15.9	1.63
488400 X 5437000		0.353	0.040	0.029	0.329	15.8	0.041	2.30	17.8	0.24
488400 X 5437200		1.635	0.070	0.006	0.237	18.7	0.062	2.95	18.8	1.11
488400 X 5437400		1.500	0.087	0.020	0.285	26.4	0.072	3.58	15.4	1.29
488400 X 5437600		1.100	0.064	0.013	0.213	16.9	0.059	2.21	8.3	1.38
488400 X 5438000		0.846	0.070	0.016	0.181	24.2	0.081	1.580	12.9	0.80
488400 X 5438200		1.360	0.064	0.012	0.223	15.2	0.060	2.57	9.7	0.86
488400 X 5438400		1.695	0.097	0.094	0.340	31.9	0.068	4.64	27.1	1.85
488400 X 5438600		0.978	0.098	0.034	0.313	40.3	0.085	2.43	23.3	0.67
488600 X 5438400		1.435	0.085	0.019	0.228	19.2	0.057	2.48	19.8	1.04
488600 X 5438600		0.269	0.067	0.010	0.128	9.3	0.022	1.070	5.3	0.20
488600 X 5438800		0.206	0.057	0.017	0.134	14.2	0.025	1.330	5.0	0.22
488800 X 5437000		0.012	0.042	0.010	0.105	8.7	0.009	0.679	3.7	0.08
488800 X 5437200		1.120	0.063	0.012	0.168	16.4	0.037	1.655	11.2	1.60
488800 X 5437400		0.771	0.053	0.008	0.128	11.2	0.050	2.12	9.2	1.10
488800 X 5437600		0.857	0.075	0.012	0.184	15.8	0.060	2.92	9.5	0.89
488800 X 5438000		1.345	0.066	0.014	0.226	16.9	0.059	2.53	9.9	1.21
488800 X 5438200		1.700	0.081	0.030	0.312	19.6	0.137	3.96	19.1	2.50
488800 X 5438400		1.380	0.094	0.019	0.278	24.0	0.062	2.73	10.5	1.09
488800 X 5438600		1.795	0.066	0.018	0.283	19.2	0.049	2.61	18.1	1.28
488800 X 5438800		0.900	0.051	0.009	0.169	12.0	0.027	2.24	6.2	1.08
488800 X 5439200		1.135	0.077	0.012	0.218	15.6	0.052	3.05	9.7	0.97

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	MS-21	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L
		Seed Wt. kg 0.02	Au ppm 0.0002	Ag ppm 0.001	Al % 0.01	As ppm 0.01	I ppm 10	Ba ppm 0.5	Be ppm 0.01	Bi ppm 0.001	Ca % 0.01	Cd ppm 0.001	Ce ppm 0.005	Co ppm 0.001	Cr ppm 0.01	Cu ppm 0.005
468800 X 3437000		0.57	0.0004	0.024	1.67	1.14	<10	16.9	0.23	0.068	0.12	0.094	11.80	4.50	27.0	0.478
468800 X 3437200		0.56	<0.0002	0.051	2.02	0.73	<10	15.0	0.21	0.075	0.08	0.085	7.79	1.750	22.2	0.334
468800 X 3437600		0.32	0.0015	0.063	1.24	1.13	<10	9.3	0.09	0.064	0.08	0.063	4.79	2.09	17.30	0.440
468800 X 3438000		0.52	0.0003	0.009	0.41	0.06	<10	10.5	0.05	0.020	0.23	0.052	10.70	1.700	12.05	0.192
468800 X 3438200		0.42	0.0004	0.069	2.44	1.02	<10	19.0	0.28	0.092	0.09	0.133	5.34	2.58	23.0	0.314
468800 X 3438400		0.62	0.0003	0.009	0.72	0.46	<10	11.2	0.11	0.024	0.11	0.039	17.25	3.12	15.50	0.264
468800 X 3438600		0.51	0.0008	16.05	4.87	1.17	<10	14.1	0.48	0.069	0.13	1.040	20.1	60.0	75.4	0.333
469000 X 3438000		0.43	0.0008	0.011	0.78	0.16	<10	8.0	0.09	0.046	0.08	0.025	8.01	0.990	8.42	0.405
469000 X 3438400		0.70	0.0004	0.010	0.76	0.46	<10	7.6	0.11	0.020	0.12	0.040	14.55	2.44	13.50	0.181
469000 X 3438600		0.83	0.0007	0.020	1.77	0.91	<10	16.0	0.22	0.074	0.09	0.081	7.29	2.30	22.2	0.336
469000 X 3437000		0.65	0.0007	0.128	2.40	1.27	<10	21.1	0.22	0.081	0.10	0.083	6.56	2.75	29.0	0.527
469000 X 3437200		0.65	0.0003	0.005	0.55	0.29	<10	6.6	0.08	0.017	0.12	0.029	12.90	2.38	11.10	0.197
469000 X 3437600		0.66	0.0003	0.064	2.20	1.21	<10	20.2	0.26	0.082	0.09	0.090	7.14	2.81	23.6	0.593
469000 X 3437800		0.68	0.0057	0.009	0.75	0.50	<10	11.5	0.10	0.021	0.16	0.021	14.00	3.48	16.85	0.232
469000 X 3438400		0.64	0.0005	0.007	0.66	0.44	<10	6.8	0.07	0.019	0.19	0.030	10.55	2.08	12.40	0.193
469200 X 3438000		0.78	0.0005	0.006	1.25	0.52	<10	8.0	0.15	0.024	0.20	0.026	17.65	2.82	20.4	0.214
469200 X 3438400		0.15	0.0062	0.007	0.83	0.25	<10	5.1	0.09	0.029	0.13	0.026	10.05	0.907	11.45	0.202
469200 X 3438600		0.61	0.0019	0.079	1.33	0.55	<10	17.4	0.18	0.036	0.11	0.077	26.1	4.94	21.2	0.396
469200 X 3437600		0.56	0.0007	0.034	2.12	1.02	<10	36.2	0.28	0.054	0.19	0.070	20.7	8.42	36.8	0.581
469200 X 3437800		0.61	0.0002	0.089	3.27	1.25	<10	19.6	0.42	0.080	0.09	0.061	9.82	3.76	36.2	0.449
469200 X 3438000		0.62	<0.0002	0.019	0.56	0.59	<10	10.0	0.08	0.065	0.08	0.016	4.80	0.475	9.05	0.337
469200 X 3438200		0.40	0.0002	0.005	0.33	0.17	<10	6.7	0.05	0.010	0.14	0.013	5.30	1.240	9.61	0.113
469200 X 3438400		0.68	0.0008	0.028	0.73	0.84	<10	32.4	0.13	0.030	0.27	0.036	25.1	5.24	19.30	0.404
469200 X 3438600		0.47	0.0027	0.035	2.20	0.98	<10	19.5	0.27	0.063	0.10	0.048	9.22	2.43	23.3	0.305
469400 X 3438000		0.71	0.0007	0.009	1.34	0.56	<10	8.6	0.19	0.031	0.09	0.037	19.35	2.69	18.10	0.214
469400 X 3438800		0.39	0.0005	0.065	2.95	1.34	<10	12.8	0.25	0.075	0.08	0.109	12.90	1.960	30.4	0.410
469400 X 3437000		0.49	0.0003	0.008	0.53	0.23	<10	7.4	0.09	0.025	0.18	0.044	13.20	3.90	12.90	0.168
469400 X 3437200		0.62	0.0003	0.009	0.66	0.80	<10	17.4	0.08	0.098	0.13	0.097	7.16	3.32	18.15	0.457
469400 X 3437400		0.75	0.0011	0.048	2.56	1.10	<10	20.3	0.30	0.051	0.14	0.070	16.35	5.64	36.6	0.654
469400 X 3437600		0.76	0.0005	0.023	3.45	1.44	<10	27.6	0.41	0.074	0.12	0.133	7.73	4.07	36.2	0.512
469400 X 3437800		0.62	0.0007	0.019	1.73	0.58	<10	10.0	0.21	0.033	0.09	0.043	12.05	2.39	20.5	0.269
469400 X 3438000		0.53	0.0004	0.085	1.80	1.15	<10	12.5	0.16	0.099	0.07	0.078	5.45	1.685	18.95	0.188
469400 X 3438200		0.43	0.0004	0.046	2.77	0.95	<10	16.3	0.28	0.065	0.08	0.062	8.31	2.46	27.4	0.423
469400 X 3438400		0.24	0.0003	0.050	1.15	1.35	<10	11.7	0.12	0.107	0.07	0.066	5.56	2.18	17.35	0.381
469600 X 3438000		0.34	0.0010	0.003	0.74	0.37	<10	6.7	0.08	0.019	0.19	0.024	15.60	2.22	14.30	0.184
469800 X 3436200		0.37	0.0038	0.028	1.22	0.52	<10	18.5	0.16	0.031	0.12	0.079	16.55	2.96	19.55	0.262
469800 X 3436400		0.35	<0.0002	0.005	0.66	0.42	<10	9.3	0.09	0.045	0.21	0.031	20.0	2.49	12.75	0.355
469800 X 3436600		0.65	<0.0002	0.014	1.86	1.23	<10	11.1	0.22	0.072	0.06	0.087	8.56	1.910	19.65	0.337
469800 X 3436800		0.65	<0.0002	0.023	1.59	0.79	<10	15.0	0.20	0.055	0.07	0.074	9.48	2.00	16.00	0.263
469800 X 3437000		0.54	<0.0002	0.010	0.64	0.56	<10	10.2	0.10	0.027	0.17	0.064	18.30	4.32	17.35	0.204

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L	ME-M41L
		Cu ppm 0.01	Fe % 0.001	Ca ppm 0.004	Ce ppm 0.003	Hf ppm 0.002	Hg ppm 0.004	In ppm 0.003	K % 0.01	La ppm 0.002	Li ppm 0.1	Mg % 0.01	Mn ppm 0.1	Mo ppm 0.01	Ni % 0.001	Nb ppm 0.002
408800 X 1437000		8.97	1.580	4.44	0.041	0.040	0.049	0.010	0.08	4.53	11.5	0.24	94.0	0.30	0.007	1.345
408800 X 1437200		4.05	1.890	5.63	0.033	0.022	0.057	0.008	0.01	3.88	4.1	0.09	35.6	0.25	0.006	1.300
408800 X 1437600		3.01	1.550	5.78	0.027	0.017	0.030	0.007	0.01	2.42	3.2	0.13	48.0	0.34	0.005	1.385
408800 X 1438000		4.14	0.350	1.595	0.046	0.018	0.007	<0.005	0.01	5.56	3.3	0.14	42.2	0.09	0.006	0.674
408800 X 1438200		4.29	1.690	5.23	0.024	0.020	0.048	0.017	0.02	2.72	4.8	0.11	68.2	0.33	0.005	1.380
408800 X 1438400		5.06	0.720	1.465	0.035	0.026	0.011	0.005	0.01	6.40	4.3	0.16	53.8	0.10	0.005	0.909
408800 X 1438600		26.4	2.36	5.23	0.061	0.118	0.067	0.020	0.02	8.08	6.1	0.18	252	0.99	0.006	2.01
409000 X 1438000		1.69	0.370	3.24	0.021	0.005	0.021	<0.005	0.01	3.68	2.7	0.05	19.7	0.12	0.003	0.903
409000 X 1438400		3.49	0.660	1.380	0.034	0.027	0.016	<0.005	0.01	6.24	2.9	0.12	50.6	0.10	0.006	0.995
409000 X 1438600		4.21	1.350	5.58	0.026	0.031	0.030	0.009	0.01	3.36	4.7	0.11	47.0	0.21	0.005	1.200
409000 X 1437000		6.66	2.11	6.67	0.029	0.031	0.073	0.014	0.01	3.52	7.1	0.15	57.0	0.33	0.007	1.675
409000 X 1437200		2.25	0.520	1.235	0.035	0.030	0.008	0.005	0.01	4.71	3.0	0.12	40.8	0.05	0.004	0.830
409000 X 1437600		3.02	1.710	7.21	0.031	0.023	0.039	0.012	0.01	3.96	5.3	0.15	59.1	0.22	0.006	1.360
409000 X 1437800		6.82	0.770	1.685	0.035	0.025	0.012	0.005	0.02	5.98	3.9	0.20	64.8	0.09	0.007	0.886
409000 X 1438400		4.40	0.650	1.415	0.028	0.023	0.010	0.005	0.01	5.30	2.8	0.15	45.5	0.07	0.006	0.742
409200 X 1438000		5.18	1.060	1.810	0.048	0.065	0.015	0.009	0.01	6.45	3.7	0.16	59.2	0.17	0.007	1.070
409200 X 1438400		1.27	0.430	2.20	0.027	0.011	0.016	0.007	0.01	4.98	1.6	0.08	26.7	0.13	0.006	0.910
409200 X 1438600		6.61	0.920	2.10	0.040	0.042	0.017	0.007	0.01	7.36	5.5	0.16	59.3	0.11	0.008	1.395
409200 X 1437600		12.10	1.700	4.39	0.047	0.050	0.027	0.011	0.03	8.28	10.0	0.39	137.0	0.15	0.014	1.680
409200 X 1437800		4.92	2.29	6.64	0.045	0.046	0.069	0.018	0.02	3.77	6.4	0.16	59.8	0.48	0.006	1.300
409200 X 1438000		1.60	0.600	6.71	0.021	0.012	0.020	0.005	0.01	2.50	1.5	0.03	13.2	0.17	0.003	1.145
409200 X 1438200		0.59	0.290	1.940	0.035	0.018	<0.004	<0.005	0.01	2.58	2.0	0.11	36.5	0.06	0.004	0.851
409200 X 1438400		29.2	1.030	2.33	0.069	0.043	0.009	<0.005	0.04	13.45	8.3	0.29	252	0.29	0.013	0.886
409200 X 1438600		4.61	1.650	6.29	0.032	0.039	0.035	0.013	0.01	4.30	4.4	0.12	48.5	0.25	0.007	1.430
409400 X 1438000		2.78	0.990	2.35	0.040	0.030	0.017	0.006	0.01	6.44	3.4	0.11	44.3	0.15	0.006	1.290
409400 X 1438600		6.67	2.01	6.32	0.043	0.037	0.071	0.018	0.02	4.25	4.2	0.11	54.4	0.40	0.006	1.725
409400 X 1437000		2.40	0.660	1.260	0.039	0.034	0.006	<0.005	0.02	5.87	2.7	0.14	121.5	0.06	0.004	0.785
409400 X 1437200		7.45	1.170	7.35	0.039	0.036	0.010	0.005	0.03	3.78	5.4	0.28	77.1	0.23	0.008	1.485
409400 X 1437400		7.28	2.03	4.36	0.047	0.059	0.032	0.013	0.03	6.22	10.1	0.31	104.5	0.34	0.011	1.760
409400 X 1437600		5.16	2.57	6.44	0.044	0.069	0.049	0.015	0.02	3.74	9.3	0.22	149.0	0.44	0.008	1.935
409400 X 1437800		2.34	1.120	2.83	0.026	0.036	0.019	0.009	0.01	4.65	3.3	0.11	39.1	0.18	0.007	1.340
409400 X 1438000		4.06	1.320	5.80	0.030	0.010	0.052	0.013	0.01	2.74	3.2	0.09	38.0	0.29	0.004	0.962
409400 X 1438200		5.93	1.800	8.36	0.048	0.042	0.057	0.015	0.03	3.55	6.8	0.14	55.1	0.30	0.007	1.650
409400 X 1438400		3.38	2.07	12.00	0.038	0.019	0.030	0.011	0.01	2.57	4.4	0.13	65.0	0.54	0.006	1.985
409600 X 1438000		3.29	0.850	1.625	0.045	0.029	0.013	0.005	0.01	6.16	2.7	0.15	54.0	0.10	0.009	0.909
409600 X 1438200		3.69	0.940	2.61	0.041	0.037	0.017	0.008	0.01	5.29	3.5	0.13	58.1	0.10	0.008	1.095
409600 X 1438400		7.63	0.710	2.20	0.057	0.018	0.010	<0.005	0.04	8.60	4.1	0.18	67.5	0.14	0.006	0.672
409600 X 1438600		2.35	1.240	5.64	0.026	0.025	0.029	0.013	0.01	2.79	3.6	0.07	38.3	0.28	0.005	1.130
409600 X 1438800		4.16	1.260	5.05	0.033	0.019	0.023	0.010	0.01	3.55	5.2	0.09	35.8	0.17	0.005	1.125
409800 X 1437000		6.09	0.980	1.675	0.055	0.022	0.006	<0.005	0.02	7.31	5.0	0.19	91.6	0.10	0.004	0.819

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LDR	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Ni ppm	F %	Pb ppm	Pd ppm	Pt ppm	Zn ppm	Re ppm	S %	Se ppm	Si ppm	Sm ppm	Sr ppm	Ta ppm	Tb ppm	Te ppm
468800 X 3437000		9.73	0.062	4.55	<0.001	<0.002	2.57	<0.001	0.03	0.061	1.600	0.2	0.34	9.40	0.014	0.02
468800 X 3437200		4.15	0.066	4.38	<0.001	<0.002	1.270	<0.001	0.04	0.030	1.755	0.3	0.38	6.91	0.024	0.02
468800 X 3437600		4.79	0.060	4.07	<0.001	<0.002	2.55	<0.001	0.03	0.036	1.240	0.3	0.44	7.62	0.032	<0.01
468800 X 3438000		5.34	0.051	1.030	<0.001	<0.002	1.070	<0.001	0.03	0.007	1.285	0.1	0.12	11.30	<0.005	<0.01
468800 X 3438200		5.14	0.064	5.59	<0.001	<0.002	1.790	<0.001	0.05	0.063	1.885	0.4	0.46	8.61	0.022	0.02
468800 X 3438400		8.61	0.037	1.070	<0.001	<0.002	1.260	<0.001	0.02	0.008	1.470	<0.1	0.13	8.88	0.019	0.01
468800 X 3438600		20.4	0.068	4.23	<0.001	<0.002	1.865	0.001	0.06	0.073	5.16	0.7	1.51	8.37	0.020	0.04
469000 X 3438000		2.71	0.016	2.67	<0.001	<0.002	1.675	<0.001	0.02	0.011	0.801	0.2	0.27	7.26	0.014	0.01
469000 X 3438400		6.66	0.036	1.060	<0.001	<0.002	1.030	<0.001	0.03	0.011	1.690	0.1	0.15	9.22	0.020	<0.01
469000 X 3438600		5.78	0.047	3.59	<0.001	<0.002	2.16	<0.001	0.03	0.041	1.715	0.2	0.36	8.46	0.019	0.02
469000 X 3437000		6.79	0.124	5.03	<0.001	<0.002	2.25	<0.001	0.05	0.048	1.905	0.4	0.40	9.72	0.028	0.03
469000 X 3437200		6.34	0.032	0.854	<0.001	<0.002	0.857	<0.001	0.02	0.006	1.180	0.1	0.14	7.86	0.018	<0.01
469000 X 3437600		6.75	0.064	3.84	<0.001	<0.002	2.82	<0.001	0.04	0.041	2.33	0.3	0.35	8.17	0.024	0.02
469000 X 3437800		9.73	0.036	1.195	0.001	0.003	1.330	<0.001	0.02	0.008	1.670	0.1	0.15	9.06	0.014	<0.01
469000 X 3438400		6.21	0.044	1.005	<0.001	<0.002	0.946	<0.001	0.02	0.008	1.160	0.1	0.13	9.39	0.005	0.01
469000 X 3438600		7.91	0.051	1.260	<0.001	<0.002	1.220	<0.001	0.03	0.010	2.27	0.3	0.14	10.20	0.024	0.01
469200 X 3436400		3.01	0.022	1.710	<0.001	<0.002	0.793	<0.001	0.02	0.007	1.320	0.2	0.18	9.79	0.017	0.01
469200 X 3436600		11.70	0.033	1.640	<0.001	<0.002	1.605	<0.001	0.04	0.010	2.63	0.1	0.22	11.05	0.040	0.01
469200 X 3437600		21.5	0.032	2.86	<0.001	0.003	3.70	<0.001	0.04	0.024	3.61	0.4	0.29	16.20	0.012	0.02
469200 X 3437800		7.95	0.063	4.90	<0.001	<0.002	1.990	<0.001	0.05	0.055	3.48	0.6	0.43	9.06	0.027	0.01
469200 X 3438000		1.18	0.026	3.98	<0.001	<0.002	1.755	<0.001	0.02	0.023	0.788	0.2	0.45	5.98	0.013	0.01
469200 X 3438200		3.70	0.020	0.865	<0.001	<0.002	0.709	<0.001	0.02	0.009	0.924	0.1	0.13	8.88	<0.005	<0.01
469200 X 3438400		14.70	0.032	1.790	<0.001	<0.002	3.12	<0.001	0.02	0.021	2.02	<0.1	0.16	18.95	<0.005	0.01
469200 X 3438600		6.61	0.107	3.49	<0.001	<0.002	1.500	<0.001	0.03	0.029	2.04	0.4	0.36	9.33	0.025	<0.01
469400 X 3436600		7.05	0.051	1.430	<0.001	<0.002	0.929	<0.001	0.05	0.016	2.17	0.2	0.19	8.41	0.023	0.01
469400 X 3436800		4.71	0.060	5.38	<0.001	<0.002	2.30	<0.001	0.06	0.062	3.23	0.5	0.40	6.54	0.015	0.02
469400 X 3437000		7.34	0.045	0.953	<0.001	0.002	1.435	<0.001	0.02	0.007	1.080	0.1	0.11	9.25	0.012	<0.01
469400 X 3437200		8.82	0.028	4.55	<0.001	<0.002	2.91	<0.001	0.02	0.028	1.125	0.1	0.53	11.60	<0.005	0.01
469400 X 3437400		13.85	0.055	3.49	<0.001	0.002	3.25	<0.001	0.06	0.032	3.97	0.2	0.28	10.80	0.027	0.02
469400 X 3437600		8.43	0.109	4.84	<0.001	<0.002	2.69	<0.001	0.04	0.068	2.70	0.5	0.35	9.56	0.024	0.03
469400 X 3437800		6.48	0.055	1.690	<0.001	<0.002	1.075	<0.001	0.04	0.011	2.60	0.3	0.19	7.90	0.040	<0.01
469400 X 3438000		3.92	0.060	4.39	<0.001	<0.002	1.240	<0.001	0.04	0.058	1.525	0.4	0.38	7.75	0.025	0.02
469400 X 3438200		5.56	0.053	5.09	<0.001	<0.002	2.08	<0.001	0.05	0.063	3.25	0.5	0.41	7.69	0.052	0.03
469400 X 3438400		4.37	0.050	5.88	<0.001	<0.002	2.29	<0.001	0.03	0.062	1.235	0.4	0.56	7.49	0.020	0.01
469600 X 3436000		6.43	0.037	1.005	0.001	0.002	1.075	<0.001	0.02	0.011	1.605	0.2	0.16	14.10	0.018	0.01
469600 X 3436200		8.00	0.032	1.440	<0.001	0.002	1.370	<0.001	0.04	0.011	2.55	0.1	0.21	11.90	0.038	0.02
469600 X 3436400		6.37	0.051	1.455	<0.001	<0.002	3.23	<0.001	0.02	0.012	1.080	0.2	0.16	13.10	0.005	<0.01
469600 X 3436600		4.97	0.054	4.09	<0.001	<0.002	1.485	<0.001	0.05	0.088	2.44	0.5	0.37	6.08	0.029	0.03
469600 X 3436800		5.34	0.065	2.95	0.001	<0.002	1.170	<0.001	0.04	0.032	1.770	0.3	0.32	7.69	0.034	0.01
469600 X 3437000		8.77	0.053	1.225	<0.001	<0.002	1.730	<0.001	0.02	0.023	1.160	0.1	0.14	10.85	0.015	<0.01

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LDR	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Th ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.005	V ppm 0.1	W ppm 0.001	Y ppm 0.005	Zn ppm 0.1	Zr ppm 0.01
468800 X 3437000		1.700	0.096	0.025	0.206	34.3	0.050	1.730	23.3	1.25
468800 X 3437200		0.855	0.082	0.018	0.196	39.7	0.042	1.405	9.9	0.76
468800 X 3437600		0.509	0.130	0.023	0.130	43.8	0.053	0.883	12.4	0.57
468800 X 3438000		0.723	0.044	0.014	0.240	9.5	0.027	2.65	11.5	0.65
468800 X 3438200		0.553	0.069	0.020	0.184	42.1	0.039	1.275	20.2	0.55
468800 X 3438400		1.175	0.058	0.013	0.201	14.5	0.055	2.43	9.2	0.88
468800 X 3438600		2.51	0.109	0.023	0.453	41.4	0.153	4.18	23.0	2.82
469000 X 3438000		0.155	0.052	0.018	0.148	11.5	0.017	1.450	4.4	0.17
469000 X 3438400		0.910	0.069	0.010	0.188	13.1	0.040	2.53	7.2	0.71
469000 X 3438600		0.853	0.072	0.021	0.152	32.8	0.032	1.340	20.9	1.02
469000 X 3437000		0.830	0.104	0.033	0.194	48.6	0.078	1.255	21.2	1.08
469000 X 3437200		0.859	0.054	0.008	0.156	10.4	0.033	1.980	6.6	0.70
469000 X 3437600		0.732	0.096	0.029	0.160	37.7	0.054	1.685	18.1	0.73
469000 X 3437800		0.840	0.061	0.016	0.182	15.0	0.049	2.79	11.2	0.68
469000 X 3438400		0.684	0.045	0.010	0.139	12.5	0.041	2.14	8.1	0.67
469200 X 3438000		1.370	0.059	0.011	0.225	19.1	0.051	3.01	9.7	1.81
469200 X 3438400		0.337	0.058	0.012	0.182	13.4	0.027	1.980	5.1	0.29
469200 X 3438600		1.260	0.097	0.016	0.221	19.4	0.061	3.47	10.4	1.03
469200 X 3437600		1.685	0.111	0.036	0.314	33.4	0.069	3.51	22.9	1.61
469200 X 3437800		1.035	0.118	0.024	0.243	56.1	0.105	2.21	15.5	1.42
469200 X 3438000		0.396	0.090	0.021	0.110	36.6	0.024	0.845	4.0	0.38
469200 X 3438200		0.376	0.063	0.006	0.087	8.0	0.026	1.355	6.8	0.64
469200 X 3438400		1.830	0.072	0.041	0.357	20.0	0.055	4.86	20.9	1.33
469200 X 3438600		1.400	0.091	0.019	0.187	35.5	0.045	1.570	13.3	1.17
469400 X 3438000		1.125	0.068	0.013	0.246	19.8	0.048	3.16	7.4	0.75
469400 X 3436800		1.150	0.104	0.021	0.312	39.5	0.058	2.67	13.4	1.00
469400 X 3437000		0.985	0.055	0.014	0.169	13.1	0.027	2.25	8.9	0.98
469400 X 3437200		0.649	0.171	0.021	0.142	42.3	0.046	1.315	17.3	1.19
469400 X 3437400		1.755	0.120	0.028	0.307	41.3	0.098	3.04	19.0	1.64
469400 X 3437600		1.495	0.117	0.027	0.233	51.6	0.057	1.700	23.9	1.98
469400 X 3437800		0.848	0.079	0.012	0.205	20.8	0.062	2.35	7.4	0.87
469400 X 3438000		0.340	0.062	0.017	0.152	30.5	0.047	1.110	15.3	0.32
469400 X 3438200		1.105	0.110	0.025	0.229	41.9	0.054	1.755	19.0	1.22
469400 X 3438400		0.680	0.182	0.024	0.139	74.5	0.063	0.933	14.4	0.81
469500 X 3438000		0.745	0.061	0.008	0.195	13.8	0.043	2.54	8.2	0.71
469500 X 3436200		1.065	0.088	0.012	0.206	20.0	0.047	2.77	8.7	1.07
469500 X 3436400		0.814	0.066	0.031	0.268	14.8	0.056	2.55	13.0	0.52
469500 X 3436600		0.815	0.070	0.020	0.178	26.8	0.040	1.625	11.8	0.83
469500 X 3436800		0.878	0.081	0.015	0.183	27.3	0.037	1.405	16.4	0.57
469500 X 3437000		5.03	0.066	0.014	0.253	18.7	0.039	2.34	16.6	0.74

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-21	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Revol Wt. kg	Au ppm 0.0002	Ag ppm 0.001	Al % 0.01	As ppm 0.01	Bi ppm 10	Ba ppm 0.5	Be ppm 0.01	Bi ppm 0.001	Ca % 0.01	Cd ppm 0.001	Ce ppm 0.001	Co ppm 0.001	Cr ppm 0.001	Cs ppm 0.005
469600 X 3437200		0.71	0.0004	0.082	1.26	0.40	<10	13.8	0.14	0.071	0.07	0.044	7.42	1.675	17.10	0.389
469600 X 3437400		0.85	<0.0002	0.137	3.90	1.72	<10	29.9	0.43	0.053	0.21	0.101	16.80	9.89	50.5	1.025
469600 X 3437800		0.20	0.0009	0.088	1.25	1.01	<10	22.7	0.15	0.096	0.12	0.185	8.67	2.17	16.30	0.319
469600 X 3438000		0.51	0.0002	0.021	2.41	1.59	<10	11.9	0.29	0.101	0.08	0.086	7.15	2.48	30.1	0.383
469600 X 3438400		0.79	<0.0002	0.013	1.20	0.57	<10	15.9	0.13	0.029	0.11	0.043	13.55	4.42	20.0	0.269
469600 X 3438600		0.44	0.0009	0.024	2.33	0.88	<10	14.5	0.22	0.043	0.14	0.052	12.20	2.41	21.9	0.268
469600 X 3438200		0.38	<0.0002	0.031	3.23	1.16	<10	19.0	0.44	0.064	0.13	0.104	29.0	3.43	30.0	0.360
469600 X 3438800		0.25	<0.0002	0.015	0.35	0.24	<10	10.4	0.08	0.022	0.18	0.041	9.57	1.305	10.00	0.145
469600 X 3437000		0.26	<0.0002	0.009	1.38	1.60	<10	12.6	0.12	0.098	0.09	0.050	8.12	2.71	21.2	0.795
469600 X 3437400		0.76	0.0005	0.032	1.45	0.73	<10	15.1	0.18	0.068	0.11	0.064	13.00	3.88	21.7	0.536
469600 X 3437800		0.63	<0.0002	0.042	2.29	0.91	<10	13.9	0.22	0.054	0.09	0.050	11.40	2.78	24.4	0.394
469600 X 3438000		0.65	0.0004	0.057	2.59	1.04	<10	15.1	0.27	0.056	0.09	0.065	12.25	2.38	24.2	0.205
469600 X 3438400		0.54	0.0009	0.009	0.70	0.37	<10	11.7	0.11	0.021	0.14	0.025	16.35	3.71	15.30	0.216
469600 X 3438600		0.77	0.0009	0.014	0.39	2.36	<10	13.1	0.06	0.020	0.24	0.008	20.1	2.36	16.25	0.187
470000 X 3438600		0.68	<0.0002	0.005	1.38	0.48	<10	11.4	0.18	0.029	0.09	0.054	24.5	2.79	20.9	0.207
470000 X 3438800		0.51	<0.0002	0.004	0.69	0.34	<10	10.4	0.09	0.019	0.25	0.020	17.40	3.65	13.30	0.196
470000 X 3437000		0.17	<0.0002	0.068	0.43	0.24	<10	11.1	0.05	0.018	0.27	0.047	13.90	3.27	11.80	0.154
470000 X 3437200		0.21	<0.0002	0.087	2.19	1.10	<10	22.0	0.30	0.061	0.10	0.124	8.74	2.58	20.6	0.652
470000 X 3437400		0.13	0.0008	11.05	1.24	0.73	<10	61.9	0.18	0.045	0.94	7.96	30.6	21.4	45.7	0.598
470000 X 3438200		0.55	<0.0002	0.065	2.69	0.65	<10	11.9	0.29	0.038	0.08	0.053	14.00	2.50	30.2	0.343
470000 X 3438400		0.66	<0.0002	0.009	0.86	0.35	<10	7.4	0.11	0.018	0.17	0.028	15.45	1.940	13.55	0.189
470000 X 3438600		0.65	<0.0002	0.013	0.73	0.40	<10	7.5	0.08	0.017	0.15	0.020	20.7	2.69	13.45	0.182
469600 X 3433800		0.17	0.0004	0.058	0.77	0.40	<10	33.8	0.14	0.022	0.43	0.172	44.1	4.80	24.8	0.304
469600 X 3433850		0.45	0.0006	0.139	0.74	13.70	<10	15.4	0.15	0.028	0.25	0.045	31.5	3.57	17.35	0.468
469600 X 3433900		0.47	<0.0002	0.008	0.65	0.55	<10	9.0	0.08	0.025	0.23	0.016	19.60	2.09	12.15	0.291
469600 X 3433950		0.30	<0.0002	0.031	1.68	0.85	<10	13.2	0.20	0.052	0.10	0.073	9.66	2.21	23.6	0.328
469600 X 3434000		0.29	<0.0002	0.052	4.11	1.45	<10	20.6	0.49	0.062	0.08	0.156	10.45	1.820	37.6	0.298
469600 X 3433850		0.45	0.0004	0.031	1.07	0.50	<10	8.4	0.14	0.028	0.12	0.064	20.6	3.22	22.4	0.260
469600 X 3433900		0.61	0.0007	0.002	1.01	0.60	<10	32.5	0.15	0.038	0.28	0.037	24.3	5.40	31.5	0.352
469600 X 3433950		0.47	0.0002	0.091	0.85	1.05	<10	29.0	0.12	0.065	0.09	0.088	6.74	2.44	21.7	0.713
469700 X 3434000		0.67	<0.0002	0.006	0.29	0.22	<10	9.4	0.03	0.026	0.17	0.028	7.70	1.515	9.43	0.173
469700 X 3433800		0.43	0.0008	0.007	0.79	0.53	<10	35.5	0.13	0.051	0.26	0.027	24.8	5.08	23.4	0.322
469700 X 3433850		0.27	0.0007	0.071	1.11	0.16	<10	27.5	0.24	0.100	0.15	0.060	28.3	2.88	16.55	0.670
469700 X 3433900		0.52	0.0002	0.030	0.37	2.44	<10	9.4	0.04	0.064	0.14	0.032	6.81	2.04	12.05	0.515
469700 X 3433950		0.41	<0.0002	0.006	0.23	1.81	<10	9.5	0.02	0.095	0.08	0.029	4.02	1.145	16.05	0.273
469700 X 3434000		0.34	<0.0002	0.009	0.18	0.16	<10	8.8	0.01	0.091	0.04	0.022	4.25	0.417	2.74	0.232
469700 X 3433800		0.34	0.0006	0.029	3.10	1.08	<10	22.0	0.46	0.108	0.10	0.101	23.9	3.21	31.4	0.525
469700 X 3433950		0.49	0.0015	0.019	0.83	3.28	<10	19.9	0.09	0.037	0.27	0.048	11.95	6.88	80.9	0.706
469700 X 3434000		0.26	<0.0002	0.055	1.11	0.58	<10	18.6	0.17	0.076	0.07	0.083	7.25	1.635	16.75	0.487
467400 X 3438600		0.57	0.0009	0.076	0.48	0.33	<10	24.7	0.05	0.064	0.15	0.055	7.59	3.55	11.05	0.901

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L	ME-Mb41L
		Cu ppm 0.01	Fe % 0.001	Ca ppm 0.004	Ce ppm 0.005	Hf ppm 0.002	Hg ppm 0.004	In ppm 0.003	K % 0.01	La ppm 0.002	Li ppm 0.1	Mg % 0.01	Mn ppm 0.1	Mo ppm 0.01	Na % 0.001	Nb ppm 0.002
469800 X 3437200		3.39	1.200	6.23	0.032	0.012	0.046	0.006	0.01	3.26	3.8	0.09	34.2	0.25	0.005	1.130
469800 X 3437400		18.85	3.19	6.82	0.062	0.108	0.059	0.014	0.08	7.31	33.2	0.76	225	0.54	0.009	1.680
469800 X 3437800		5.97	1.090	4.74	0.029	0.007	0.070	0.013	0.02	3.40	3.7	0.11	86.0	0.26	0.008	0.834
469800 X 3438000		7.93	2.76	12.75	0.043	0.040	0.040	0.015	0.02	3.59	4.8	0.14	49.8	0.48	0.007	2.16
469800 X 3438400		4.22	0.930	1.955	0.034	0.030	0.010	0.005	0.01	4.02	5.4	0.20	71.0	0.07	0.008	1.000
469800 X 3438600		5.38	1.510	5.06	0.043	0.062	0.041	0.015	0.01	5.13	3.8	0.13	69.3	0.28	0.008	1.215
469800 X 3438200		3.24	2.01	6.36	0.051	0.063	0.038	0.018	0.02	6.40	6.7	0.16	126.5	0.32	0.009	2.03
469800 X 3438600		3.99	0.280	1.685	0.037	0.012	0.013	0.005	0.01	4.46	2.4	0.11	34.6	0.13	0.005	0.583
469800 X 3437000		4.88	1.920	8.01	0.034	0.043	0.028	0.011	0.02	3.13	10.8	0.18	61.5	0.47	0.006	1.925
469800 X 3437400		5.06	1.350	5.18	0.033	0.049	0.025	0.009	0.02	4.86	7.8	0.18	64.4	0.22	0.006	1.540
469800 X 3437800		5.68	1.580	4.34	0.033	0.073	0.047	0.010	0.01	4.21	6.5	0.14	57.2	0.26	0.006	1.580
469800 X 3438000		6.84	1.650	6.53	0.040	0.032	0.051	0.014	0.01	3.98	4.3	0.12	50.0	0.29	0.006	1.380
469800 X 3438400		4.39	0.880	1.575	0.036	0.029	0.013	0.005	0.02	5.68	4.1	0.17	66.6	0.07	0.006	0.813
469800 X 3438600		11.00	0.590	1.615	0.048	0.018	0.005	<0.005	0.02	9.47	6.0	0.17	65.8	0.07	0.009	0.538
470000 X 3436600		3.94	0.940	2.48	0.048	0.038	0.026	0.007	0.02	7.30	4.4	0.15	51.9	0.15	0.007	1.315
470000 X 3436600		5.81	0.790	1.430	0.051	0.038	0.008	<0.005	0.02	6.77	3.2	0.15	83.2	0.07	0.009	0.842
470000 X 3437000		11.35	0.410	1.445	0.041	0.027	0.007	<0.005	0.02	6.06	3.3	0.17	51.8	0.15	0.014	0.704
470000 X 3437200		4.80	1.890	5.62	0.033	0.033	0.054	0.012	0.02	4.25	9.4	0.13	57.7	0.38	0.010	1.265
470000 X 3437400		84.8	1.790	4.04	0.064	0.223	0.006	0.008	0.13	14.20	11.3	0.95	270	0.41	0.043	0.393
470000 X 3438200		4.35	1.720	4.77	0.046	0.064	0.046	0.013	0.01	4.80	3.9	0.12	44.9	0.26	0.008	1.865
470000 X 3438400		7.07	0.720	1.660	0.044	0.028	0.020	<0.005	0.01	6.38	3.4	0.14	43.7	0.11	0.008	0.840
470000 X 3438600		4.31	0.640	1.335	0.034	0.028	0.013	<0.005	0.01	5.19	2.9	0.14	49.3	0.08	0.010	0.675
469800 X 3433800		64.1	0.650	2.06	0.099	0.017	0.062	0.008	0.09	30.6	5.5	0.30	87.8	0.48	0.016	0.700
469800 X 3433850		24.9	0.810	2.21	0.088	0.031	0.031	0.006	0.02	22.2	5.8	0.21	74.1	0.25	0.013	0.641
469800 X 3433900		6.74	0.600	1.600	0.046	0.027	0.013	<0.005	0.01	8.50	3.7	0.15	48.9	0.15	0.011	0.904
469800 X 3433950		2.70	1.880	6.26	0.035	0.035	0.042	0.011	0.01	3.99	3.1	0.10	48.7	0.28	0.009	1.606
469800 X 3434000		5.16	2.61	8.72	0.049	0.084	0.114	0.023	0.01	4.16	3.1	0.07	75.0	0.58	0.011	2.03
469800 X 3433850		4.21	0.840	1.865	0.037	0.033	0.023	0.008	0.01	5.36	3.9	0.17	59.2	0.10	0.011	1.265
469800 X 3433900		12.45	1.190	3.64	0.074	0.038	0.008	0.008	0.09	11.55	7.8	0.38	138.0	0.12	0.013	1.045
469800 X 3433950		3.58	1.290	5.07	0.025	0.013	0.032	0.007	0.01	3.14	6.3	0.12	30.4	0.27	0.005	1.145
469800 X 3434000		3.26	0.370	2.32	0.027	0.007	0.012	<0.005	0.01	3.63	3.7	0.12	50.4	0.09	0.005	0.741
469700 X 3433800		15.20	0.850	2.58	0.066	0.060	0.006	0.005	0.03	11.45	6.5	0.32	103.5	0.12	0.009	0.637
469700 X 3433850		11.70	0.810	7.03	0.057	0.029	0.055	0.006	0.03	16.85	11.4	0.19	54.8	0.58	0.008	1.755
469700 X 3433900		2.10	0.660	4.83	0.023	0.014	0.010	0.005	0.01	3.32	3.4	0.16	58.9	0.34	0.005	1.320
469700 X 3433950		1.65	0.510	5.73	0.027	0.018	0.005	<0.005	0.01	1.920	0.8	0.06	32.9	0.34	0.004	1.935
469700 X 3434000		0.58	0.200	2.84	0.021	0.020	0.008	<0.005	0.01	2.10	0.7	0.03	14.5	0.14	0.007	0.713
469700 X 3433800		6.00	2.63	11.10	0.065	0.135	0.057	0.012	0.02	8.16	10.7	0.21	68.3	0.40	0.011	3.04
469700 X 3433950		9.17	1.250	3.42	0.036	0.013	0.010	0.008	0.02	5.71	12.0	0.46	163.0	0.14	0.012	0.731
469700 X 3434000		2.92	1.760	8.77	0.031	0.036	0.025	0.008	0.01	3.48	5.8	0.11	40.3	0.48	0.007	1.875
467400 X 3436600		2.79	0.590	3.89	0.023	0.010	0.017	<0.005	0.01	3.70	6.0	0.22	98.4	0.41	0.009	0.963

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 1163 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone - 1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Ni ppm 0.04	P % 0.001	Fb ppm 0.005	Pd ppm 0.001	Pt ppm 0.002	Sb ppm 0.005	Re ppm 0.001	S % 0.01	Se ppm 0.005	So ppm 0.005	Sm ppm 0.1	Sr ppm 0.01	Ta ppm 0.01	Tb ppm 0.005	Tc ppm 0.01
469900 X 1437200		3.60	0.029	3.22	0.001	<0.002	2.57	<0.001	0.03	0.025	1.600	0.3	0.40	7.71	0.037	0.02
469900 X 1437400		20.8	0.108	3.44	<0.001	<0.002	8.05	<0.001	0.05	0.075	3.28	0.5	0.26	17.65	0.031	0.02
469900 X 1437800		5.64	0.048	9.32	<0.001	<0.002	2.00	<0.001	0.05	0.120	1.250	0.4	0.41	10.25	0.022	0.01
469900 X 1438000		5.15	0.064	9.16	<0.001	<0.002	1.595	<0.001	0.05	0.106	2.42	0.5	0.57	8.47	0.049	0.01
469900 X 1438400		10.95	0.027	1.535	<0.001	<0.002	1.390	<0.001	0.02	0.017	1.645	0.2	0.16	10.60	0.025	<0.01
469900 X 1438800		6.34	0.133	2.60	<0.001	<0.002	1.090	<0.001	0.04	0.043	2.14	0.4	0.21	11.10	0.026	0.03
469900 X 1439200		9.05	0.149	3.72	<0.001	<0.002	2.38	<0.001	0.04	0.036	3.38	0.5	0.32	13.85	0.053	0.01
469900 X 1439600		4.25	0.036	1.180	<0.001	<0.002	0.857	<0.001	0.04	0.013	0.959	0.2	0.14	12.70	<0.005	0.01
469900 X 1437000		6.64	0.025	4.62	<0.001	<0.002	3.37	<0.001	0.03	0.088	1.250	0.4	0.50	10.20	0.028	0.03
469900 X 1437400		8.20	0.032	3.28	<0.001	<0.002	3.06	<0.001	0.03	0.024	1.640	0.3	0.31	11.05	0.021	<0.01
469900 X 1437800		6.59	0.075	3.06	<0.001	<0.002	1.570	<0.001	0.04	0.048	2.27	0.5	0.26	8.94	0.049	0.01
469900 X 1438000		5.65	0.073	3.53	<0.001	<0.002	1.190	<0.001	0.04	0.044	2.56	0.5	0.34	9.16	0.053	0.01
469900 X 1438400		8.50	0.028	1.070	<0.001	<0.002	1.510	<0.001	0.02	0.009	1.670	0.1	0.13	10.55	0.014	0.01
469900 X 1438600		6.50	0.047	0.919	<0.001	<0.002	1.615	<0.001	0.02	0.006	1.030	0.1	0.11	14.15	<0.005	<0.01
470000 X 1438600		6.15	0.025	1.345	<0.001	<0.002	0.956	<0.001	0.04	0.015	2.64	0.2	0.20	10.15	0.046	<0.01
470000 X 1438800		7.62	0.052	0.897	<0.001	<0.002	1.205	<0.001	0.02	0.008	1.400	0.2	0.11	14.90	0.008	<0.01
470000 X 1437000		6.53	0.055	0.934	<0.001	<0.002	1.150	<0.001	0.03	0.018	1.085	0.1	0.64	13.45	<0.005	<0.01
470000 X 1437200		5.65	0.068	3.75	<0.001	<0.002	3.18	<0.001	0.05	0.091	1.605	0.5	0.30	9.06	0.029	0.04
470000 X 1437400		26.9	0.064	2.59	0.001	0.002	9.67	<0.001	0.04	0.026	3.79	0.2	5.89	30.8	<0.005	0.02
470000 X 1438200		5.64	0.029	2.28	<0.001	<0.002	1.475	<0.001	0.08	0.017	4.49	0.4	0.26	7.09	0.053	0.01
470000 X 1438400		5.58	0.043	1.560	<0.001	<0.002	0.785	<0.001	0.03	0.011	1.470	0.2	0.11	10.40	0.023	0.01
470000 X 1438600		6.40	0.026	0.995	<0.001	<0.002	0.785	<0.001	0.03	0.008	1.600	0.1	0.13	10.70	0.027	<0.01
469900 X 1433800		15.05	0.059	1.485	<0.001	<0.002	2.52	0.001	0.17	0.053	2.06	0.6	0.13	25.8	<0.005	<0.01
469900 X 1433850		10.80	0.056	1.655	0.001	<0.002	3.09	<0.001	0.03	0.045	1.615	0.3	0.16	16.25	0.005	<0.01
469900 X 1433900		6.26	0.046	1.075	<0.001	<0.002	1.430	<0.001	0.02	0.014	1.285	0.1	0.14	13.10	0.010	<0.01
469900 X 1433950		5.30	0.035	3.33	<0.001	<0.002	1.490	<0.001	0.04	0.034	2.01	0.3	0.30	9.22	0.040	0.01
469900 X 1434000		4.62	0.061	3.98	<0.001	<0.002	1.335	<0.001	0.06	0.050	3.35	0.9	0.38	8.86	0.047	0.02
469950 X 1433850		8.94	0.026	1.110	<0.001	<0.002	0.990	<0.001	0.03	0.014	2.44	0.2	0.19	12.10	0.033	<0.01
469950 X 1433900		16.55	0.040	2.22	<0.001	<0.002	2.99	<0.001	0.02	0.025	3.13	0.1	0.25	21.2	<0.005	0.02
469950 X 1433950		6.17	0.038	3.36	0.001	<0.002	3.44	<0.001	0.03	0.031	1.070	0.2	0.30	8.73	0.012	0.01
469950 X 1434000		4.38	0.030	1.410	0.001	<0.002	0.967	<0.001	0.02	0.011	0.797	0.1	0.17	11.00	<0.005	<0.01
469700 X 1433800		14.30	0.046	1.500	<0.001	<0.002	3.28	<0.001	0.02	0.012	2.34	0.1	0.15	17.85	<0.005	0.01
469700 X 1433850		9.54	0.018	5.74	<0.001	<0.002	3.93	<0.001	0.04	0.040	1.535	0.3	0.57	17.25	0.012	<0.01
469700 X 1433900		4.89	0.007	2.83	<0.001	<0.002	2.19	<0.001	0.02	0.018	0.980	<0.1	0.29	12.50	<0.005	0.02
469700 X 1433950		4.28	0.006	5.91	<0.001	<0.002	1.640	<0.001	0.02	0.041	0.774	0.1	0.61	8.30	<0.005	0.03
469700 X 1434000		1.11	0.006	3.63	<0.001	<0.002	1.390	<0.001	0.02	0.024	0.360	<0.1	0.46	8.59	<0.005	0.01
469750 X 1433800		7.49	0.101	5.30	<0.001	<0.002	1.945	<0.001	0.10	0.053	3.24	0.3	0.58	11.75	0.085	0.01
469750 X 1433950		34.2	0.035	2.05	<0.001	<0.002	2.79	<0.001	0.02	0.020	1.945	0.1	0.18	17.55	<0.005	0.01
469750 X 1434000		3.72	0.020	4.43	<0.001	<0.002	1.905	<0.001	0.03	0.039	1.480	0.2	0.49	7.59	0.042	0.03
467400 X 1438600		5.64	0.011	4.83	<0.001	<0.002	4.85	<0.001	0.03	0.030	0.880	0.1	0.31	17.85	<0.005	0.01

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2105 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L	ME-Ms41L
		Th ppm 0.002	Ti % 0.001	Ti ppm 0.002	U ppm 0.005	V ppm 0.1	W ppm 0.001	Y ppm 0.005	Zn ppm 0.1	Zr ppm 0.01
469800 X 5437200		0.637	0.100	0.025	0.190	35.1	0.043	1.290	7.4	0.51
469800 X 5437400		2.92	0.151	0.053	0.317	47.0	0.134	2.48	82.2	2.94
469800 X 5437800		0.417	0.098	0.024	0.158	25.9	0.050	1.280	16.2	0.24
469800 X 5438000		0.967	0.167	0.024	0.192	74.8	0.058	1.490	16.1	1.50
469800 X 5438400		0.982	0.075	0.013	0.177	16.7	0.053	1.795	12.5	0.89
469800 X 5438800		1.220	0.069	0.021	0.243	30.5	0.049	2.03	12.5	1.56
469800 X 5439200		3.92	0.115	0.032	0.470	98.1	0.067	2.62	21.2	1.67
469800 X 5439600		0.463	0.045	0.011	0.158	8.1	0.024	1.770	9.5	0.32
469800 X 5437000		1.215	0.150	0.031	0.171	45.9	0.045	1.010	20.7	1.48
469800 X 5437400		1.270	0.110	0.036	0.233	31.9	0.067	1.720	16.2	1.49
469800 X 5437800		1.730	0.085	0.027	0.303	28.4	0.062	1.690	14.2	1.80
469800 X 5438000		0.766	0.094	0.019	0.214	36.1	0.058	1.705	11.4	0.80
469800 X 5438400		1.180	0.082	0.015	0.196	13.6	0.040	2.21	9.0	0.87
469800 X 5438800		1.010	0.048	0.023	0.442	14.0	0.075	3.30	9.4	0.71
470000 X 5436600		1.255	0.093	0.011	0.264	19.5	0.040	3.55	8.7	0.99
470000 X 5436800		0.969	0.054	0.010	0.201	12.8	0.036	2.68	8.8	1.06
470000 X 5437000		0.895	0.056	0.021	0.194	9.9	0.358	2.42	10.1	0.93
470000 X 5437200		1.275	0.091	0.030	0.328	34.8	0.068	1.460	16.2	0.96
470000 X 5437400		2.75	0.118	0.065	0.467	36.4	0.069	5.94	50.4	7.41
470000 X 5438200		1.140	0.115	0.018	0.255	33.2	0.069	3.30	7.6	1.76
470000 X 5438400		0.847	0.080	0.010	0.166	13.0	0.042	2.20	8.3	0.66
470000 X 5438600		0.933	0.085	0.011	0.165	12.7	0.045	2.12	6.8	0.70
469800 X 5433800		1.210	0.051	0.088	1.120	18.2	0.065	7.05	26.6	0.59
469800 X 5433850		1.090	0.049	0.034	0.472	15.2	0.062	5.16	21.2	0.74
469800 X 5433900		0.942	0.062	0.018	0.261	12.6	0.041	2.95	9.3	0.61
469800 X 5433950		0.822	0.096	0.016	0.205	39.9	0.046	1.780	12.5	1.03
469800 X 5434000		1.890	0.116	0.026	0.376	48.8	0.065	2.21	18.3	2.13
469850 X 5433850		1.075	0.083	0.013	0.283	15.7	0.051	2.74	8.7	0.89
469850 X 5433900		1.710	0.093	0.033	0.250	28.9	0.056	4.43	23.4	1.53
469850 X 5433950		0.661	0.084	0.029	0.157	28.6	0.041	1.050	28.9	0.44
469700 X 5434000		0.442	0.058	0.010	0.132	10.4	0.030	1.430	11.2	0.28
469700 X 5433800		1.920	0.075	0.035	0.287	21.3	0.051	3.70	20.7	2.21
469700 X 5433850		1.060	0.153	0.045	0.531	30.5	0.031	3.46	23.3	0.96
469700 X 5433900		0.446	0.118	0.016	0.160	26.1	0.049	1.145	14.4	0.46
469700 X 5433950		0.542	0.182	0.021	0.096	60.2	0.032	0.518	7.0	0.69
469700 X 5434000		0.567	0.061	0.014	0.099	10.7	0.006	0.461	4.8	0.64
469750 X 5433800		5.09	0.185	0.028	0.723	56.1	0.046	2.98	18.3	3.24
469750 X 5433950		0.685	0.070	0.016	0.157	24.0	0.035	1.975	24.4	0.44
469750 X 5434000		0.836	0.146	0.021	0.174	47.6	0.044	1.345	12.8	1.12
467400 X 5436800		0.389	0.102	0.033	0.150	16.6	0.024	1.300	19.5	0.36

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26-JUL-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LDR	WE-21	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L	ME-M641L
		Revd Wt.	Au	Ag	Al	As	Bi	Ba	Be	Bi	Ca	Cl	Ce	Co	Cr	Cs
		µg	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
409730 X 3433900		0.02	0.0002	0.001	0.01	0.01	10	0.5	0.01	0.001	0.01	0.001	0.001	0.001	0.01	0.005
		0.31	0.0003	0.015	1.75	0.83	<10	20.1	0.24	0.047	0.10	0.007	10.85	3.61	33.3	0.386

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - B
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Ms41L Cu ppm 0.01	ME-Ms41L Fe % 0.001	ME-Ms41L Ca ppm 0.004	ME-Ms41L Ce ppm 0.002	ME-Ms41L HF ppm 0.002	ME-Ms41L Hg ppm 0.004	ME-Ms41L In ppm 0.002	ME-Ms41L K % 0.01	ME-Ms41L La ppm 0.002	ME-Ms41L Li ppm 0.1	ME-Ms41L Mg % 0.01	ME-Ms41L Mn ppm 0.1	ME-Ms41L Mo ppm 0.01	ME-Ms41L Na % 0.001	ME-Ms41L Nb ppm 0.002
459730 X 3433900		7.09	1.420	4.59	0.035	0.032	0.030	0.011	0.01	3.86	6.8	0.20	77.4	0.27	0.010	1.270

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - C
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LOR	ME-Ms41L Ni ppm	ME-Ms41L P %	ME-Ms41L Pb ppm	ME-Ms41L Pd ppm	ME-Ms41L Pt ppm	ME-Ms41L Rb ppm	ME-Ms41L Re ppm	ME-Ms41L S %	ME-Ms41L Sb ppm	ME-Ms41L Sn ppm	ME-Ms41L Se ppm	ME-Ms41L Sm ppm	ME-Ms41L Sr ppm	ME-Ms41L Ta ppm	ME-Ms41L Te ppm
409750 X 3433000		12.55	0.031	2.57	<0.001	<0.002	1.580	<0.001	0.09	0.020	2.30	0.2	0.25	9.25	0.028	0.02

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - D
 Total # Pages: 5 (A - D)
 Plus Appendix Pages
 Finalized Date: 26- JUL- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

Sample Description	Method Analyte Units LDR	ME-M641L Th ppm 0.002	ME-M641L Ti % 0.001	ME-M641L Tl ppm 0.002	ME-M641L U ppm 0.003	ME-M641L V ppm 0.1	ME-M641L W ppm 0.001	ME-M641L Y ppm 0.003	ME-M641L Zn ppm 0.1	ME-M641L Zr ppm 0.01
489750 X 3433900		0.888	0.085	0.018	0.182	28.4	0.042	1.615	29.4	0.99

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 26- JUL- 2016
 Account: GNK00Z

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16093501

CERTIFICATE COMMENTS	
	ANALYTICAL COMMENTS
Applies to Method:	Gold determinations by this method are semi- quantitative due to the small sample weight used (0.5g). ME- MS41 L
	LABORATORY ADDRESSES
Applies to Method:	Processed at ALS Thunder Bay located at 1160 Commerce Street, Thunder Bay, ON, Canada. LOC- 22 SCR- 41 WEI- 21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. ME- MS41 L



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15-SEP-2016
 Account: GNKCQZ

CERTIFICATE VO16137591

Project: URBAN BARRY
 P.O. No.: GNK CQZ
 This report is for 295 Soil samples submitted to our lab in Val d'Or, QC, Canada on 19-AUG-2016.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 21	Received Sample Weight
LOG- 22	Sample login - Rod w/o BarCode
SCR- 41	Screen to - 180um and save both

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au- AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

See Appendix Page for comments regarding this certificate

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WE-21 Rec'd Wt. kg 0.02	Au- AA24 Au ppm 0.005
400000 X 3437300		0.23	<0.005
400000 X 3437350		0.22	<0.005
400000 X 3437375		0.30	<0.005
400000 X 3437425		0.24	<0.005
400000 X 3437450		0.27	<0.005
400000 X 3437500		0.33	<0.005
400025 X 3437550		0.19	<0.005
400025 X 3437575		0.22	<0.005
400025 X 3437400		0.21	<0.005
400025 X 3437425		0.15	<0.005
400025 X 3437450		0.17	0.017
400050 X 3437300		0.18	<0.005
400050 X 3437350		0.25	<0.005
400050 X 3437375		0.26	<0.005
400050 X 3437400		0.12	<0.005
400050 X 3437425		0.21	<0.005
400700 X 3430100		0.29	<0.005
400700 X 3430150		0.28	<0.005
400700 X 3430200		0.23	<0.005
400700 X 3430250		0.36	<0.005
400700 X 3430300		0.19	<0.005
400700 X 3437300		0.41	<0.005
400700 X 3437350		0.24	<0.005
400700 X 3437400		0.22	<0.005
400700 X 3437450		0.23	<0.005
400700 X 3437500		0.27	0.005
400750 X 3430100		0.20	0.023
400750 X 3430150		0.43	<0.005
400750 X 3430175		0.14	<0.005
400750 X 3430200		0.26	<0.005
400750 X 3430225		0.29	<0.005
400750 X 3430250		0.34	<0.005
400750 X 3430300		0.40	<0.005
400775 X 3430150		0.22	<0.005
400775 X 3430175		0.18	<0.005
400775 X 3430200		0.14	<0.005
400775 X 3430225		0.23	<0.005
400775 X 3430250		0.24	<0.005
400775 X 3430275		0.17	<0.005
400800 X 3430100		0.24	<0.005

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WD-21 Recvd Wt. Ig 0.02	Au- AA24 Au ppm 0.005
466800 X 3436150		0.21	<0.005
466800 X 3436175		0.25	<0.005
466800 X 3436200		Not Recvd	
466800 X 3436225		0.38	<0.005
466800 X 3436250		0.26	<0.005
466800 X 3436300		0.38	<0.005
466825 X 3436150		0.25	<0.005
466825 X 3436175		0.22	<0.005
466825 X 3436200		0.26	<0.005
466825 X 3436225		0.21	<0.005
466825 X 3436250		0.34	<0.005
466830 X 3436100		0.20	<0.005
466830 X 3436150		0.28	<0.005
466830 X 3436175		0.21	<0.005
466830 X 3436200		0.30	<0.005
466830 X 3436225		0.50	0.005
466830 X 3436250		0.37	<0.005
466830 X 3436300		0.27	0.006
466900 X 3436100		0.40	<0.005
466900 X 3436150		0.30	0.035
466900 X 3436200		0.34	<0.005
466900 X 3436250		0.43	0.006
466900 X 3436300		0.52	<0.005
466900 X 3437800		0.17	<0.005
466900 X 3437850		0.23	<0.005
466930 X 3437800		0.33	0.033
466930 X 3437850		0.38	<0.005
466930 X 3437900		0.23	<0.005
467000 X 3437850		0.14	0.010
467000 X 3437900		0.16	<0.005
467000 X 3437950		0.37	<0.005
467030 X 3437800		0.14	<0.005
467030 X 3437850		0.23	<0.005
467030 X 3437900		0.35	<0.005
467030 X 3437950		0.34	<0.005
467050 X 3438000		0.09	<0.005
467100 X 3437800		0.12	<0.005
467100 X 3437850		0.16	<0.005
467100 X 3437900		0.29	<0.005
467100 X 3437950		0.31	0.051

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WB-21 Recvd Wt. kg 0.02	AU-AA24 Au ppm 0.003
467100 X 3438000		0.16	<0.005
467100 X 3438050		0.18	<0.005
467130 X 3437800		0.14	<0.005
467130 X 3437850		0.09	<0.005
467130 X 3437900		0.50	0.007
467130 X 3437950		0.12	<0.005
467130 X 3438000		0.13	<0.005
467130 X 3438050		0.37	<0.005
467200 X 3437850		0.15	<0.005
467200 X 3437900		0.35	0.013
467200 X 3437950		0.23	<0.005
467200 X 3438050		0.16	0.009
467230 X 3437800		0.19	0.010
467230 X 3437850		0.12	0.006
467230 X 3437900		0.14	<0.005
467230 X 3437950		0.14	<0.005
467230 X 3438000		0.23	<0.005
467230 X 3438050		0.14	<0.005
467300 X 3437800		0.14	<0.005
467300 X 3437850		0.15	0.007
467300 X 3437900		0.21	<0.005
467300 X 3437950		0.25	<0.005
467300 X 3438000		0.19	0.005
467300 X 3438050		0.18	<0.005
467330 X 3437800		0.20	0.005
467330 X 3437850		0.13	<0.005
467330 X 3437900		0.30	<0.005
467330 X 3437950 A		0.22	0.007
467330 X 3437950 B		0.27	<0.005
467330 X 3438000		0.31	<0.005
467330 X 3438050		0.19	<0.005
467400 X 3437850		0.15	<0.005
467400 X 3437900		0.22	<0.005
467400 X 3437950		0.26	<0.005
467400 X 3438050		0.23	0.007
467450 X 3437800		0.15	<0.005
467450 X 3437850		0.29	<0.005
467450 X 3437900		0.78	<0.005
467450 X 3437950		0.35	<0.005
467450 X 3438000		0.42	<0.005

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WB-21 Recvd Wt. kg 0.02	Au- AA24 Au ppm 0.005
487430 X 3438050		0.25	0.015
487500 X 3438700		0.28	<0.005
487500 X 3438750		0.19	<0.005
487500 X 3438800		0.09	0.011
487500 X 3438900		0.48	<0.005
487500 X 3437800		0.12	<0.005
487500 X 3437850		0.38	<0.005
487500 X 3437900		0.55	<0.005
487500 X 3437950		0.31	<0.005
487500 X 3438000		0.32	<0.005
487500 X 3438050		0.40	<0.005
487550 X 3438700		0.36	0.006
487550 X 3438750		0.42	<0.005
487550 X 3438775		0.08	<0.005
487550 X 3438800		0.16	<0.005
487550 X 3438825		0.13	<0.005
487550 X 3438850		0.35	<0.005
487550 X 3438900		0.38	<0.005
487550 X 3437800		0.20	<0.005
487550 X 3437850		0.15	<0.005
487550 X 3437900		0.36	<0.005
487550 X 3437950		0.41	<0.005
487550 X 3438000		0.41	<0.005
487550 X 3438050		0.41	<0.005
487575 X 3438750		0.42	<0.005
487575 X 3438775		0.15	<0.005
487575 X 3438800		0.17	<0.005
487575 X 3438825		0.11	<0.005
487575 X 3438850		0.37	<0.005
487600 X 3438700		0.15	<0.005
487600 X 3438775		0.15	<0.005
487600 X 3438825		0.13	<0.005
487600 X 3438850		0.26	<0.005
487600 X 3438900		0.30	0.006
487600 X 3437850		0.16	<0.005
487600 X 3437900		0.24	<0.005
487600 X 3437950		0.20	<0.005
487600 X 3438050		0.22	<0.005
487625 X 3438750		0.52	<0.005
487625 X 3438775		0.16	<0.005

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15- SEP- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WB-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
467623 X 3436800		0.08	<0.005
467623 X 3436823		0.22	<0.005
467623 X 3436850		0.32	<0.005
467623 X 3436700		0.30	<0.005
467650 X 3436700		Not Recvd	
467650 X 3436730		0.47	<0.005
467650 X 3436773		0.10	<0.005
467650 X 3436800		0.09	<0.005
467650 X 3436823		0.16	<0.005
467650 X 3436850		0.19	<0.005
467650 X 3436900		0.25	<0.005
467650 X 3437800		0.48	0.023
467650 X 3437850		0.09	NBS
467650 X 3437900		0.29	<0.005
467650 X 3437950		Not Recvd	
467650 X 3438000		0.21	<0.005
467650 X 3438030		0.18	<0.005
467700 X 3438530		0.46	<0.005
467700 X 3438573		0.34	<0.005
467700 X 3438600		0.49	<0.005
467700 X 3438650		0.17	<0.005
467700 X 3438900		0.26	<0.005
467700 X 3437800		0.19	<0.005
467700 X 3437850		0.44	<0.005
467700 X 3437900		0.39	<0.005
467700 X 3437950		0.23	0.008
467700 X 3438000		0.12	<0.005
467700 X 3438050		0.22	<0.005
467750 X 3438500		0.35	<0.005
467750 X 3438530		0.24	<0.005
467750 X 3438573		0.27	<0.005
467750 X 3438600		0.19	<0.005
467750 X 3438623		0.20	<0.005
467750 X 3438650		0.32	<0.005
467750 X 3436700		0.31	0.005
467750 X 3436750		0.20	0.007
467750 X 3436800		0.22	<0.005
467750 X 3436850		0.29	<0.005
467750 X 3436900		0.15	0.006
467750 X 3437850		0.56	0.031

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 7 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WB-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
467750 X 5437900		0.19	<0.005
467750 X 5437950		0.21	<0.005
467750 X 5438000		0.12	<0.005
467750 X 5438050		0.11	0.007
467775 X 5438050		0.39	<0.005
467775 X 5438075		Not Recd	
467775 X 5438600		0.27	<0.005
467775 X 5438625		0.27	<0.005
467775 X 5438650		0.41	<0.005
467800 X 5438050		0.41	<0.005
467800 X 5438050		0.29	<0.005
467800 X 5438075		0.28	<0.005
467800 X 5438625		Not Recd	
467800 X 5438650		Not Recd	
467800 X 5438700		Not Recd	
467800 X 5438750		Not Recd	
467800 X 5438800		Not Recd	
467800 X 5438850		0.09	<0.005
467800 X 5437900		0.28	<0.005
467800 X 5437950		0.50	0.050
467800 X 5437900		0.25	<0.005
467800 X 5437950		Not Recd	
467800 X 5438050		0.15	0.030
467825 X 5438050		0.28	<0.005
467825 X 5438075		0.30	<0.005
467850 X 5438050		0.43	<0.005
467850 X 5438050		0.21	<0.005
467850 X 5438075		0.19	<0.005
467850 X 5438600		Not Recd	
467850 X 5438625		Not Recd	
467850 X 5438650		Not Recd	
467850 X 5438700		0.37	<0.005
467850 X 5438750		0.42	<0.005
467850 X 5438800		0.22	0.005
467850 X 5438900 A		0.31	<0.005
467850 X 5438900 B		0.11	<0.005
467850 X 5437950		0.22	<0.005
467850 X 5437900		0.27	<0.005
467850 X 5437950		0.06	<0.005
467850 X 5438050		0.16	<0.005

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 8 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15- SEP- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	AU-AA24 Au ppm 0.003
467900 X 3436500		0.30	<0.005
467900 X 3436550		0.56	<0.005
467900 X 3436600		0.43	<0.005
467900 X 3436650		0.38	0.054
467900 X 3436700		0.48	<0.005
467900 X 3436750		0.58	<0.005
467900 X 3436800		0.54	<0.005
467900 X 3436900		0.13	<0.005
467900 X 3437850		0.23	<0.005
467900 X 3437900		0.22	<0.005
467900 X 3438050		0.07	<0.005
468000 X 3438050		0.23	<0.005
468050 X 3438050		0.15	<0.005
468350 X 3437300		0.25	<0.005
468350 X 3437350		0.18	<0.005
468350 X 3437375		0.24	<0.005
468350 X 3437400		0.23	<0.005
468350 X 3437425		0.08	NBS
468375 X 3437350		0.24	<0.005
468375 X 3437375		0.26	<0.005
468375 X 3437400		0.24	<0.005
468375 X 3437425		0.22	<0.005
468375 X 3437450		0.34	<0.005
468400 X 3437300		0.29	<0.005
468400 X 3437350		0.25	0.020
468400 X 3437375		0.23	<0.005
468400 X 3437425		0.27	0.020
468400 X 3437450		0.23	<0.005
468400 X 3437500		0.24	<0.005
468425 X 3437350		0.21	0.110
468425 X 3437375		0.27	<0.005
468425 X 3437400		0.21	<0.005
468425 X 3437425		0.23	0.008
468425 X 3437450		0.28	0.009
468450 X 3437300		0.32	<0.005
468450 X 3437350		0.13	<0.005
468450 X 3437375		0.46	0.022
468450 X 3437400		0.28	<0.005
468450 X 3437425		0.18	0.005
468450 X 3437450		0.24	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 9 - A
 Total # Pages: 9 (A)
 Plus Appendix Pages
 Finalized Date: 15- SEP- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

Sample Description	Method Analyte Units LOR	WB- 21 Recvd Wt. kg 0.02	Au- AA24 Au ppm 0.005
468450 X 5437300		0.28	<0.005
468500 X 5437300		0.30	<0.005
468500 X 5437350		0.26	<0.005
468500 X 5437400		0.20	NBS
468500 X 5437450		0.21	<0.005
468500 X 5437500		0.31	<0.005
467700 X 5436600		0.21	<0.005
467700 X 5436650		0.33	<0.005
467700 X 5436700		0.38	<0.005
467700 X 5436750		0.19	<0.005
467700 X 5436500		0.40	<0.005
467850 X 5436650		0.31	<0.005
466650 X 5437450		0.25	<0.005
466650 X 5437500		0.29	<0.005
467600 X 5436750		0.54	<0.005

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 15- SEP- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16137591

	CERTIFICATE COMMENTS
	ANALYTICAL COMMENTS
Applies to Method:	NSS is non-sufficient sample. ALL METHODS
	LABORATORY ADDRESSES
Applies to Method:	Processed at ALS Sudbury located at 1351- B Kelly Lake Road, Unit #1, Sudbury, ON, Canada. LOC- 22 SCR- 41 WEI- 21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. Au- AA24



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 9221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13- SEP- 2016
 Account: GNKCOZ

CERTIFICATE VO16143600

Project: URBAN BARRY
 P.O. No.: GNK COZ
 This report is for 295 Soil samples submitted to our lab in Val d'Or, QC, Canada on 19-AUG-2016.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI- 01	Received Sample Weight
FND- 02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME- ICP41	35 Element Aqua Regia ICP- AES	ICP- AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.
 ***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	WE-21 Reod WL kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ca ppm 10
466600 X 3437300		<0.2	2.53	2	<10	30	<0.5	<2	0.10	<0.5	2	32	3	2.07	10	
466600 X 3437350		<0.2	2.06	2	<10	20	<0.5	<2	0.08	<0.5	2	30	2	1.99	10	
466600 X 3437375		<0.2	2.77	2	<10	10	<0.5	<2	0.11	<0.5	2	34	4	1.66	<10	
466600 X 3437425		<0.2	2.85	2	<10	10	<0.5	<2	0.10	<0.5	2	34	4	2.41	10	
466600 X 3437450		<0.2	2.06	<2	<10	20	<0.5	<2	0.11	<0.5	3	33	4	2.78	10	
466600 X 3437500		<0.2	0.80	<2	<10	20	<0.5	<2	0.09	<0.5	2	19	3	2.07	10	
466625 X 3437350		<0.2	1.63	<2	<10	40	<0.5	<2	0.17	<0.5	3	30	5	1.18	<10	
466625 X 3437375		<0.2	1.54	<2	<10	20	<0.5	<2	0.10	<0.5	3	34	5	1.53	<10	
466625 X 3437375		<0.2	1.97	2	<10	20	<0.5	<2	0.10	<0.5	2	25	3	1.61	10	
466625 X 3437400		<0.2	1.12	2	<10	30	<0.5	<2	0.11	<0.5	1	17	2	1.38	10	
466625 X 3437450		<0.2	1.70	2	<10	20	<0.5	<2	0.12	<0.5	1	26	3	1.87	10	
466650 X 3437300		<0.2	1.70	<2	<10	10	<0.5	<2	0.11	<0.5	2	23	4	1.40	10	
466650 X 3437350		<0.2	2.03	<2	<10	40	<0.5	<2	0.15	<0.5	3	27	3	1.61	10	
466650 X 3437375		<0.2	2.35	<2	<10	20	<0.5	<2	0.10	<0.5	3	29	4	1.54	<10	
466650 X 3437400		<0.2	2.05	<2	<10	10	<0.5	<2	0.09	<0.5	1	21	2	1.31	10	
466650 X 3437425		<0.2	1.70	2	<10	20	<0.5	<2	0.10	<0.5	1	18	2	1.38	10	
466700 X 3436100		<0.2	1.07	<2	<10	10	<0.5	<2	0.12	<0.5	2	20	3	0.88	<10	
466700 X 3436150		<0.2	1.58	2	<10	20	<0.5	<2	0.15	<0.5	3	25	4	1.23	<10	
466700 X 3436200		<0.2	2.25	<2	<10	20	<0.5	<2	0.15	<0.5	2	30	3	1.80	<10	
466700 X 3436250		<0.2	1.28	2	<10	10	<0.5	<2	0.17	<0.5	4	24	4	0.96	<10	
466700 X 3436300		<0.2	3.81	3	<10	20	<0.5	<2	0.18	<0.5	5	44	7	2.74	10	
466700 X 3437300		<0.2	1.03	<2	<10	20	<0.5	<2	0.12	<0.5	3	23	4	2.54	10	
466700 X 3437350		<0.2	1.86	2	<10	20	<0.5	<2	0.09	<0.5	2	22	4	1.56	10	
466700 X 3437400		<0.2	2.09	<2	<10	10	<0.5	<2	0.10	<0.5	2	25	4	1.57	<10	
466700 X 3437450		<0.2	1.22	2	<10	20	<0.5	<2	0.07	<0.5	1	15	1	1.34	10	
466700 X 3437500		<0.2	0.91	2	<10	10	<0.5	<2	0.08	<0.5	<1	13	1	1.04	10	
466750 X 3436100		<0.2	2.01	<2	<10	10	<0.5	<2	0.11	<0.5	2	26	4	1.33	<10	
466750 X 3436150		<0.2	1.50	2	<10	20	<0.5	<2	0.13	<0.5	2	21	4	1.06	<10	
466750 X 3436175		<0.2	1.33	<2	<10	30	<0.5	<2	0.10	<0.5	1	18	4	1.27	10	
466750 X 3436200		<0.2	1.75	<2	<10	20	<0.5	<2	0.15	<0.5	4	27	6	1.51	<10	
466750 X 3436225		<0.2	1.66	<2	<10	20	<0.5	<2	0.13	<0.5	2	19	2	1.17	<10	
466750 X 3436250		<0.2	1.01	<2	<10	20	<0.5	<2	0.17	<0.5	4	20	4	0.87	<10	
466750 X 3436300		<0.2	1.74	<2	<10	20	<0.5	<2	0.14	<0.5	3	26	3	1.31	<10	
466775 X 3436150		<0.2	1.16	<2	<10	10	<0.5	<2	0.16	<0.5	3	18	4	0.86	<10	
466775 X 3436175		<0.2	0.75	<2	<10	10	<0.5	<2	0.23	<0.5	3	16	5	0.73	<10	
466775 X 3436200		<0.2	1.15	2	<10	10	<0.5	<2	0.16	<0.5	3	19	4	0.88	<10	
466775 X 3436225		<0.2	1.01	<2	<10	20	<0.5	<2	0.18	<0.5	4	20	5	0.86	<10	
466775 X 3436250		<0.2	0.91	2	<10	20	<0.5	<2	0.20	<0.5	4	18	4	0.78	<10	
466775 X 3436575		<0.2	0.29	<2	<10	10	<0.5	<2	0.06	<0.5	<1	8	1	0.40	<10	
466800 X 3436100		<0.2	1.78	<2	<10	20	<0.5	<2	0.14	<0.5	4	23	4	1.13	<10	

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm 1	K % 0.01	La ppm 10	Hg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	F ppm 10	Pb ppm 2	S % 0.01	Se ppm 2	So ppm 1	Sr ppm 1	Th ppm 20
406600 X 3437300		<1	0.01	<10	0.10	88	<1	<0.01	8	2070	3	0.03	<2	2	10	<20
406600 X 3437350		<1	0.01	<10	0.08	41	<1	<0.01	5	1980	4	0.04	<2	2	8	<20
406600 X 3437373		<1	0.01	<10	0.13	52	<1	<0.01	9	580	<2	0.02	<2	2	11	<20
406600 X 3437423		<1	0.01	<10	0.10	50	<1	<0.01	7	1210	6	0.03	<2	2	11	<20
406600 X 3437450		<1	0.01	<10	0.17	85	<1	<0.01	8	980	4	0.02	<2	2	11	<20
406600 X 3437500		<1	0.01	<10	0.14	49	<1	<0.01	8	160	4	<0.01	<2	1	13	<20
406623 X 3437350		<1	0.02	<10	0.17	89	<1	<0.01	10	930	3	0.01	<2	2	17	<20
406623 X 3437373		<1	0.01	10	0.12	52	<1	<0.01	7	520	3	0.02	<2	2	11	<20
406623 X 3437400		<1	0.01	<10	0.12	85	<1	<0.01	7	1440	2	0.02	<2	2	11	<20
406623 X 3437423		<1	0.01	<10	0.07	37	<1	<0.01	5	1020	7	0.02	<2	1	11	<20
406633 X 3437450		<1	0.01	<10	0.09	46	<1	<0.01	8	1070	4	0.01	<2	1	13	<20
406630 X 3437300		<1	0.01	<10	0.15	75	<1	<0.01	8	520	4	0.01	<2	2	11	<20
406630 X 3437350		<1	0.02	<10	0.24	91	<1	<0.01	10	560	4	0.01	<2	2	16	<20
406630 X 3437373		<1	0.01	10	0.17	76	<1	0.02	10	960	2	0.03	<2	2	11	<20
406630 X 3437400		<1	0.01	<10	0.09	50	<1	0.01	5	610	3	0.02	2	1	9	<20
406630 X 3437423		<1	0.01	<10	0.09	49	<1	0.01	5	970	4	0.02	<2	1	10	<20
406700 X 3438100		<1	0.01	<10	0.14	54	<1	0.02	8	210	<2	0.01	<2	1	12	<20
406700 X 3438150		<1	0.01	10	0.18	66	<1	0.02	11	440	2	0.02	<2	2	15	<20
406700 X 3438200		1	0.02	10	0.18	64	<1	0.02	11	870	3	0.03	<2	2	12	<20
406700 X 3438250		1	0.02	10	0.21	74	<1	0.02	12	310	<2	0.01	<2	2	16	<20
406700 X 3438300		<1	0.03	10	0.38	113	<1	0.02	12	1050	4	0.05	<2	2	16	<20
406700 X 3437300		<1	0.02	<10	0.25	75	<1	0.02	7	270	4	0.02	<2	1	13	<20
406700 X 3437350		<1	0.01	<10	0.10	41	<1	0.02	6	730	4	0.03	<2	1	10	<20
406700 X 3437400		<1	0.01	<10	0.13	70	<1	0.02	8	580	3	0.03	<2	1	10	<20
406700 X 3437450		<1	0.01	<10	0.05	37	<1	0.01	3	490	4	0.02	<2	1	7	<20
406700 X 3437500		<1	0.01	<10	0.05	37	<1	0.01	2	440	4	0.02	2	1	9	<20
406730 X 3438100		<1	0.01	10	0.13	54	<1	0.02	7	560	3	0.02	<2	1	11	<20
406730 X 3438150		<1	0.01	<10	0.16	58	<1	0.02	9	280	3	0.02	<2	2	12	<20
406730 X 3438173		<1	0.01	<10	0.08	46	<1	0.01	4	920	6	0.02	<2	1	10	<20
406730 X 3438200		<1	0.02	10	0.22	87	<1	0.02	11	620	<2	0.02	<2	2	14	<20
406730 X 3438223		<1	0.01	<10	0.12	59	<1	0.02	8	500	2	0.02	<2	1	14	<20
406730 X 3438250		<1	0.01	10	0.20	75	<1	0.02	12	310	<2	0.01	<2	2	15	<20
406730 X 3438300		<1	0.01	<10	0.18	64	<1	0.02	11	430	3	0.01	<2	2	13	<20
406773 X 3438150		<1	0.01	<10	0.15	58	<1	0.02	10	370	<2	0.01	<2	1	14	<20
406773 X 3438173		<1	0.02	10	0.19	77	<1	0.02	10	440	<2	0.01	<2	1	16	<20
406773 X 3438200		1	0.01	<10	0.18	68	<1	0.02	10	350	<2	0.01	<2	1	15	<20
406773 X 3438223		<1	0.02	10	0.20	76	<1	0.02	12	340	<2	0.01	<2	1	17	<20
406773 X 3438250		<1	0.02	<10	0.20	75	<1	0.02	12	380	<2	0.01	<2	1	16	<20
406773 X 3438573		<1	0.01	<10	0.03	17	<1	0.02	1	140	<2	0.01	<2	<1	10	<20
406800 X 3438100		<1	0.01	<10	0.17	83	<1	0.02	10	360	<2	0.03	<2	2	13	<20

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
400000 X 3437300		0.08	<10	<10	45	<10	15
400000 X 3437350		0.08	<10	<10	37	<10	11
400000 X 3437375		0.08	<10	<10	27	<10	11
400000 X 3437425		0.11	<10	<10	47	<10	10
400000 X 3437450		0.10	<10	<10	58	<10	15
400000 X 3437300		0.16	<10	<10	50	<10	10
400025 X 3437350		0.06	<10	<10	22	<10	14
400025 X 3437375		0.11	<10	<10	38	<10	14
400025 X 3437400		0.07	<10	<10	33	<10	12
400025 X 3437425		0.09	<10	<10	38	<10	14
400025 X 3437450		0.08	<10	<10	44	<10	12
400050 X 3437300		0.09	<10	<10	32	<10	15
400050 X 3437350		0.11	<10	<10	38	<10	34
400050 X 3437375		0.08	<10	<10	31	<10	16
400050 X 3437400		0.07	<10	<10	30	<10	11
400050 X 3437425		0.09	<10	<10	33	<10	11
400070 X 3438100		0.08	<10	<10	18	<10	9
400070 X 3438150		0.09	<10	<10	25	<10	12
400070 X 3438200		0.09	<10	<10	37	<10	12
400070 X 3438250		0.08	<10	<10	20	<10	11
400070 X 3438300		0.13	<10	<10	49	<10	29
400070 X 3437300		0.19	<10	<10	70	<10	21
400070 X 3437350		0.08	<10	<10	32	<10	10
400070 X 3437400		0.07	<10	<10	27	<10	17
400070 X 3437450		0.08	<10	<10	33	<10	14
400070 X 3437500		0.08	<10	<10	28	<10	9
400070 X 3438100		0.09	<10	<10	26	<10	10
400070 X 3438150		0.08	<10	<10	22	<10	9
400070 X 3438175		0.07	<10	<10	32	<10	10
400070 X 3438200		0.08	<10	<10	32	<10	15
400070 X 3438225		0.08	<10	<10	24	<10	10
400070 X 3438250		0.08	<10	<10	18	<10	11
400070 X 3438300		0.08	<10	<10	25	<10	12
400075 X 3438150		0.07	<10	<10	18	<10	11
400075 X 3438175		0.07	<10	<10	18	<10	10
400075 X 3438200		0.08	<10	<10	19	<10	11
400075 X 3438225		0.08	<10	<10	18	<10	12
400075 X 3438250		0.07	<10	<10	17	<10	10
400075 X 3438375		0.04	<10	<10	17	<10	5
400000 X 3438100		0.08	<10	<10	20	<10	12

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13- SEP- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LDR	WB-21 Revd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ce ppm 10
406600 X 3436150			<0.2	1.83	<2	<10	20	<0.5	<2	0.10	<0.5	1	22	3	1.60	10
406600 X 3436175			<0.2	1.69	<2	<10	10	<0.5	<2	0.14	<0.5	3	23	5	1.20	<10
406600 X 3436200		Not Read														
406600 X 3436225			<0.2	0.36	<2	<10	10	<0.5	<2	0.21	<0.5	1	10	3	0.37	<10
406600 X 3436250			<0.2	1.75	<2	<10	30	<0.5	<2	0.15	<0.5	3	23	3	1.30	<10
406600 X 3436300			<0.2	0.96	2	<10	30	<0.5	<2	0.18	<0.5	3	18	5	0.99	<10
406623 X 3436150			<0.2	1.35	<2	<10	10	<0.5	<2	0.15	<0.5	4	22	6	1.12	<10
406623 X 3436175			0.2	1.38	2	<10	20	<0.5	2	0.11	<0.5	2	18	2	1.36	10
406623 X 3436200			<0.2	0.86	<2	<10	20	<0.5	<2	0.18	<0.5	4	19	8	0.85	<10
406623 X 3436225			<0.2	1.17	<2	<10	20	<0.5	<2	0.15	<0.5	4	19	5	0.90	<10
406623 X 3436250			<0.2	1.14	2	<10	20	<0.5	<2	0.18	<0.5	4	10	4	0.98	<10
406630 X 3436100			<0.2	1.53	<2	<10	20	<0.5	<2	0.11	<0.5	2	20	2	1.09	<10
406630 X 3436150			<0.2	0.65	<2	<10	20	<0.5	<2	0.15	<0.5	4	17	5	0.73	<10
406630 X 3436175			<0.2	1.19	<2	<10	10	<0.5	<2	0.11	<0.5	3	10	4	0.65	<10
406630 X 3436200			<0.2	1.64	<2	<10	20	<0.5	<2	0.13	<0.5	5	29	5	1.40	<10
406630 X 3436225			<0.2	0.88	<2	<10	10	<0.5	<2	0.13	<0.5	4	19	8	0.84	<10
406630 X 3436250			<0.2	0.85	<2	<10	20	<0.5	<2	0.12	<0.5	3	18	3	1.04	<10
406630 X 3436300			<0.2	1.32	<2	<10	20	<0.5	<2	0.11	<0.5	3	21	4	1.20	<10
406600 X 3436100			<0.2	1.51	<2	<10	10	<0.5	<2	0.11	<0.5	3	21	3	0.96	<10
406600 X 3436150			<0.2	1.36	<2	<10	10	<0.5	<2	0.11	<0.5	2	21	2	1.06	<10
406600 X 3436200			<0.2	1.11	<2	<10	10	<0.5	<2	0.12	<0.5	3	19	3	0.69	<10
406600 X 3436250			<0.2	1.50	<2	<10	10	<0.5	<2	0.09	<0.5	1	15	1	0.57	<10
406600 X 3436300			<0.2	1.84	<2	<10	10	<0.5	<2	0.13	<0.5	4	30	5	1.36	<10
406600 X 3437800			0.5	0.56	<2	<10	10	<0.5	<2	0.16	<0.5	48	20	79	0.66	<10
406600 X 3437850			0.2	0.76	<2	<10	10	<0.5	<2	0.19	<0.5	62	25	97	0.62	<10
406630 X 3437800			<0.2	0.53	<2	<10	10	<0.5	<2	0.09	<0.5	2	15	2	0.71	<10
406630 X 3437850			<0.2	2.51	<2	<10	10	<0.5	<2	0.12	<0.5	2	25	4	1.15	<10
406630 X 3437900			0.4	0.38	2	<10	10	<0.5	<2	0.23	<0.5	11	16	21	0.37	<10
407000 X 3437850			<0.2	0.40	<2	<10	10	<0.5	<2	0.19	<0.5	12	16	24	0.45	<10
407000 X 3437900			0.2	0.50	<2	<10	10	<0.5	<2	0.15	<0.5	104	18	180	0.46	<10
407030 X 3437950			<0.2	0.46	<2	<10	10	<0.5	<2	0.17	<0.5	6	252	10	0.68	<10
407030 X 3437800			<0.2	0.53	<2	<10	10	<0.5	<2	0.17	<0.5	22	16	43	0.44	<10
407030 X 3437850			<0.2	0.56	2	<10	20	<0.5	<2	0.31	<0.5	5	127	13	0.80	<10
407030 X 3437900			<0.2	0.64	<2	<10	10	<0.5	<2	0.18	<0.5	4	127	10	0.70	<10
407030 X 3437950			<0.2	0.58	2	<10	10	<0.5	<2	0.17	<0.5	4	94	4	0.60	<10
407030 X 3438000			<0.2	0.59	<2	<10	10	<0.5	<2	0.18	<0.5	25	19	38	0.74	<10
407100 X 3437800			0.4	0.37	<2	<10	10	<0.5	<2	0.17	<0.5	23	16	63	0.46	<10
407100 X 3437850			<0.2	0.42	<2	<10	10	<0.5	<2	0.26	<0.5	6	39	46	0.52	<10
407100 X 3437900			<0.2	0.32	<2	<10	10	<0.5	<2	0.23	<0.5	3	21	7	0.39	<10
407100 X 3437950			<0.2	0.42	<2	<10	<10	<0.5	<2	0.15	<0.5	3	32	3	0.54	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Se ppm 2	ME-ICP41 Si ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
406600 X 3436150	<1	0.01	<10	0.09	38	<1	<0.01	5	500	5	0.02	<2	2	9	<20	
406600 X 3436175	1	0.01	10	0.16	63	<1	0.01	10	490	2	0.01	<2	2	12	<20	
406600 X 3436200	<1	0.01	10	0.15	40	<1	<0.01	6	470	<2	<0.01	<2	1	11	<20	
406600 X 3436225	<1	0.01	<10	0.15	66	<1	0.01	10	590	4	0.01	<2	1	14	<20	
406600 X 3436300	<1	0.01	10	0.17	105	<1	0.01	9	640	3	0.01	<2	1	16	<20	
406625 X 3436150	<1	0.02	10	0.23	85	<1	<0.01	12	350	3	0.01	<2	1	13	<20	
406625 X 3436175	<1	0.01	<10	0.14	72	<1	<0.01	6	450	4	0.02	<2	1	9	<20	
406625 X 3436200	<1	0.01	10	0.21	73	<1	0.01	11	290	2	<0.01	<2	1	16	<20	
406625 X 3436225	<1	0.01	10	0.19	70	<1	0.01	12	410	2	0.01	<2	1	13	<20	
406625 X 3436250	1	0.02	10	0.20	74	<1	0.01	13	540	3	0.01	<2	1	14	<20	
406650 X 3436100	<1	0.01	<10	0.11	45	<1	<0.01	6	630	2	0.01	<2	2	11	<20	
406650 X 3436150	<1	0.02	10	0.23	79	<1	0.01	10	270	<2	0.01	<2	1	12	<20	
406650 X 3436175	<1	0.02	<10	0.20	68	<1	0.01	9	300	<2	0.01	<2	1	10	<20	
406650 X 3436200	<1	0.03	<10	0.33	102	<1	0.01	12	450	<2	0.02	<2	2	11	<20	
406650 X 3436225	<1	0.01	10	0.21	75	<1	0.01	10	390	<2	0.01	<2	1	10	<20	
406650 X 3436250	<1	0.01	<10	0.18	63	<1	0.01	7	490	<2	0.01	<2	1	11	<20	
406650 X 3436300	<1	0.01	<10	0.15	75	<1	0.01	7	750	2	0.02	<2	1	11	<20	
406600 X 3436100	<1	0.01	10	0.15	53	<1	0.01	9	490	2	0.01	<2	2	11	<20	
406600 X 3436150	<1	0.01	<10	0.12	45	<1	0.01	5	430	<2	0.01	<2	2	11	<20	
406600 X 3436200	<1	0.01	10	0.17	55	<1	0.01	8	420	<2	0.01	<2	2	11	<20	
406600 X 3436250	<1	0.01	<10	0.06	23	<1	0.01	4	210	3	0.02	<2	2	9	<20	
406600 X 3436300	1	0.02	10	0.25	83	<1	<0.01	11	420	2	0.02	<2	2	11	<20	
406600 X 3437600	<1	0.02	<10	0.25	77	<1	<0.01	10	310	2	<0.01	<2	1	12	<20	
406600 X 3437650	<1	0.03	10	0.32	100	<1	0.01	15	340	<2	0.01	<2	1	13	<20	
406930 X 3437600	<1	0.01	10	0.19	61	<1	<0.01	6	80	3	<0.01	<2	1	9	<20	
406930 X 3437650	1	0.01	10	0.19	63	<1	<0.01	7	330	3	0.02	<2	1	11	<20	
406930 X 3437900	1	0.02	10	0.16	52	<1	<0.01	9	520	2	<0.01	<2	1	12	<20	
407000 X 3437650	<1	0.02	10	0.20	64	<1	<0.01	10	380	<2	<0.01	<2	1	11	<20	
407000 X 3437900	<1	0.02	<10	0.21	66	<1	<0.01	8	220	<2	<0.01	2	1	11	<20	
407000 X 3437950	<1	0.03	10	0.28	105	1	<0.01	111	290	<2	<0.01	<2	1	11	<20	
407030 X 3437600	<1	0.01	10	0.20	62	<1	<0.01	9	240	2	<0.01	<2	1	12	<20	
407030 X 3437650	<1	0.04	10	0.32	106	1	0.01	19	520	<2	0.01	2	2	16	<20	
407030 X 3437900	<1	0.03	30	0.28	99	1	<0.01	59	340	3	0.01	2	1	12	<20	
407030 X 3437950	<1	0.02	10	0.26	87	1	<0.01	43	220	2	0.01	<2	1	13	<20	
407030 X 3438000	<1	0.02	10	0.34	100	<1	<0.01	13	300	<2	<0.01	<2	1	11	<20	
407100 X 3437600	<1	0.02	10	0.20	66	<1	0.01	12	260	2	<0.01	<2	1	11	<20	
407100 X 3437650	<1	0.03	10	0.21	72	<1	0.01	15	480	<2	0.02	<2	1	15	<20	
407100 X 3437900	<1	0.02	10	0.17	57	<1	0.01	11	460	<2	0.01	<2	1	14	<20	
407100 X 3437950	<1	0.01	<10	0.24	79	<1	<0.01	16	200	<2	<0.01	<2	1	11	<20	

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984-0221 Fax: +1 (604) 984-0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
406800 X 3430150		0.09	<10	<10	36	<10	11
406800 X 3430175		0.07	<10	<10	24	<10	11
406800 X 3430200							
406800 X 3430225		0.06	<10	<10	10	<10	9
406800 X 3430250		0.08	<10	<10	28	<10	11
406800 X 3430300		0.07	<10	<10	21	<10	14
406823 X 3430150		0.07	<10	<10	22	<10	15
406823 X 3430175		0.07	<10	<10	31	<10	14
406823 X 3430200		0.08	<10	<10	18	<10	11
406823 X 3430225		0.07	<10	<10	18	<10	13
406823 X 3430250		0.07	<10	<10	21	<10	12
406850 X 3430100		0.07	<10	<10	22	<10	8
406850 X 3430150		0.06	<10	<10	16	<10	11
406850 X 3430175		0.06	<10	<10	16	<10	10
406850 X 3430200		0.09	<10	<10	30	<10	10
406850 X 3430225		0.06	<10	<10	17	<10	11
406850 X 3430250		0.08	<10	<10	23	<10	12
406850 X 3430300		0.07	<10	<10	26	<10	15
406900 X 3430100		0.07	<10	<10	20	<10	9
406900 X 3430150		0.08	<10	<10	24	<10	9
406900 X 3430200		0.07	<10	<10	15	<10	9
406900 X 3430250		0.06	<10	<10	14	<10	8
406900 X 3430300		0.07	<10	<10	24	<10	14
406900 X 3437800		0.06	<10	<10	14	<10	14
406900 X 3437850		0.06	<10	<10	17	<10	18
406950 X 3437800		0.08	<10	<10	23	<10	10
406950 X 3437850		0.07	<10	<10	30	<10	15
406950 X 3437900		0.06	<10	<10	12	<10	9
407000 X 3437850		0.05	<10	<10	12	<10	12
407000 X 3437900		0.06	<10	<10	13	<10	11
407000 X 3437950		0.05	<10	<10	14	<10	16
407050 X 3437800		0.07	<10	<10	14	<10	13
407050 X 3437850		0.08	<10	<10	19	<10	17
407050 X 3437900		0.06	<10	<10	25	<10	18
407050 X 3437950		0.07	<10	<10	16	<10	16
407050 X 3438000		0.06	<10	<10	17	<10	17
407100 X 3437800		0.05	<10	<10	11	<10	13
407100 X 3437850		0.07	<10	<10	15	<10	14
407100 X 3437900		0.06	<10	<10	11	<10	10
407100 X 3437950		0.05	<10	<10	13	<10	11

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 51 5 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	WE-21 Recvd Wt. kg 0.02	ME-ICP4 Ag ppm 0.2	ME-ICP4 Al % 0.01	ME-ICP4 As ppm 2	ME-ICP4 S ppm 10	ME-ICP4 Ba ppm 10	ME-ICP4 Be ppm 0.5	ME-ICP4 Bi ppm 2	ME-ICP4 Ca % 0.01	ME-ICP4 Cd ppm 0.5	ME-ICP4 Co ppm 1	ME-ICP4 Cr ppm 1	ME-ICP4 Cu ppm 1	ME-ICP4 Fe % 0.01	ME-ICP4 Ga ppm 10
467100 X 3438000			<0.2	0.46	<0.2	<10	10	<0.5	<2	0.21	<0.5	14	17	32	0.51	<10
467100 X 3438050			<0.2	0.46	<0.2	<10	10	<0.5	<2	0.27	<0.5	3	49	8	0.53	<10
467150 X 3437800			0.4	0.44	<0.2	<10	10	<0.5	<2	0.14	<0.5	41	20	68	0.47	<10
467150 X 3437850			<0.2	0.40	<0.2	<10	10	<0.5	<2	0.27	<0.5	4	70	13	0.48	<10
467150 X 3437900			<0.2	0.38	<0.2	<10	10	<0.5	<2	0.21	<0.5	3	24	7	0.50	<10
467150 X 3437950			<0.2	0.49	<0.2	<10	10	<0.5	<2	0.20	<0.5	5	43	8	0.72	<10
467150 X 3438000			1.1	0.87	<0.2	<10	20	<0.5	<2	0.40	<0.5	67	94	117	1.17	<10
467150 X 3438050			<0.2	1.77	<0.2	<10	20	<0.5	<2	0.11	<0.5	3	30	7	1.78	<10
467200 X 3437850			<0.2	0.51	<0.2	<10	10	<0.5	<2	0.30	<0.5	3	129	9	0.66	<10
467200 X 3437900			<0.2	0.50	<0.2	<10	20	<0.5	<2	0.25	<0.5	4	59	14	0.61	<10
467200 X 3437950			<0.2	0.49	<0.2	<10	10	<0.5	2	0.27	<0.5	5	103	13	0.60	<10
467200 X 3438050			<0.2	0.63	<0.2	<10	10	<0.5	<2	0.08	<0.5	1	22	2	0.20	<10
467250 X 3437800			0.5	0.40	<0.2	<10	10	<0.5	<2	0.27	<0.5	15	16	30	0.45	<10
467250 X 3437850			<0.2	0.58	<0.2	<10	10	<0.5	<2	0.22	<0.5	3	180	7	0.61	<10
467250 X 3437900			0.2	0.58	2	<10	10	<0.5	<2	0.21	<0.5	4	153	15	0.54	<10
467250 X 3437950			<0.2	0.47	<0.2	<10	10	<0.5	<2	0.26	<0.5	4	34	13	0.53	<10
467250 X 3438000			1.7	0.44	<0.2	<10	10	<0.5	<2	0.23	<0.5	37	29	70	0.48	<10
467250 X 3438050			<0.2	0.49	<0.2	<10	10	<0.5	<2	0.25	<0.5	4	140	7	0.62	<10
467300 X 3437800			0.4	0.38	<0.2	<10	10	<0.5	<2	0.26	<0.5	14	16	30	0.43	<10
467300 X 3437850			12.4	0.66	<0.2	<10	20	<0.5	<2	0.48	6.9	36	295	24	1.09	<10
467300 X 3437900			<0.2	0.70	<0.2	<10	10	<0.5	<2	0.06	<0.5	1	20	2	0.10	<10
467300 X 3437950			<0.2	0.40	<0.2	<10	10	<0.5	<2	0.22	<0.5	3	95	11	0.43	<10
467300 X 3438000			0.3	0.44	<0.2	<10	10	<0.5	<2	0.23	<0.5	16	17	35	0.47	<10
467300 X 3438050			<0.2	0.47	<0.2	<10	10	<0.5	<2	0.25	<0.5	4	174	11	0.61	<10
467350 X 3437800			0.6	0.34	<0.2	<10	10	<0.5	<2	0.19	<0.5	11	12	22	0.33	<10
467350 X 3437850			5.0	0.32	<0.2	<10	10	<0.5	<2	0.20	3.0	8	73	8	0.42	<10
467350 X 3437900			<0.2	0.54	<0.2	<10	10	<0.5	<2	0.23	<0.5	5	202	14	0.64	<10
467350 X 3437950 A			<0.2	0.47	<0.2	<10	10	<0.5	<2	0.07	<0.5	<1	10	1	0.12	<10
467350 X 3437950 B			<0.2	0.88	<0.2	<10	20	<0.5	<2	0.18	<0.5	7	342	11	0.69	<10
467350 X 3438000			<0.2	0.60	<0.2	<10	10	<0.5	<2	0.08	<0.5	1	11	1	0.43	<10
467350 X 3438050			0.4	0.49	<0.2	<10	10	<0.5	2	0.26	<0.5	19	19	87	0.54	<10
467400 X 3437850			<0.2	0.40	<0.2	<10	10	<0.5	<2	0.04	<0.5	<1	9	2	0.05	<10
467400 X 3437900			<0.2	0.44	<0.2	<10	10	<0.5	<2	0.08	<0.5	1	14	2	0.16	<10
467400 X 3437950			<0.2	0.58	<0.2	<10	10	<0.5	<2	0.05	<0.5	<1	12	1	0.08	<10
467400 X 3438050			0.7	1.08	<0.2	<10	20	<0.5	<2	0.26	<0.5	121	38	219	0.98	<10
467450 X 3437800			0.8	1.21	<0.2	<10	30	<0.5	<2	0.33	<0.5	358	70	590	1.20	<10
467450 X 3437850			<0.2	0.62	<0.2	<10	10	<0.5	<2	0.24	<0.5	3	14	8	0.48	<10
467450 X 3437900			<0.2	2.64	<0.2	<10	20	<0.5	<2	0.17	<0.5	14	40	29	2.58	<10
467450 X 3437950			<0.2	2.20	3	<10	10	<0.5	<2	0.11	<0.5	3	37	12	2.65	<10
467450 X 3438000			<0.2	0.74	<0.2	<10	10	<0.5	<2	0.10	<0.5	2	14	2	1.00	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Ne % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Se ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
467100 X 3438000		<1	0.02	10	0.22	70	<1	0.01	10	350	<2	<0.01	<2	1	14	<20
467100 X 3438050		<1	0.02	10	0.21	72	<1	0.01	13	460	<2	<0.01	<2	1	17	<20
467130 X 3437800		<1	0.02	<10	0.21	66	<1	0.01	10	140	<2	<0.01	<2	1	12	<20
467130 X 3437850		<1	0.04	10	0.19	69	<1	0.01	21	450	<2	<0.01	<2	1	16	<20
467130 X 3437900		<1	0.02	10	0.21	74	<1	<0.01	14	370	<2	0.01	<2	1	13	<20
467130 X 3437950		<1	0.03	10	0.31	102	<1	<0.01	22	330	<2	0.01	<2	1	13	<20
467130 X 3438000		<1	0.05	20	0.52	164	1	0.02	44	530	2	0.03	<2	2	27	<20
467130 X 3438050		1	0.01	<10	0.16	58	<1	<0.01	9	180	3	0.02	<2	2	12	<20
467200 X 3437850		<1	0.03	10	0.26	92	1	0.01	26	440	2	<0.01	<2	1	20	<20
467200 X 3437900		<1	0.04	10	0.25	83	<1	0.01	27	440	<2	0.04	<2	1	16	<20
467200 X 3437950		<1	0.04	10	0.25	85	1	0.01	43	480	11	0.02	<2	1	16	<20
467200 X 3438050		<1	0.03	<10	0.08	27	<1	<0.01	4	190	5	0.02	<2	1	10	<20
467230 X 3437800		<1	0.02	10	0.19	66	<1	0.01	10	480	<2	0.01	<2	1	16	<20
467230 X 3437850		1	0.03	10	0.23	81	1	0.02	26	330	<2	0.01	<2	1	16	<20
467230 X 3437900		<1	0.03	10	0.23	82	1	0.02	70	350	<2	0.02	<2	1	14	<20
467230 X 3437950		<1	0.02	10	0.24	78	<1	0.02	16	460	<2	0.04	<2	1	16	<20
467230 X 3438000		<1	0.02	10	0.21	67	1	0.02	19	430	<2	0.01	<2	1	14	<20
467230 X 3438050		<1	0.03	10	0.26	89	1	0.03	40	360	<2	0.01	<2	1	17	<20
467300 X 3437800		<1	0.02	10	0.19	65	<1	0.02	10	450	<2	0.01	<2	1	16	<20
467300 X 3437850		<1	0.06	10	0.43	141	2	0.02	74	550	4	<0.01	<2	2	22	<20
467300 X 3437900		<1	0.01	<10	0.03	13	<1	<0.01	3	230	7	0.01	<2	1	7	<20
467300 X 3437950		<1	0.03	10	0.19	64	1	<0.01	24	410	3	0.01	<2	1	12	<20
467300 X 3438000		<1	0.02	10	0.22	69	<1	<0.01	10	390	2	0.01	<2	1	14	<20
467300 X 3438050		<1	0.03	10	0.23	84	1	0.01	36	390	<2	0.01	<2	1	14	<20
467330 X 3437800		<1	0.01	10	0.14	47	<1	<0.01	7	370	<2	<0.01	<2	1	11	<20
467330 X 3437850		<1	0.02	10	0.17	62	<1	<0.01	27	310	<2	<0.01	<2	1	13	<20
467330 X 3437900		<1	0.03	10	0.25	94	1	0.01	82	410	2	0.01	<2	1	15	<20
467330 X 3437950 A		<1	0.01	<10	0.05	19	<1	<0.01	3	130	4	0.02	<2	1	8	<20
467330 X 3437950 B		<1	0.04	10	0.26	106	2	<0.01	152	320	3	0.02	<2	2	14	<20
467330 X 3438000		<1	0.01	<10	0.04	19	<1	<0.01	2	90	7	0.01	<2	<1	8	<20
467330 X 3438050		<1	0.03	10	0.24	79	<1	<0.01	13	420	2	0.01	<2	1	16	<20
467400 X 3437850		<1	0.01	<10	0.01	9	<1	0.01	2	170	8	0.01	<2	<1	5	<20
467400 X 3437900		<1	0.01	<10	0.06	25	<1	<0.01	3	80	2	0.01	<2	1	8	<20
467400 X 3437950		<1	0.01	<10	0.02	9	<1	<0.01	1	90	5	0.01	<2	1	6	<20
467400 X 3438050		<1	0.06	10	0.44	129	<1	0.01	19	380	<2	0.01	<2	2	18	<20
467430 X 3437800		<1	0.08	10	0.52	158	1	0.02	34	530	2	0.01	<2	2	23	<20
467430 X 3437850		<1	0.02	10	0.19	61	<1	<0.01	8	500	<2	<0.01	<2	1	13	<20
467430 X 3437900		<1	0.03	20	0.40	412	<1	<0.01	14	650	4	0.03	<2	3	15	<20
467430 X 3437950		<1	0.03	10	0.21	86	1	<0.01	10	770	5	0.03	<2	1	11	<20
467430 X 3438000		<1	0.01	<10	0.10	58	<1	<0.01	5	340	6	0.01	<2	1	11	<20

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LO2	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
467100 X 3438000		0.06	<10	<10	15	<10	13
467100 X 3438030		0.07	<10	<10	17	<10	15
467130 X 3437800		0.05	<10	<10	13	<10	13
467130 X 3437830		0.06	<10	<10	13	<10	14
467130 X 3437900		0.06	<10	<10	12	<10	12
467130 X 3437930		0.08	<10	<10	15	<10	21
467130 X 3438000		0.11	<10	<10	32	<10	33
467130 X 3438030		0.14	<10	<10	54	<10	14
467200 X 3437830		0.08	<10	<10	17	<10	15
467200 X 3437900		0.07	<10	<10	17	<10	15
467200 X 3437930		0.07	<10	<10	15	<10	16
467200 X 3438030		0.13	<10	<10	17	<10	5
467230 X 3437800		0.07	<10	<10	12	<10	11
467230 X 3437830		0.07	<10	<10	16	<10	14
467230 X 3437900		0.07	<10	<10	15	<10	15
467230 X 3437930		0.08	<10	<10	15	<10	15
467230 X 3438000		0.06	<10	<10	13	<10	13
467230 X 3438030		0.07	<10	<10	15	<10	14
467300 X 3437800		0.07	<10	<10	12	<10	12
467300 X 3437830		0.08	<10	<10	23	<10	30
467300 X 3437900		0.17	<10	<10	22	<10	4
467300 X 3437930		0.06	<10	<10	12	<10	15
467300 X 3438000		0.06	<10	<10	14	<10	13
467300 X 3438030		0.06	<10	<10	15	<10	14
467330 X 3437800		0.05	<10	<10	11	<10	8
467330 X 3437830		0.06	<10	<10	11	<10	13
467330 X 3437900		0.06	<10	<10	15	<10	21
467330 X 3437930 A		0.09	<10	<10	9	<10	7
467330 X 3437930 B		0.10	<10	<10	23	<10	20
467330 X 3438000		0.11	<10	<10	34	<10	6
467330 X 3438030		0.07	<10	<10	15	<10	17
467400 X 3437830		0.10	<10	<10	9	<10	5
467400 X 3437900		0.09	<10	<10	17	<10	7
467400 X 3437930		0.07	<10	<10	11	<10	3
467400 X 3438030		0.12	<10	<10	30	<10	29
467430 X 3437800		0.10	<10	<10	33	<10	30
467430 X 3437830		0.06	<10	<10	14	<10	13
467430 X 3437900		0.13	<10	<10	43	<10	36
467430 X 3437930		0.14	<10	<10	58	<10	26
467430 X 3438000		0.14	<10	<10	37	<10	10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	WE-21 Revol Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
467430 X 3438050			0.2	0.45	<D	<10	10	<0.5	<2	0.24	<0.5	15	20	27	0.66	<10
467500 X 3436700			<0.2	2.59	<D	<10	10	<0.5	2	0.09	<0.5	3	25	4	2.07	10
467500 X 3436750			<0.2	0.31	<D	<10	10	<0.5	2	0.25	<0.5	20	22	34	0.46	<10
467500 X 3436800			<0.2	0.29	<D	<10	10	<0.5	<2	0.27	<0.5	102	33	144	0.45	<10
467500 X 3436900			<0.2	1.15	<D	<10	10	<0.5	<2	0.07	<0.5	1	15	1	0.83	<10
467500 X 3437800			1.3	0.62	<D	<10	20	<0.5	2	0.33	<0.5	116	56	189	0.90	<10
467500 X 3437850			<0.2	0.71	<D	<10	10	<0.5	<2	0.26	<0.5	3	15	7	0.40	<10
467500 X 3437900			<0.2	2.60	<D	<10	20	<0.5	<2	0.11	<0.5	4	37	11	2.48	10
467500 X 3437950			<0.2	2.81	<D	<10	10	<0.5	2	0.10	<0.5	3	40	6	2.02	10
467500 X 3438000			<0.2	0.82	<D	<10	10	<0.5	<2	0.05	<0.5	1	10	1	0.75	10
467500 X 3438050			<0.2	2.90	<D	<10	10	<0.5	<2	0.12	<0.5	3	33	6	1.90	10
467500 X 3438070			<0.2	0.62	<D	<10	20	<0.5	<2	0.33	<0.5	5	23	21	1.09	<10
467500 X 34380750			<0.2	0.31	<D	<10	10	<0.5	<2	0.29	<0.5	3	59	16	0.47	<10
467500 X 34380775			<0.2	0.32	<D	<10	10	<0.5	2	0.30	<0.5	3	15	8	0.49	<10
467500 X 34380800			<0.2	0.30	<D	<10	10	<0.5	<2	0.43	<0.5	3	14	7	0.59	<10
467500 X 34380825			<0.2	0.31	<D	<10	10	<0.5	<2	0.48	<0.5	3	14	7	0.64	<10
467500 X 34380850			<0.2	0.27	<D	<10	10	<0.5	<2	0.26	<0.5	2	17	6	0.47	<10
467500 X 34380900			<0.2	2.12	<D	<10	10	<0.5	<2	0.07	<0.5	2	26	5	1.53	10
467500 X 3437800			0.4	0.61	<D	<10	20	<0.5	<2	0.31	<0.5	201	27	328	0.78	<10
467500 X 3437850			5.6	0.56	<D	<10	20	<0.5	<2	0.31	<0.5	195	168	26	0.65	<10
467500 X 3437900			<0.2	2.51	<D	<10	10	<0.5	2	0.10	<0.5	3	27	6	1.32	10
467500 X 3437950			<0.2	2.71	<D	<10	10	<0.5	<2	0.09	<0.5	3	33	9	1.96	10
467500 X 3438000			<0.2	3.39	<D	<10	10	<0.5	<2	0.09	<0.5	3	40	7	2.31	10
467500 X 3438050			<0.2	3.19	<D	<10	10	<0.5	<2	0.11	<0.5	4	36	10	1.67	<10
467500 X 34380750			<0.2	0.32	<D	<10	10	<0.5	<2	0.38	<0.5	3	19	9	0.57	<10
467500 X 34380775			<0.2	0.31	<D	<10	20	<0.5	2	0.44	<0.5	6	14	14	0.62	<10
467500 X 34380800			0.3	0.33	<D	<10	10	<0.5	<2	0.30	<0.5	13	16	25	0.47	<10
467500 X 34380825			0.7	0.30	<D	<10	10	<0.5	<2	0.28	<0.5	18	17	35	0.43	<10
467500 X 34380850			<0.2	0.30	<D	<10	10	<0.5	<2	0.24	<0.5	2	19	7	0.46	<10
467500 X 34380900			<0.2	0.29	<D	<10	20	<0.5	<2	0.27	<0.5	9	38	16	0.69	<10
467600 X 3436775			<0.2	0.29	<D	<10	10	<0.5	<2	0.24	<0.5	4	14	10	0.43	<10
467600 X 3436825			<0.2	0.32	<D	<10	20	<0.5	<2	0.35	<0.5	12	16	23	0.49	<10
467600 X 3436850			0.3	0.32	<D	<10	10	<0.5	<2	0.24	<0.5	17	19	33	0.54	<10
467600 X 3436900			<0.2	2.04	<D	<10	10	<0.5	<2	0.07	<0.5	2	22	5	1.35	10
467600 X 3437850			0.4	0.68	<D	<10	20	<0.5	<2	0.24	<0.5	267	136	17	0.75	<10
467600 X 3437900			<0.2	0.80	<D	<10	10	<0.5	<2	0.12	<0.5	3	33	8	0.46	<10
467600 X 3437950			0.4	0.89	<D	<10	20	<0.5	<2	0.23	<0.5	8	325	22	0.37	<10
467600 X 3438050			1.1	1.25	<D	<10	30	<0.5	<2	0.29	<0.5	240	102	399	1.21	<10
467625 X 3436750			0.5	0.34	<D	<10	10	<0.5	<2	0.31	<0.5	4	14	14	0.48	<10
467625 X 3436775			1.3	0.35	<D	<10	20	<0.5	2	0.28	<0.5	50	20	91	0.48	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOB	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 Lu ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 3	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Se ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
407450 X 1438050	<1	0.02	10	0.18	67	<1	<0.01	12	470	<2	<0.01	<2	1	14	<20	
407300 X 1438700	<1	0.01	<10	0.10	74	<1	<0.01	5	640	4	0.03	2	1	9	<20	
407300 X 1438750	<1	0.02	10	0.17	69	<1	<0.01	12	400	<2	0.01	<2	1	13	<20	
407300 X 1438800	<1	0.02	10	0.18	69	<1	<0.01	50	430	<2	0.04	<2	1	14	<20	
407300 X 1438900	<1	0.01	<10	0.06	32	<1	<0.01	3	200	3	0.04	<2	1	8	<20	
407300 X 1437800	<1	0.05	10	0.45	196	<1	0.02	25	460	2	0.01	2	2	23	<20	
407300 X 1437850	<1	0.02	10	0.19	84	<1	<0.01	8	510	<2	<0.01	<2	1	15	<20	
407300 X 1437900	<1	0.02	10	0.29	90	1	<0.01	12	610	5	0.03	<2	2	11	<20	
407300 X 1437950	<1	0.01	10	0.16	67	<1	<0.01	8	730	2	0.04	<2	3	10	<20	
407300 X 1438000	<1	0.01	<10	0.06	27	<1	<0.01	3	290	6	0.01	<2	1	7	<20	
407300 X 1438050	<1	0.01	10	0.17	82	<1	<0.01	7	440	8	0.04	<2	1	12	<20	
407350 X 1438700	<1	0.04	20	0.96	130	<1	0.01	14	580	2	0.01	<2	2	23	<20	
407350 X 1438750	<1	0.02	10	0.18	72	<1	<0.01	32	500	<2	0.02	<2	1	16	<20	
407350 X 1438775	<1	0.03	10	0.18	69	<1	<0.01	9	520	<2	0.03	<2	1	16	<20	
407350 X 1438800	<1	0.03	10	0.25	71	<1	<0.01	8	480	<2	0.03	<2	1	15	<20	
407350 X 1438825	<1	0.03	10	0.27	78	<1	<0.01	8	520	<2	0.05	<2	1	15	<20	
407350 X 1438850	<1	0.02	10	0.15	55	<1	<0.01	9	490	2	0.01	<2	1	13	<20	
407350 X 1438900	<1	0.01	<10	0.08	58	<1	<0.01	8	560	5	0.03	<2	1	8	<20	
407350 X 1437800	<1	0.05	10	0.33	105	<1	0.01	19	590	3	0.01	<2	1	18	<20	
407350 X 1437850	<1	0.04	10	0.32	115	1	0.01	273	530	2	0.01	<2	1	18	<20	
407350 X 1437900	<1	0.01	10	0.15	52	<1	<0.01	8	380	2	0.03	<2	2	9	<20	
407350 X 1437950	<1	0.02	10	0.21	89	<1	<0.01	8	600	4	0.04	<2	2	9	<20	
407350 X 1438000	<1	0.01	<10	0.16	60	<1	<0.01	8	630	3	0.05	<2	3	9	<20	
407350 X 1438050	<1	0.02	10	0.22	73	<1	<0.01	10	530	2	0.04	2	2	9	<20	
407375 X 1438750	<1	0.03	10	0.24	76	<1	<0.01	11	500	2	0.03	<2	1	14	<20	
407375 X 1438775	<1	0.03	10	0.28	81	<1	<0.01	8	490	2	0.05	<2	1	13	<20	
407375 X 1438800	<1	0.02	10	0.19	69	<1	<0.01	9	510	<2	0.02	<2	1	14	<20	
407375 X 1438825	<1	0.02	10	0.17	60	<1	<0.01	11	500	<2	0.02	2	1	13	<20	
407375 X 1438850	<1	0.02	10	0.15	57	<1	<0.01	9	450	<2	0.01	<2	1	12	<20	
407800 X 1438700	<1	0.02	10	0.18	154	<1	<0.01	14	510	<2	0.01	<2	1	15	<20	
407800 X 1438775	<1	0.02	10	0.16	61	<1	<0.01	7	440	<2	0.02	<2	1	12	<20	
407800 X 1438825	<1	0.03	10	0.22	69	<1	<0.01	9	480	<2	0.02	<2	1	14	<20	
407800 X 1438850	<1	0.02	10	0.16	59	<1	<0.01	11	450	<2	0.01	<2	1	12	<20	
407800 X 1438900	<1	0.01	<10	0.10	45	<1	<0.01	7	570	3	0.03	<2	1	7	<20	
407800 X 1437850	<1	0.04	10	0.30	104	1	0.01	357	390	<2	0.01	<2	1	17	<20	
407800 X 1437900	<1	0.02	10	0.20	62	<1	<0.01	14	270	5	0.03	<2	2	11	<20	
407800 X 1437950	<1	0.05	10	0.96	133	2	<0.01	142	410	3	0.02	2	2	16	<20	
407800 X 1438050	<1	0.06	10	0.50	151	1	0.01	52	470	2	0.02	2	2	20	<20	
407825 X 1438750	<1	0.03	10	0.20	67	<1	<0.01	9	480	2	0.03	<2	1	14	<20	
407825 X 1438775	<1	0.03	10	0.19	71	<1	<0.01	15	470	2	0.02	<2	1	14	<20	

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 51 S WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
467430 X 5438050		0.06	<10	<10	14	<10	11
467500 X 5438700		0.12	<10	<10	59	<10	13
467500 X 5438750		0.05	<10	<10	12	<10	10
467500 X 5438800		0.05	<10	<10	13	<10	11
467500 X 5438900		0.10	<10	<10	23	<10	8
467500 X 5437800		0.09	<10	<10	25	<10	26
467500 X 5437850		0.07	<10	<10	15	<10	13
467500 X 5437900		0.14	<10	<10	55	<10	26
467500 X 5437950		0.12	<10	<10	42	<10	17
467500 X 5438000		0.09	<10	<10	29	<10	7
467500 X 5438050		0.15	<10	<10	57	<10	16
467500 X 5438700		0.09	<10	<10	22	<10	22
467500 X 5438750		0.06	<10	<10	11	<10	10
467500 X 5438775		0.06	<10	<10	15	<10	10
467500 X 5438800		0.06	<10	<10	14	<10	10
467500 X 5438825		0.05	<10	<10	13	<10	10
467500 X 5438850		0.05	<10	<10	13	<10	9
467500 X 5438900		0.08	<10	<10	34	<10	20
467500 X 5437800		0.06	<10	<10	18	<10	21
467500 X 5437850		0.08	<10	<10	20	<10	27
467500 X 5437900		0.09	<10	<10	32	<10	19
467500 X 5437950		0.11	<10	<10	42	<10	23
467500 X 5438000		0.13	<10	<10	53	<10	15
467500 X 5438050		0.10	<10	<10	32	<10	20
467500 X 5438750		0.05	<10	<10	13	<10	11
467500 X 5438775		0.05	<10	<10	13	<10	11
467500 X 5438800		0.05	<10	<10	14	<10	10
467500 X 5438825		0.05	<10	<10	12	<10	9
467500 X 5438850		0.05	<10	<10	11	<10	8
467500 X 5438875		0.05	<10	<10	11	<10	8
467500 X 5438900		0.05	<10	<10	13	<10	10
467500 X 5438775		0.05	<10	<10	12	<10	9
467500 X 5438825		0.05	<10	<10	12	<10	10
467500 X 5438850		0.05	<10	<10	13	<10	10
467500 X 5438900		0.10	<10	<10	29	<10	14
467500 X 5437850		0.07	<10	<10	18	<10	20
467500 X 5437900		0.09	<10	<10	21	<10	18
467500 X 5437950		0.10	<10	<10	26	<10	27
467500 X 5438050		0.11	<10	<10	34	<10	33
467500 X 5438750		0.05	<10	<10	12	<10	11
467500 X 5438775		0.05	<10	<10	14	<10	11

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13- SEP- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	WB- 21 Recvd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
407623 X 3436600			0.6	0.31	>	<10	20	<0.5	<2	0.26	<0.5	15	22	28	0.43	<10
407623 X 3436623			0.2	0.34	>	<10	20	<0.5	<2	0.41	<0.5	14	18	27	0.61	<10
407623 X 3436650			0.8	0.53	>	<10	30	<0.5	<2	0.33	<0.5	20	21	40	0.89	<10
407623 X 3436700			<0.2	2.02	>	<10	10	<0.5	<2	0.13	<0.5	3	28	9	1.23	<10
407650 X 3436700	Not Recvd															
407650 X 3436750			0.7	0.32	>	<10	20	<0.5	<2	0.28	0.6	4	16	11	0.53	<10
407650 X 3436773			<0.2	0.32	>	<10	20	<0.5	<2	0.28	<0.5	4	14	7	0.48	<10
407650 X 3436800			<0.2	0.31	>	<10	10	<0.5	<2	0.27	<0.5	3	19	6	0.46	<10
407650 X 3436823			<0.2	0.37	>	<10	10	<0.5	<2	0.30	<0.5	7	23	15	0.78	<10
407650 X 3436850			<0.2	0.32	>	<10	10	<0.5	<2	0.26	<0.5	24	14	40	0.55	<10
407650 X 3436900			<0.2	3.14	>	<10	10	<0.5	<2	0.07	<0.5	2	32	5	1.67	<10
407650 X 3437800			<0.2	2.37	>	<10	20	<0.5	<2	0.15	<0.5	4	34	16	1.34	10
407650 X 3437850			1.0	1.44	>	<10	20	<0.5	<2	0.25	<0.5	470	92	36	1.12	<10
407650 X 3437900			<0.2	1.07	>	<10	20	<0.5	<2	0.24	<0.5	29	2010	37	1.66	10
407650 X 3437950	Not Recvd															
407650 X 3438000			3.0	0.50	>	<10	10	<0.5	<2	0.29	<0.5	43	30	83	0.56	<10
407650 X 3438050			1.5	1.03	>	<10	20	<0.5	<2	0.30	<0.5	141	61	230	0.95	<10
407700 X 3436350			<0.2	1.17	>	<10	10	<0.5	<2	0.11	<0.5	3	19	2	0.95	<10
407700 X 3436373			<0.2	0.68	>	<10	10	<0.5	<2	0.18	<0.5	4	18	8	0.85	<10
407700 X 3436600			<0.2	0.17	>	<10	10	<0.5	<2	0.07	<0.5	1	4	<1	0.16	<10
407700 X 3436650			1.1	0.41	>	<10	10	<0.5	<2	0.24	<0.5	18	30	33	0.35	<10
407700 X 3436900			<0.2	0.80	>	<10	10	<0.5	<2	0.12	<0.5	2	15	2	0.72	<10
407700 X 3437800			1.0	0.65	>	<10	30	<0.5	<2	0.36	<0.5	132	36	186	0.94	<10
407700 X 3437850			<0.2	0.70	>	<10	20	<0.5	2	0.15	<0.5	3	22	2	0.77	10
407700 X 3437900			<0.2	0.87	>	<10	10	<0.5	<2	0.30	<0.5	3	21	9	0.68	<10
407700 X 3437950			0.2	0.73	>	<10	20	<0.5	<2	0.30	<0.5	9	425	108	0.93	<10
407700 X 3438000			0.4	0.35	>	<10	10	<0.5	<2	0.20	<0.5	12	14	27	0.37	<10
407700 X 3438050			0.8	0.67	>	<10	10	<0.5	<2	0.34	<0.5	31	23	171	0.71	<10
407750 X 3436500			<0.2	1.64	>	<10	20	<0.5	<2	0.12	<0.5	2	23	6	1.24	10
407750 X 3436550			<0.2	0.62	>	<10	10	<0.5	<2	0.10	<0.5	1	13	2	0.56	<10
407750 X 3436573			0.2	1.45	>	<10	20	<0.5	2	0.13	<0.5	3	23	11	1.68	10
407750 X 3436600			<0.2	0.54	>	<10	20	<0.5	<2	0.09	<0.5	1	14	3	0.78	<10
407750 X 3436623			<0.2	0.91	>	<10	10	<0.5	<2	0.09	<0.5	1	18	4	1.07	<10
407750 X 3436650			<0.2	0.23	>	<10	<10	<0.5	<2	0.05	<0.5	<1	5	1	0.34	<10
407750 X 3436700			<0.2	1.28	>	<10	10	<0.5	<2	0.07	<0.5	1	14	3	0.91	<10
407750 X 3436750			0.7	0.54	>	<10	10	<0.5	<2	0.29	<0.5	32	36	56	0.73	<10
407750 X 3436800			0.4	0.38	>	<10	10	<0.5	<2	0.25	<0.5	8	17	19	0.43	<10
407750 X 3436850			0.2	0.36	>	<10	10	<0.5	<2	0.26	<0.5	4	16	9	0.41	<10
407750 X 3436900			0.5	0.37	>	<10	10	<0.5	<2	0.23	<0.5	49	23	22	0.34	<10
407750 X 3437850			<0.2	3.27	>	<10	20	<0.5	2	0.28	<0.5	8	40	10	1.96	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LDR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Hg ppm 1	K % 0.01	La ppm 10	Mg % 0.01	Mn ppm 5	Mo ppm 1	Na % 0.01	Ni ppm 1	P ppm 10	Pb ppm 2	S % 0.01	Se ppm 2	Sc ppm 1	Sr ppm 1	Tb ppm 20
467623 X 5436600		<1	0.02	10	0.16	59	<1	<0.01	12	440	<2	<0.01	2	1	14	<20
467623 X 5436625		<1	0.03	10	0.27	76	<1	0.01	12	510	<2	0.02	<2	1	15	<20
467623 X 5436650		<1	0.03	10	0.26	122	<1	<0.01	13	540	2	<0.01	<2	2	21	<20
467623 X 5436700		<1	0.01	10	0.15	73	<1	<0.01	9	810	3	0.01	<2	2	11	<20
467630 X 5436700																
467630 X 5436750		<1	0.02	10	0.18	64	<1	<0.01	9	450	2	0.01	2	1	13	<20
467630 X 5436775		<1	0.02	10	0.18	62	<1	<0.01	8	480	<2	<0.01	<2	1	13	<20
467630 X 5436800		<1	0.02	10	0.17	59	<1	<0.01	8	480	<2	<0.01	<2	1	13	<20
467630 X 5436825		<1	0.03	10	0.21	78	<1	<0.01	10	550	<2	<0.01	<2	1	16	<20
467630 X 5436850		<1	0.02	10	0.16	80	<1	<0.01	9	470	<2	0.01	<2	1	14	<20
467630 X 5436900		<1	0.01	<10	0.09	59	<1	<0.01	4	900	2	0.04	<2	2	8	<20
467630 X 5437800		<1	0.03	10	0.24	75	<1	<0.01	10	560	3	0.05	<2	1	12	<20
467630 X 5437850		<1	0.05	10	0.38	124	<1	<0.01	813	600	3	0.03	<2	2	15	<20
467630 X 5437900		<1	0.07	10	0.37	291	12	0.01	964	540	2	0.03	6	2	16	<20
467630 X 5437950																
467630 X 5438000		<1	0.03	10	0.23	80	<1	0.01	27	470	<2	0.01	<2	1	17	<20
467630 X 5438050		<1	0.04	10	0.41	124	1	0.02	26	480	<2	0.01	<2	2	22	<20
467700 X 5436550		<1	0.01	<10	0.13	63	<1	<0.01	7	560	2	0.01	<2	1	11	<20
467700 X 5436575		<1	0.02	10	0.19	83	<1	<0.01	11	460	<2	<0.01	<2	1	13	<20
467700 X 5436600		<1	0.01	<10	0.01	23	<1	<0.01	1	40	4	<0.01	<2	<1	7	<20
467700 X 5436650		<1	0.01	10	0.14	53	<1	<0.01	16	430	<2	0.01	<2	1	14	<20
467700 X 5436900		<1	0.01	<10	0.11	46	<1	<0.01	5	360	2	<0.01	<2	1	10	<20
467700 X 5437800		<1	0.04	10	0.28	132	<1	0.01	22	560	<2	<0.01	<2	2	24	<20
467700 X 5437850		<1	0.04	<10	0.23	70	<1	<0.01	9	160	5	0.01	<2	1	16	<20
467700 X 5437900		<1	0.02	10	0.28	88	<1	0.01	12	490	2	<0.01	<2	2	19	<20
467700 X 5437950		<1	0.05	10	0.36	147	2	0.01	205	480	2	0.03	<2	2	20	<20
467700 X 5438000		<1	0.02	10	0.16	54	<1	<0.01	9	380	2	0.01	<2	1	12	<20
467700 X 5438050		<1	0.03	10	0.30	98	<1	0.01	17	560	<2	0.02	<2	2	21	<20
467730 X 5436500		<1	0.01	<10	0.12	78	<1	<0.01	6	670	4	0.03	<2	1	12	<20
467730 X 5436550		<1	0.01	<10	0.08	28	<1	<0.01	3	350	3	0.01	<2	<1	12	<20
467730 X 5436575		<1	0.02	10	0.18	74	<1	<0.01	8	580	3	0.01	<2	1	14	<20
467730 X 5436600		<1	0.01	<10	0.07	33	<1	<0.01	4	380	4	0.01	<2	1	15	<20
467730 X 5436625		<1	0.01	<10	0.07	33	<1	<0.01	5	690	3	0.02	<2	1	12	<20
467730 X 5436650		<1	0.01	<10	0.03	17	<1	<0.01	2	110	2	<0.01	<2	<1	6	<20
467730 X 5436700		<1	0.01	<10	0.04	26	<1	<0.01	3	240	3	0.01	<2	1	7	<20
467730 X 5436750		<1	0.03	10	0.25	86	<1	0.01	20	450	2	<0.01	2	1	16	<20
467730 X 5436800		<1	0.01	10	0.16	81	<1	<0.01	10	440	<2	0.02	<2	1	14	<20
467730 X 5436850		<1	0.02	10	0.16	80	<1	<0.01	7	460	<2	<0.01	<2	1	15	<20
467730 X 5436900		<1	0.01	10	0.14	51	<1	<0.01	51	430	2	<0.01	<2	1	14	<20
467730 X 5437850		<1	0.06	20	0.43	169	1	<0.01	16	940	2	0.03	<2	2	18	<20

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LDR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
407623 X 5436600		0.05	<10	<10	11	<10	10
407623 X 5436623		0.06	<10	<10	14	<10	11
407623 X 5436630		0.07	<10	<10	19	<10	16
407623 X 5436700		0.07	<10	<10	22	<10	13
407630 X 5436730		0.05	<10	<10	14	<10	11
407630 X 5436773		0.05	<10	<10	12	<10	10
407630 X 5436600		0.05	<10	<10	12	<10	9
407630 X 5436623		0.06	<10	<10	16	<10	13
407630 X 5436630		0.05	<10	<10	13	<10	9
407630 X 5436900		0.07	<10	<10	29	<10	13
407630 X 5437800		0.09	<10	<10	34	<10	21
407630 X 5437830		0.09	<10	<10	32	<10	39
407630 X 5437900		0.09	<10	<10	37	<10	26
407630 X 5437930		0.07	<10	<10	16	<10	15
407630 X 5438000		0.09	<10	<10	24	<10	27
407700 X 5436530		0.07	<10	<10	22	<10	13
407700 X 5436573		0.07	<10	<10	18	<10	12
407700 X 5436600		0.04	<10	<10	7	<10	2
407700 X 5436630		0.06	<10	<10	10	<10	8
407700 X 5436900		0.06	<10	<10	15	<10	7
407700 X 5437800		0.09	<10	<10	20	<10	17
407700 X 5437830		0.24	<10	<10	32	<10	17
407700 X 5437900		0.08	<10	<10	20	<10	16
407700 X 5437930		0.09	<10	<10	21	<10	27
407700 X 5438000		0.06	<10	<10	11	<10	9
407730 X 5436030		0.08	<10	<10	20	<10	18
407730 X 5436500		0.07	<10	<10	31	<10	17
407730 X 5436530		0.05	<10	<10	19	<10	10
407730 X 5436573		0.12	<10	<10	43	<10	16
407730 X 5436600		0.06	<10	<10	22	<10	9
407730 X 5436623		0.07	<10	<10	27	<10	10
407730 X 5436630		0.05	<10	<10	14	<10	4
407730 X 5436700		0.09	<10	<10	26	<10	7
407730 X 5436730		0.08	<10	<10	17	<10	14
407730 X 5436800		0.05	<10	<10	11	<10	12
407730 X 5436830		0.07	<10	<10	16	<10	10
407730 X 5436900		0.06	<10	<10	11	<10	9
407730 X 5437830		0.13	<10	<10	38	<10	40

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 7 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-21 Reovd Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
467730 X 3437000			<0.2	0.50	<2	<10	10	<0.5	2	0.08	<0.5	1	20	1	0.14	10
467730 X 3437050			<0.2	0.84	<2	<10	20	<0.5	<2	0.25	<0.5	8	301	14	0.85	<10
467730 X 3438000			0.4	0.89	<2	<10	10	<0.5	<2	0.25	<0.5	5	266	11	0.82	<10
467730 X 3438050			2.9	0.61	<2	<10	10	<0.5	<2	0.32	<0.5	168	35	302	0.78	<10
467730 X 3438550			<0.2	1.25	<2	<10	10	<0.5	<2	0.12	<0.5	2	22	4	1.74	10
467775 X 3438575	Not Recvd															
467775 X 3438600			<0.2	1.39	<2	<10	10	<0.5	<2	0.06	<0.5	1	17	1	1.33	10
467775 X 3438625			<0.2	1.58	<2	<10	10	<0.5	<2	0.09	<0.5	2	23	3	1.17	<10
467775 X 3438650			<0.2	2.66	<2	<10	10	<0.5	<2	0.08	<0.5	2	27	3	1.89	<10
467800 X 3438500			<0.2	1.30	<2	<10	10	<0.5	<2	0.08	<0.5	1	16	1	1.10	10
467800 X 3438550			<0.2	1.25	<2	<10	10	<0.5	3	0.12	<0.5	1	16	2	0.95	10
467800 X 3438575	Not Recvd		<0.2	0.24	<2	<10	<10	<0.5	2	0.06	<0.5	1	6	1	0.28	<10
467800 X 3438625	Not Recvd															
467800 X 3438650	Not Recvd															
467800 X 3438700	Not Recvd															
467800 X 3438750			<0.2	0.35	<2	<10	20	<0.5	<2	0.24	<0.5	6	45	9	0.60	<10
467800 X 3438800			<0.2	2.55	2	<10	20	<0.5	<2	0.10	<0.5	4	36	8	1.66	<10
467800 X 3437800			<0.2	1.47	<2	<10	30	<0.5	<2	0.22	<0.5	7	31	10	1.80	10
467800 X 3437900			0.2	0.90	<2	<10	20	<0.5	<2	0.19	<0.5	9	592	20	0.86	10
467800 X 3437950	Not Recvd															
467800 X 3438050			4.4	0.36	<2	<10	10	<0.5	<2	0.19	<0.5	26	20	59	0.40	<10
467825 X 3438550			<0.2	0.93	<2	<10	10	<0.5	<2	0.06	<0.5	1	13	1	0.80	<10
467825 X 3438575			<0.2	1.41	<2	<10	10	<0.5	<2	0.08	<0.5	1	17	2	1.05	10
467850 X 3438500			<0.2	1.82	2	<10	20	<0.5	<2	0.13	<0.5	4	24	8	1.51	10
467850 X 3438550			<0.2	0.46	<2	<10	10	<0.5	<2	0.04	<0.5	<1	7	2	0.56	<10
467850 X 3438575			<0.2	0.21	<2	<10	10	<0.5	<2	0.05	<0.5	1	7	1	0.45	10
467850 X 3438600	Not Recvd															
467850 X 3438625	Not Recvd															
467850 X 3438650	Not Recvd															
467850 X 3438700			<0.2	0.85	<2	<10	10	<0.5	<2	0.07	<0.5	1	11	2	0.80	<10
467850 X 3438750			<0.2	0.73	<2	<10	10	<0.5	<2	0.13	<0.5	3	15	2	0.76	<10
467850 X 3438800			0.2	0.40	<2	<10	10	<0.5	<2	0.24	<0.5	9	101	5	0.52	<10
467850 X 3438900 A			<0.2	0.38	<2	<10	10	<0.5	<2	0.17	<0.5	2	10	3	0.38	<10
467850 X 3438900 B			<0.2	0.38	<2	<10	20	<0.5	<2	0.18	<0.5	3	36	4	0.37	<10
467850 X 3437850			<0.2	0.59	<2	<10	10	<0.5	<2	0.23	<0.5	2	13	2	0.43	<10
467850 X 3437900			0.7	0.98	<2	<10	20	<0.5	<2	0.33	<0.5	15	911	66	1.71	<10
467850 X 3437950			<0.2	0.54	<2	<10	10	<0.5	<2	0.27	<0.5	4	103	70	0.52	<10
467850 X 3438050			2.0	0.35	<2	<10	10	<0.5	<2	0.23	<0.5	27	27	58	0.45	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 7 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 3	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Se ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
467730 X 3437900	<1	0.01	<10	0.04	21	<1	<0.01	3	140	5	0.01	<2	1	11	<20	
467730 X 3437950	<1	0.04	10	0.95	198	2	0.01	181	380	2	0.02	2	2	18	<20	
467730 X 3438000	<1	0.03	10	0.25	101	1	<0.01	120	430	2	0.01	<2	1	18	<20	
467730 X 3438050	<1	0.04	10	0.34	110	1	0.02	30	420	<2	0.03	<2	2	22	<20	
467730 X 3438050	<1	0.01	<10	0.14	60	<1	<0.01	8	730	5	0.02	<2	1	13	<20	
467773 X 3438373	<1	0.01	<10	0.04	21	<1	<0.01	2	340	4	0.01	<2	1	8	<20	
467773 X 3438600	<1	0.01	<10	0.11	42	<1	<0.01	7	270	2	0.01	<2	1	10	<20	
467773 X 3438625	<1	0.01	<10	0.09	36	<1	<0.01	4	240	<2	0.03	<2	2	8	<20	
467773 X 3438650	<1	0.01	<10	0.05	29	<1	<0.01	3	630	3	0.01	<2	1	9	<20	
467800 X 3438350	<1	0.01	<10	0.07	33	<1	<0.01	4	630	3	0.02	<2	1	12	<20	
467800 X 3438373	<1	0.01	<10	0.02	18	<1	<0.01	1	60	4	<0.01	<2	<1	8	<20	
467800 X 3438625																
467800 X 3438650																
467800 X 3438700																
467800 X 3438750	<1	0.02	10	0.19	69	1	0.01	20	440	2	0.02	<2	1	14	<20	
467800 X 3438800	<1	0.02	10	0.20	66	<1	0.01	11	530	2	0.03	<2	3	10	<20	
467800 X 3438850	<1	0.09	10	0.54	188	<1	0.01	15	610	3	0.01	<2	2	16	<20	
467800 X 3437900	<1	0.05	10	0.25	130	3	0.01	259	350	3	0.01	<2	2	14	<20	
467800 X 3437950																
467800 X 3438050	<1	0.02	10	0.17	55	<1	0.01	15	370	<2	0.01	<2	1	11	<20	
467825 X 3438350	<1	0.01	<10	0.05	23	<1	0.01	2	300	3	0.01	<2	1	7	<20	
467825 X 3438373	<1	0.01	<10	0.07	25	<1	0.01	2	130	3	0.01	<2	2	8	<20	
467830 X 3438300	<1	0.02	10	0.21	95	<1	0.01	8	700	3	0.01	<2	1	13	<20	
467830 X 3438350	<1	<0.01	<10	0.02	12	<1	0.01	<1	160	3	<0.01	<2	<1	6	<20	
467830 X 3438373	<1	0.01	<10	0.03	15	<1	0.01	1	80	5	<0.01	<2	<1	7	<20	
467830 X 3438600																
467830 X 3438625																
467830 X 3438650	<1	0.01	<10	0.03	57	<1	0.01	<1	170	3	0.01	<2	1	7	<20	
467830 X 3438700	<1	0.01	10	0.13	73	<1	0.01	7	370	<2	0.01	<2	1	10	<20	
467830 X 3438750	<1	0.02	10	0.17	68	<1	0.01	18	480	<2	<0.01	<2	1	14	<20	
467830 X 3438800	<1	0.01	<10	0.15	50	<1	0.01	6	320	2	<0.01	<2	1	11	<20	
467830 X 3438900 A																
467830 X 3438900 B	<1	0.01	<10	0.14	50	<1	0.01	11	340	<2	<0.01	<2	1	10	<20	
467830 X 3437850	<1	0.01	10	0.16	56	<1	0.01	6	500	<2	<0.01	<2	1	13	<20	
467830 X 3437900	<1	0.06	10	0.47	242	6	0.03	426	550	6	0.01	<2	2	23	<20	
467830 X 3437950	<1	0.03	10	0.21	77	1	0.01	50	490	<2	0.03	<2	2	15	<20	
467830 X 3438050	<1	0.02	10	0.17	58	1	0.01	18	440	2	0.07	<2	1	12	<20	

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 7 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICM1	ME-ICM1	ME-ICM1	ME-ICM1	ME-ICM1	ME-ICP1
		Ti %	Ti ppm	U ppm	V ppm	W ppm	Zn ppm
467750 X 5437900		0.12	<10	<10	20	<10	4
467750 X 5437950		0.10	<10	<10	22	<10	24
467750 X 5438000		0.09	<10	<10	18	<10	18
467750 X 5438050		0.08	<10	<10	20	<10	21
467773 X 5438550		0.11	<10	<10	47	<10	14
467773 X 5438675		0.09	<10	<10	37	<10	5
467773 X 5438600		0.10	<10	<10	28	<10	8
467773 X 5438625		0.12	<10	<10	37	<10	6
467773 X 5438650		0.07	<10	<10	27	<10	6
467800 X 5438650		0.07	<10	<10	28	<10	8
467800 X 5438675		0.09	<10	<10	23	<10	2
467800 X 5438600							
467800 X 5438650		0.06	<10	<10	20	<10	18
467800 X 5438680		0.09	<10	<10	30	<10	17
467800 X 5437800		0.13	<10	<10	37	<10	38
467800 X 5437900		0.12	<10	<10	27	<10	20
467800 X 5437950							
467800 X 5438050		0.05	<10	<10	14	<10	11
467823 X 5438550		0.08	<10	<10	25	<10	4
467823 X 5438575		0.10	<10	<10	34	<10	5
467850 X 5438500		0.09	<10	<10	35	<10	18
467850 X 5438550		0.05	<10	<10	19	<10	3
467850 X 5438575		0.11	<10	<10	34	<10	3
467850 X 5438600							
467850 X 5438625							
467850 X 5438650		0.05	<10	<10	23	<10	6
467850 X 5438700		0.07	<10	<10	17	<10	8
467850 X 5438750		0.08	<10	<10	13	<10	10
467850 X 5438900 A		0.05	<10	<10	10	<10	9
467850 X 5438900 B		0.06	<10	<10	10	<10	8
467850 X 5437850		0.06	<10	<10	11	<10	11
467850 X 5437900		0.09	<10	<10	29	<10	29
467850 X 5437950		0.06	<10	<10	15	<10	15
467850 X 5438050		0.06	<10	<10	13	<10	10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 8 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	WEI-21 Reacid Wt. kg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 S ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
407900 X 3430500			<0.2	0.75	2	<10	10	<0.5	<2	0.07	<0.5	1	11	3	0.97	10
407900 X 3430550			<0.2	1.43	<2	<10	30	<0.5	<2	0.21	<0.5	6	27	16	1.38	10
407900 X 3430600			<0.2	1.22	2	<10	10	<0.5	<2	0.10	<0.5	3	25	4	1.17	<10
407900 X 3430650			<0.2	0.33	<2	<10	10	<0.5	<2	0.08	<0.5	1	8	1	0.50	<10
407900 X 3430700			<0.2	2.20	2	<10	10	<0.5	<2	0.00	<0.5	3	31	5	1.44	<10
407900 X 3430750			<0.2	0.47	<2	<10	10	<0.5	<2	0.17	<0.5	2	12	4	0.57	<10
407900 X 3430800			<0.2	0.53	<2	<10	10	<0.5	<2	0.17	<0.5	4	14	3	0.66	<10
407900 X 3430900			<0.2	0.26	<2	<10	10	<0.5	<2	0.19	<0.5	6	9	5	0.32	<10
407900 X 3437850			<0.2	2.92	2	<10	10	<0.5	<2	0.12	<0.5	6	42	7	2.00	<10
407900 X 3437900			0.2	0.95	<2	<10	10	<0.5	<2	0.24	<0.5	3	22	7	0.42	<10
408000 X 3438050			3.5	0.45	<2	<10	10	<0.5	<2	0.23	<0.5	31	17	55	0.38	<10
408000 X 3438050			<0.2	0.31	2	<10	10	<0.5	<2	0.16	<0.5	1	11	3	0.27	<10
408000 X 3438050			<0.2	2.32	<2	<10	10	<0.5	<2	0.10	<0.5	3	33	4	2.27	10
408330 X 3437300			<0.2	0.48	<2	<10	10	<0.5	<2	0.20	<0.5	2	13	4	0.62	<10
408330 X 3437350			<0.2	0.34	<2	<10	10	<0.5	<2	0.21	<0.5	2	10	6	0.37	<10
408330 X 3437375			<0.2	0.41	2	<10	10	<0.5	<2	0.23	<0.5	2	12	10	0.43	<10
408330 X 3437400			<0.2	0.39	<2	<10	10	<0.5	<2	0.23	<0.5	3	13	11	0.57	<10
408330 X 3437425			<0.2	1.02	2	<10	20	<0.5	<2	0.27	<0.5	7	22	32	1.18	<10
408375 X 3437350			<0.2	0.60	<2	<10	10	<0.5	<2	0.26	<0.5	3	16	7	0.73	<10
408375 X 3437375			<0.2	0.51	<2	<10	10	<0.5	<2	0.26	<0.5	2	14	7	0.45	<10
408375 X 3437400			<0.2	0.51	<2	<10	10	<0.5	<2	0.21	<0.5	2	12	9	0.62	<10
408375 X 3437425			<0.2	0.50	<2	<10	10	<0.5	<2	0.18	<0.5	2	12	6	0.30	<10
408375 X 3437450			<0.2	0.60	<2	<10	10	<0.5	<2	0.24	<0.5	4	17	30	0.96	<10
408400 X 3437300			<0.2	1.62	2	<10	20	<0.5	<2	0.18	<0.5	6	33	9	1.69	<10
408400 X 3437350			<0.2	0.84	<2	<10	20	<0.5	<2	0.30	<0.5	3	21	4	0.67	<10
408400 X 3437375			0.2	1.06	2	<10	10	<0.5	<2	0.22	<0.5	2	18	3	1.12	<10
408400 X 3437425			<0.2	0.58	<2	<10	10	<0.5	<2	0.21	<0.5	2	15	4	0.79	<10
408400 X 3437450			<0.2	0.56	<2	<10	10	<0.5	<2	0.12	<0.5	2	13	3	0.57	<10
408400 X 3437500			<0.2	0.58	3	<10	30	<0.5	<2	0.20	<0.5	7	20	9	0.55	<10
408425 X 3437350			<0.2	2.32	2	<10	20	<0.5	<2	0.11	<0.5	4	31	5	1.81	10
408425 X 3437375			<0.2	0.45	2	<10	10	<0.5	<2	0.21	<0.5	2	16	1	0.77	<10
408425 X 3437400			<0.2	1.87	2	<10	20	<0.5	<2	0.15	<0.5	4	26	4	1.51	<10
408425 X 3437425			<0.2	1.54	<2	<10	10	<0.5	<2	0.14	<0.5	3	27	3	1.19	<10
408425 X 3437450			<0.2	2.09	<2	<10	10	<0.5	<2	0.11	<0.5	3	30	4	1.44	<10
408450 X 3437300			<0.2	1.93	2	<10	20	<0.5	<2	0.22	<0.5	4	32	8	1.40	<10
408450 X 3437350			<0.2	0.85	<2	<10	10	<0.5	<2	0.21	<0.5	2	19	5	0.52	<10
408450 X 3437375			<0.2	2.12	2	<10	20	<0.5	<2	0.15	<0.5	6	36	12	1.94	<10
408450 X 3437400			<0.2	2.05	2	<10	20	<0.5	<2	0.16	<0.5	5	33	8	1.64	<10
408450 X 3437425			<0.2	3.25	<2	<10	30	<0.5	<2	0.32	<0.5	3	36	6	2.14	10
408450 X 3437450			<0.2	1.46	<2	<10	20	<0.5	<2	0.10	<0.5	1	20	1	1.01	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 8 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 3	ME-ICP41 Mo ppm 1	ME-ICP41 Ni % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Se ppm 2	ME-ICP41 Sc ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
467900 X 3438500	<1	0.01	<10	0.04	34	<1	0.01	1	410	3	0.01	<0.01	<0.01	1	8	<20
467900 X 3438550	<1	0.03	10	0.30	127	<1	0.01	13	690	2	0.01	<0.01	<0.01	2	16	<20
467900 X 3438600	<1	0.01	10	0.15	58	<1	0.01	8	190	2	0.01	<0.01	<0.01	2	10	<20
467900 X 3438650	<1	0.01	<10	0.04	23	<1	0.01	1	100	3	<0.01	<0.01	<0.01	1	10	<20
467900 X 3438700	<1	0.01	<10	0.16	72	<1	0.01	7	650	2	0.02	<0.01	<0.01	2	9	<20
467900 X 3438750	<1	0.01	10	0.13	49	<1	0.01	5	330	<0.01	<0.01	<0.01	<0.01	1	11	<20
467900 X 3438800	<1	0.01	10	0.16	142	<1	0.01	7	430	<0.01	<0.01	<0.01	<0.01	1	11	<20
467900 X 3438900	<1	0.01	10	0.13	47	<1	0.01	8	400	<0.01	<0.01	<0.01	<0.01	1	11	<20
467900 X 3437850	<1	0.03	10	0.23	75	<1	0.01	10	420	3	0.02	<0.01	<0.01	4	11	<20
467900 X 3437900	<1	0.03	10	0.17	60	<1	0.01	10	460	2	<0.01	<0.01	<0.01	1	13	<20
467900 X 3438050	<1	0.02	10	0.15	54	<1	0.01	17	430	<0.01	0.01	<0.01	<0.01	1	14	<20
468000 X 3438050	<1	0.01	<10	0.10	35	<1	0.01	3	150	3	<0.01	<0.01	<0.01	1	12	<20
468030 X 3438050	<1	0.01	<10	0.15	62	<1	0.01	6	920	3	0.02	<0.01	<0.01	2	10	<20
468330 X 3437300	<1	0.01	10	0.15	81	<1	0.01	8	420	<0.01	<0.01	<0.01	<0.01	1	12	<20
468330 X 3437350	<1	0.01	10	0.14	48	<1	0.01	6	430	<0.01	<0.01	<0.01	<0.01	1	12	<20
468330 X 3437375	<1	0.01	10	0.16	59	<1	0.01	9	450	<0.01	<0.01	<0.01	<0.01	1	13	<20
468330 X 3437400	<1	0.01	10	0.16	59	<1	0.01	7	480	<0.01	<0.01	<0.01	<0.01	1	12	<20
468330 X 3437425	<1	0.02	10	0.44	145	<1	0.01	14	640	2	0.03	0.02	<0.01	2	16	<20
468375 X 3437350	<1	0.02	10	0.19	67	<1	0.01	7	490	2	<0.01	<0.01	<0.01	1	14	<20
468375 X 3437375	<1	0.02	10	0.19	61	<1	0.01	9	490	2	<0.01	<0.01	<0.01	1	15	<20
468375 X 3437400	<1	0.01	10	0.15	51	<1	0.01	5	410	<0.01	<0.01	<0.01	<0.01	1	12	<20
468375 X 3437425	<1	0.01	10	0.15	48	<1	0.01	6	370	<0.01	<0.01	<0.01	<0.01	1	11	<20
468375 X 3437450	<1	0.04	10	0.26	86	<1	0.01	10	510	2	<0.01	<0.01	<0.01	1	15	<20
468400 X 3437300	<1	0.05	10	0.37	129	<1	0.01	12	440	3	0.01	<0.01	<0.01	2	14	<20
468400 X 3437350	<1	0.03	10	0.23	74	<1	0.01	7	680	2	0.01	<0.01	<0.01	1	19	<20
468400 X 3437375	<1	0.01	10	0.15	58	<1	0.01	5	530	2	<0.01	<0.01	<0.01	2	12	<20
468400 X 3437425	<1	0.01	10	0.14	50	<1	0.01	5	460	<0.01	<0.01	<0.01	<0.01	1	12	<20
468400 X 3437450	<1	0.01	10	0.14	55	<1	0.01	5	150	<0.01	<0.01	<0.01	<0.01	1	10	<20
468400 X 3437500	<1	0.01	10	0.20	66	<1	0.01	13	410	<0.01	0.01	<0.01	<0.01	2	12	<20
468425 X 3437350	<1	0.02	<10	0.19	77	<1	0.01	9	620	3	0.02	<0.01	<0.01	2	10	<20
468425 X 3437375	<1	0.02	<10	0.21	74	1	0.01	5	230	3	<0.01	<0.01	<0.01	1	17	<20
468425 X 3437400	<1	0.02	<10	0.22	112	<1	0.01	8	440	2	0.02	<0.01	<0.01	2	12	<20
468425 X 3437425	<1	0.01	10	0.17	68	<1	0.01	9	390	<0.01	<0.01	<0.01	<0.01	2	13	<20
468425 X 3437450	<1	0.01	10	0.15	56	<1	0.01	6	350	2	0.01	<0.01	<0.01	3	10	<20
468430 X 3437300	<1	0.03	20	0.28	102	<1	0.01	9	610	<0.01	<0.01	<0.01	<0.01	3	16	<20
468430 X 3437350	<1	0.01	10	0.18	60	<1	0.01	6	350	2	<0.01	<0.01	<0.01	1	14	<20
468430 X 3437375	<1	0.02	10	0.26	111	<1	0.01	15	790	3	0.02	<0.01	<0.01	3	13	<20
468430 X 3437400	<1	0.02	10	0.25	100	<1	0.01	13	530	4	0.01	<0.01	<0.01	2	14	<20
468430 X 3437425	<1	0.02	<10	0.18	202	<1	0.01	7	1180	5	0.03	<0.01	<0.01	2	15	<20
468430 X 3437450	<1	0.01	<10	0.08	33	<1	0.01	4	260	2	0.01	<0.01	<0.01	2	10	<20

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 8 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
467900 X 3436500		0.09	<10	<10	36	<10	8
467900 X 3436550		0.10	<10	<10	35	<10	23
467900 X 3436600		0.09	<10	<10	25	<10	8
467900 X 3436650		0.08	<10	<10	26	<10	3
467900 X 3436700		0.08	<10	<10	27	<10	15
467900 X 3436750		0.08	<10	<10	13	<10	7
467900 X 3436800		0.08	<10	<10	14	<10	9
467900 X 3436900		0.05	<10	<10	9	<10	7
467900 X 3437850		0.11	<10	<10	32	<10	21
467900 X 3437900		0.05	<10	<10	11	<10	10
467900 X 3438050		0.07	<10	<10	12	<10	10
468000 X 3438050		0.08	<10	<10	10	<10	8
468050 X 3438050		0.11	<10	<10	50	<10	13
468350 X 3437300		0.08	<10	<10	13	<10	8
468350 X 3437350		0.05	<10	<10	9	<10	8
468350 X 3437375		0.08	<10	<10	10	<10	18
468350 X 3437400		0.08	<10	<10	12	<10	12
468350 X 3437425		0.09	<10	<10	23	<10	40
468375 X 3437350		0.06	<10	<10	15	<10	10
468375 X 3437375		0.06	<10	<10	14	<10	12
468375 X 3437400		0.06	<10	<10	13	<10	8
468375 X 3437425		0.06	<10	<10	11	<10	10
468375 X 3437450		0.07	<10	<10	18	<10	17
468400 X 3437300		0.10	<10	<10	32	<10	27
468400 X 3437350		0.08	<10	<10	16	<10	18
468400 X 3437375		0.08	<10	<10	23	<10	8
468400 X 3437425		0.06	<10	<10	18	<10	8
468400 X 3437450		0.07	<10	<10	12	<10	8
468400 X 3437500		0.05	<10	<10	19	<10	31
468425 X 3437350		0.10	<10	<10	40	<10	15
468425 X 3437375		0.10	<10	<10	20	<10	14
468425 X 3437400		0.10	<10	<10	35	<10	18
468425 X 3437425		0.09	<10	<10	22	<10	10
468425 X 3437450		0.10	<10	<10	28	<10	9
468450 X 3437300		0.09	<10	<10	31	<10	17
468450 X 3437350		0.08	<10	<10	19	<10	11
468450 X 3437375		0.10	<10	<10	36	<10	26
468450 X 3437400		0.10	<10	<10	31	<10	27
468450 X 3437425		0.09	<10	<10	45	<10	30
468450 X 3437450		0.08	<10	<10	24	<10	8

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 9221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 9 - A
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13- SEP- 2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	WEI- 21 Recvd Wt. lg 0.02	ME-ICP41 Ag ppm 0.2	ME-ICP41 Al % 0.01	ME-ICP41 As ppm 2	ME-ICP41 B ppm 10	ME-ICP41 Ba ppm 10	ME-ICP41 Be ppm 0.5	ME-ICP41 Bi ppm 2	ME-ICP41 Ca % 0.01	ME-ICP41 Cd ppm 0.5	ME-ICP41 Co ppm 1	ME-ICP41 Cr ppm 1	ME-ICP41 Cu ppm 1	ME-ICP41 Fe % 0.01	ME-ICP41 Ga ppm 10
468430 X 3437300			<0.2	0.50	>	<10	10	<0.5	<2	0.18	<0.5	2	14	7	0.52	<10
468300 X 3437300			<0.2	1.43	2	<10	20	<0.5	<2	0.20	<0.5	6	26	7	1.34	<10
468300 X 3437350			<0.2	0.65	>	<10	10	<0.5	<2	0.11	<0.5	1	10	1	0.30	<10
468300 X 3437400			<0.2	3.21	>	<10	30	<0.5	<2	0.12	<0.5	3	32	5	1.90	<10
468300 X 3437450			<0.2	1.76	2	<10	10	<0.5	<2	0.10	<0.5	3	23	3	1.14	<10
468300 X 3437500			<0.2	1.08	2	<10	70	<0.5	<2	0.44	<0.5	7	34	28	1.51	<10
467700 X 3436900			<0.2	1.81	>	<10	10	<0.5	<2	0.07	<0.5	1	19	2	1.42	<10
467700 X 3436950			<0.2	0.91	>	<10	10	<0.5	<2	0.11	<0.5	3	19	2	1.16	<10
467700 X 3436700			<0.2	0.29	3	<10	10	<0.5	<2	0.07	<0.5	1	7	1	0.38	<10
467700 X 3436750			0.3	0.37	>	<10	10	<0.5	<2	0.27	<0.5	12	21	21	0.57	<10
467700 X 3436300			<0.2	1.59	2	<10	20	<0.5	<2	0.14	<0.5	1	19	2	1.28	<10
467850 X 3436850			<0.2	0.35	>	<10	10	<0.5	<2	0.23	<0.5	2	21	4	0.40	<10
466650 X 3437450			<0.2	1.57	2	<10	10	<0.5	<2	0.10	<0.5	2	25	3	1.20	<10
466650 X 3437500			<0.2	2.36	2	<10	10	<0.5	<2	0.08	<0.5	2	35	6	1.93	<10
467600 X 3436750			0.9	0.37	>	<10	20	<0.5	<2	0.40	0.6	3	24	11	0.80	<10

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 9 - B
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOD	ME-ICP41 Hg ppm 1	ME-ICP41 K % 0.01	ME-ICP41 La ppm 10	ME-ICP41 Mg % 0.01	ME-ICP41 Mn ppm 5	ME-ICP41 Mo ppm 1	ME-ICP41 Na % 0.01	ME-ICP41 Ni ppm 1	ME-ICP41 P ppm 10	ME-ICP41 Pb ppm 2	ME-ICP41 S % 0.01	ME-ICP41 Sb ppm 2	ME-ICP41 Se ppm 1	ME-ICP41 Sr ppm 1	ME-ICP41 Th ppm 20
468450 X 3437500		<1	0.01	10	0.17	58	<1	0.01	6	280	<2	<0.01	<2	1	13	<20
468500 X 3437500		<1	0.03	10	0.33	116	<1	0.01	14	410	2	<0.01	<2	2	17	<20
468500 X 3437550		<1	0.01	<10	0.07	32	<1	0.01	2	100	4	<0.01	<2	1	12	<20
468500 X 3437400		<1	0.02	<10	0.18	88	<1	0.01	8	320	3	0.02	<2	2	13	<20
468500 X 3437450		<1	0.01	<10	0.13	66	<1	0.01	6	400	3	0.01	<2	2	9	<20
468500 X 3437500		<1	0.06	20	0.49	228	<1	0.02	20	520	2	<0.01	<2	3	31	<20
467700 X 3436600		<1	0.01	<10	0.05	29	<1	0.01	2	710	5	0.01	<2	1	8	<20
467700 X 3436650		<1	0.01	<10	0.19	52	<1	0.01	5	490	6	0.01	<2	1	13	<20
467700 X 3436700		<1	0.01	<10	0.04	25	<1	0.01	<1	80	2	<0.01	<2	<1	7	<20
467700 X 3436750		<1	0.02	10	0.17	64	<1	0.01	11	500	<2	<0.01	<2	1	15	<20
467700 X 3436500		<1	0.01	<10	0.05	53	<1	0.01	2	620	3	0.01	<2	1	11	<20
467850 X 3436650		<1	0.01	10	0.16	58	<1	0.01	7	420	<2	<0.01	<2	1	13	<20
468650 X 3437450		<1	0.01	<10	0.12	53	<1	0.01	6	700	3	0.01	2	2	10	<20
468650 X 3437500		<1	0.01	<10	0.13	47	<1	0.01	6	670	3	0.03	<2	2	8	<20
467600 X 3436750		<1	0.03	10	0.25	82	<1	0.02	12	540	2	0.01	>2	1	16	<20

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dellarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (804) 984 0221 Fax: +1 (804) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 9 - C
 Total # Pages: 9 (A - C)
 Plus Appendix Pages
 Finalized Date: 13-SEP-2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Ti % 0.01	Ti ppm 10	U ppm 10	V ppm 1	W ppm 10	Zn ppm 2
468430 X 3437500		0.06	<10	<10	12	<10	11
468300 X 3437300		0.09	<10	<10	26	<10	18
468300 X 3437330		0.07	<10	<10	12	<10	5
468300 X 3437400		0.10	<10	<10	42	<10	22
468300 X 3437430		0.08	<10	<10	26	<10	10
468300 X 3437500		0.10	<10	<10	30	<10	28
467700 X 3438600		0.08	<10	<10	42	<10	7
467700 X 3438630		0.16	<10	<10	43	<10	12
467700 X 3438700		0.07	<10	<10	19	<10	5
467700 X 3438730		0.06	<10	<10	14	<10	10
467700 X 3438500		0.07	<10	<10	30	<10	8
468830 X 3438630		0.08	<10	<10	11	<10	8
468830 X 3437430		0.07	<10	<10	22	<10	14
468830 X 3437500		0.09	<10	<10	36	<10	10
467900 X 3438730		0.05	<10	<10	13	<10	12

**** See Appendix Page for comments regarding this certificate ****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222- 515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: Appendix 1
 Total # Appendix Pages: 1
 Finalized Date: 13- SEP- 2016
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO16143600

	CERTIFICATE COMMENTS
<p>Applies to Method:</p> <p>Applies to Method:</p>	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Sudbury located at 1351- B Kelly Lake Road, Unit #1, Sudbury, ON, Canada. WEI- 21</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. FND- 02 ME- ICP41</p>

Appendix C

VLF-EM Results and Interpretations

Voir

GM 70046

Appendix D

Diamond Drill Hole Logs

Summary Logs and Samples

UB16-001

TARGET: Beepmat anomaly

HOLE NUMBER: **UB16-001**

GRID LOCATION: CLAIM NUMBER:

SURVEY LOCATION (UTM): 469067mE 5438679mN WGS 84 ELEVATION:

CORE SIZE: AQ LENGTH: 0.81m

BEARING / DIP 0/-90

START: FINISH:

DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill

LOGGED BY: Alex S. LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.81m: Pyroxene-rich banded iron formation, trace Chalcopyrite, 5-10% Pyrite, strongly fractured at top with fractures dissipating with depth.

Suspected boulder, hole stopped when soil encountered in drilling at 0.81m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-001	20151	0.00	0.81	0.81

UB16-002

TARGET:	Beepmat anomaly		
HOLE NUMBER:	UB16-002		
GRID LOCATION:			
SURVEY LOCATION (UTM):	468068mE	5438580mN	WGS 84
CLAIM NUMBER:			
ELEVATION:			
CORE SIZE:	AQ	LENGTH:	0.66m
BEARING / DIP:	0/-90	FINISH:	
START:			
DRILLING CONTRACTOR:	Grizzly	DRILL:	Shaw Core Drill
LOGGED BY:	A. Salminaw	LOG COMPLETED:	

SUMMARY - LITHOLOGY

0.00-0.66m: Pyroxene-rich banded iron formation, 0.1% Chalcopyrite, 10-15% Pyrite, strongly fractured at top with fractures dissipating with depth. Pervasive chloritic alteration.
Suspected boulder, hole stopped when soil encountered in drilling at 0.66m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-002	20152	0.00	0.66	0.66

UB16-003

TARGET: Beepmat anomaly

HOLE NUMBER: **UB16-003**

GRID LOCATION:

SURVEY LOCATION (UTM): 468066mE 5438581 NAD 83 CLAIM NUMBER:

CORE SIZE: AQ ELEVATION:

BEARING / DIP 0/-90 LENGTH: 0.41m

START: FINISH:

DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill

LOGGED BY: J. Rensby LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.41m: Pyroxene-poor banded iron formation, 5% Chalcopyrite, 10% disseminated Pyrite, Chlorite alteration haloes up to 1 cm thick at fractures. 5% magnetite.

Suspected boulder, hole stopped when soil encountered in drilling at 0.41m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-003	20153	0.00	0.41	0.41

UB16-004

TARGET: Mag high Beepmat

HOLE NUMBER: **UB16-004**

GRID LOCATION: CLAIM NUMBER:
SURVEY LOCATION (UTM): 468066mE 5438580xmN WGS 84 ELEVATION:
CORE SIZE: AQ LENGTH: 0.50m
BEARING / DIP 0/-90
START: FINISH:
DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill
LOGGED BY: A. Salminaw LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.38m: Overburden/soil.

0.38-0.50m: Medium grained quartz veining, moderate to high strain visible through elongated crystals. Minor pyroxene. Suspected boulder, hole stopped when soil encountered in drilling at 0.50m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-004	20154	0.38	0.50	0.12

UB16-005

TARGET: Beepmat anomaly

HOLE NUMBER: **UB16-005**

GRID LOCATION:

SURVEY LOCATION (UTM): 468067mE 5438581mN NAD 83 CLAIM NUMBER:

CORE SIZE: AQ ELEVATION:

BEARING / DIP 0/-90 LENGTH: 0.73m

START: FINISH:

DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill

LOGGED BY: A. Salminaw LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.73m: Quartz-rich BIF with laminar chloritic alteration zones. <5% disseminated Pyrite and 3% disseminated Magnetite in quartz-poor and chlorite-rich intervals.

Suspected boulder, hole stopped when soil encountered in drilling at 0.73m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-005	20155	0.00	0.73	0.73

UB16-006

TARGET:	Beepmat mag high		
HOLE NUMBER:	UB16-006		
GRID LOCATION:			
SURVEY LOCATION (UTM):	468431mE	5438225mN	WGS 84
CLAIM NUMBER:			
ELEVATION:			
CORE SIZE:	AQ		
LENGTH:	0.22m		
BEARING / DIP	0/-90		
START:			
FINISH:			
DRILLING CONTRACTOR:	Grizzly		
DRILL:	Shaw Core Drill		
LOGGED BY:	J. Rensby		
LOG COMPLETED:			

SUMMARY - LITHOLOGY

0.00-0.22m: Coarse-grained Syenite grading to diorite with depth, trace Pyrite, 5% disseminated Magnetite. Suspected boulder, hole stopped when soil encountered in drilling at 0.22m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-006	20165	0.00	0.22	0.22

UB16-007

TARGET: Beepmat mag anomaly

HOLE NUMBER: UB16-007

GRID LOCATION: CLAIM NUMBER:
SURVEY LOCATION (UTM): 469194mE 5438403mN WGS84 ELEVATION:
CORE SIZE: AQ LENGTH: 0.78m
BEARING / DIP: 0/-90
START: FINISH:
DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill
LOGGED BY: C. Reimer LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.78m: Granodiorite, competent with one single quartz vein. Chlorite alteration, 2% disseminated Magnetite, 1% Pyrite. Suspected boulder, hole stopped when soil encountered in drilling at 0.78m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-007	20156	0.00	0.78	0.78

UB16-008

TARGET: Beepmat mag anomaly

HOLE NUMBER: **UB16-008**

GRID LOCATION:

SURVEY LOCATION (UTM): 467796mE 5436989mN WGS 84 CLAIM NUMBER:

CORE SIZE: AQ ELEVATION:

BEARING / DIP 0/-90 LENGTH: 0.47m

START: FINISH:

DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill

LOGGED BY: C. Reimer LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.47m: Weakly magnetic Granodiorite with minor quartz veining and Chlorite alteration, 2% disseminated Magnetite. Suspected boulder, hole stopped when soil encountered in drilling at 0.47m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-008	20159	0.00	0.47	0.47

UB16-009

TARGET: Beepmat mag anomaly

HOLE NUMBER: **UB16-009**

GRID LOCATION: **UB16-009**

SURVEY LOCATION (UTM): **468803mE 5438333mN WGS 84**

CORE SIZE: **AQ**

BEARING / DIP: **0/-90**

START:

DRILLING CONTRACTOR: **Grizzly**

LOGGED BY: **C. Reimer**

CLAIM NUMBER:

ELEVATION:

LENGTH: **1.43m**

FINISH:

DRILL: **Shaw Core Drill**

LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-1.43m: Granodiorite cut by numerous quartz veins and veinlets with 2% Pyrite associated with veining. Increase in K-feldspar from 0.66-0.95m.

Suspected boulder, hole stopped when soil encountered in drilling at 1.43m.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-009	20157	0.00	1.43	1.43

UB16-010

TARGET: HFR response on Beepmat

HOLE NUMBER: UB16-010

GRID LOCATION: CLAIM NUMBER:
SURVEY LOCATION (UTM): 467809mE 5436404mN WGS 84 ELEVATION:
CORE SIZE: AQ LENGTH: 1.83m
BEARING / DIP: 0/-90
START: FINISH:
DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill
LOGGED BY: A. Salminaw LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-1.83m: Overburden. Mix of boulders of varying lithologies (not recorded).

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-010	20158	0.00	1.83	1.83

UB16-011/011A

TARGET:	Beepmat mag anomaly					
HOLE NUMBER:	UB16-011/011a					
GRID LOCATION:			CLAIM NUMBER:			
SURVEY LOCATION (UTM):	469396mE	5438114mN	WGS84	ELEVATION:		
CORE SIZE:	AQ			LENGTH:	0.34m	
BEARING / DIP	0/-90			FINISH:		
START:			DRILLING CONTRACTOR:	Grizzly	DRILL:	Shaw Core Drill
LOGGED BY:	C. Reimer			LOG COMPLETED:		

SUMMARY - LITHOLOGY

0.00-0.34m: Mafic volcanics, pervasive chlorite alteration, cut by numerous quartz veinlets, boulder.
Hole drilled in two parts, 0.18m in UB16-011 and 0.16m in UB16-011a. Hole stopped when soil encountered.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-011/011a	20160	0.00	0.34	0.34

UB16-012

TARGET: Beepmat mag anomaly in O/C

HOLE NUMBER: UB16-012

GRID LOCATION: CLAIM NUMBER:
SURVEY LOCATION (UTM): 469784mE 5433999mN WGS 84 ELEVATION:
CORE SIZE: AQ LENGTH: 2.48m
BEARING / DIP 0/-90
START: FINISH:
DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill
LOGGED BY: C. Reimer LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-2.48m: Strongly foliated phyllite with sericitic alteration, strong chloritic alteration and 2% disseminated Pyrite. Clay seam at 0.50m with chloritic alteration halo. Quartz-veining becomes more abundant with depth to 1.45m, as does vein-associated Pyrite. Below 1.45m, foliation decreases but veining with Pyrite mineralization continues.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-012	20163	0.00	2.48	2.48

UB16-013

TARGET: Conductor on Lac Chanceux claim identified during beepmat survey

HOLE NUMBER: **UB16-013**

GRID LOCATION: SURVEY LOCATION (UTM): 469719 5434019 WGS 84 CLAIM NUMBER:
ELEVATION:
CORE SIZE: AQ LENGTH: 2.50m
BEARING / DIP: 0/-90
START:
DRILLING CONTRACTOR: Grizzly FINISH:
DRILL: Shaw Core Drill
LOGGED BY: A. Peterson LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-1.00m: Basalt/mafic volcanic with 0.1% disseminated Magnetite often concentrated at vein margins and 0.5% disseminated Pyrite. Weak pervasive chlorite alteration throughout. 10% quartz veining at top, decreases with depth.

1.00-1.50m: Moderately magnetic basalt/mafic volcanics with 7% disseminated Magnetite, 3-5% quartz stringers and trace disseminated Pyrite.

1.50-2.50m: Amygdular basalt, weakly silicified, 1-2% quartz stringers, 2% Pyrite. Non magnetic.
Hole stopped when magnetite disappeared and veining abundance decreased.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-013	20101	0.00	1.00	1.00
UB16-013	20102	1.00	1.50	0.50
UB16-013	20103	1.50	2.50	1.00

UB16-014

TARGET: Outcrop Beepmat magnetic anomaly

HOLE NUMBER: **UB16-014**

GRID LOCATION: CLAIM NUMBER:
SURVEY LOCATION (UTM): 469773mE 5434002mN WGS 84 ELEVATION:
CORE SIZE: AQ LENGTH: 0.53m
BEARING / DIP: 0/-90
START: FINISH:
DRILLING CONTRACTOR: Grizzly DRILL: Shaw Core Drill
LOGGED BY: C. Reimer LOG COMPLETED:

SUMMARY - LITHOLOGY

0.00-0.53m: Fine grained basalt with 1% fine disseminated Magnetite and 1% disseminated Pyrite, minor veining.
This drillhole was drilled on the final day of the project and was stopped when time ran out.

SUMMARY - SAMPLING

<u>Drillhole ID</u>	<u>Sample ID</u>	<u>Depth From</u>	<u>Depth To</u>	<u>Width</u>
UB16-014	20164	0.00	0.53	0.53