

GM 70800

Assessment report on an induced polarization survey and diamond drilling, Urban Barry property

Documents complémentaires

Additional Files



Licence



Licence

Cette première page a été ajoutée
au document et ne fait pas partie du
rapport tel que soumis par les auteurs.

Énergie et Ressources
naturelles

Québec 



ASSESSMENT REPORT ON AN
INDUCED POLARIZATION
SURVEY AND DIAMOND
DRILLING, URBAN BARRY
PROPERTY –JUNE/JULY 2017
AND FEBRUARY 2018

Abby Peterson, P. Geo.
June 7th, 2018

Table of Contents

1. Introduction	3
2. Geographical Setting.....	4
2.1 Location, Access and Infrastructure.....	4
2.2 Climate, Topography and Vegetation	6
3. Property	7
3.1 Mineral Claims	7
3.2 Exploration Expenditures.....	8
3.3 History and Previous Exploration.....	9
4. Regional Geology	12
5. Property Geology	13
6. 2017 Exploration	15
6.1 Geophysics	15
6.1.1 Induced Polarization (IP).....	15
6.2 Drilling.....	16
7. Analysis, Results and Discussion	19
7.1 Data Analysis – Induced Polarization	20
7.2 Sample Analysis – Drill Core.....	20
7.3 Discussion of Results.....	21
8.0 References	24
9.0 STATEMENT OF QUALIFICATIONS.....	25
APPENDIX A.....	27
Figures.....	27

List of Tables

Table 1. List of claims for the Urban-Barry Property.....	7
---	---

List of Figures

Figure 1. Claim Location Map – Quebec.....	28
Figure 2. Urban Barry Claims with landmarks and access.....	29
Figure 3. Regional geology on and around the Urban Barry Property with structures.....	30
Figure 4. Claims of the Urban-Barry property showing the location of the IP survey lines.....	31
Figure 5. Plan view of diamond drill hole locations and traces.....	32

Figure 6. Section 5436800.	33
Figure 7. Section 5436920.	34
Figure 8. Section 5436980.	35
Figure 9. Section 5437040.	36
Figure 10. Section 5437100.	37

1. Introduction

The following report discusses the exploration activities carried out on the Urban Barry and Lac Chanceux claims (Urban Barry Property), their results and associated recommendations. These activities were completed by Exploration Facilitation Unlimited Inc. (“EFU”) on behalf of Vorenius Metal Corp. (“Vorenius”) in June and July of 2017.

The Urban Barry Property is located approximately 120km east of the town of Lebel-sur-Quévillon which is in turn approximately 650km north of Montreal and 260km north east of Val-d’Or QC. The Property consists of two claim blocks: the main Urban-Barry claim block consisting of twenty (20) claims and three (3) additional claims on Lac Chanceux, approximately 6km south of the main block. The claims are centered on 5,437,088mN and 468,237mE (zone 18T) and are located on NTS sheet 32G03. The Urban Barry property falls under the municipality of Eeyou-Istchee James Bay and as such, is subject to the various agreements associated with this municipality.

In the spring of 2017 EFU was tasked with reviewing all of the available data for the Urban Barry property including that collected by EFU in the spring and summer of 2016. Previous exploration activities in the area had been limited and the currently available data was strongly weighted by the soils collected and the mag survey conducted in 2016. Several known structures cross the property including the large-scale Urban Deformation Zone-- which cuts across the center of the main claim block in a roughly E-W direction. The geophysical data collected in 2016 also indicated that there is a major fault that intersects the Deformation Zone on Aldever’s claims. With this in mind, top priority was given to patterns in soil sample anomalies that paralleled structural anomalies. Very little attention was given to possible EM

conductors identified by the 2016 VLF-EM survey as the EM data, as collected, was rife with possible issues. From June 5th to July 8th, 2017 EFU crews followed up on the initial data by conducting six line-km of IP grid survey and overseeing 1,372 meters of diamond drilling conducted by Forages Rouillier of Amos, Quebec.

2. Geographical Setting

2.1 Location, Access and Infrastructure

The Urban-Barry Project is located mid-way between the Val-d'Or and Chibougamau mining camps. The main claim block falls within Belmont Township, while the nearby Lac Chanceux claim block is in Lacroix Township. The entire property can be located on National Topographic System (NTS) sheet 32G03 with a central reference point located at 49.085827° latitude and - 75.435010° longitude and 5,437,088mN; 468,237mE UTM NAD 83 Zone 18T. Figure 1 shows the location of the claims on a small regional scale while figure 2 shows the claims on a larger local scale with township lines and roads as references.

The Urban Barry property is in Northwestern Quebec, approximately 675km NNE of the city of Montreal, 275km north-east of Val d'Or and 120km east of Lebel-sur-Quévillon. The property is accessed via a series of maintained and unmaintained gravel logging/mining roads starting at the small city of Lebel-sur-Quévillon. The main claim block at Urban Barry is composed of twenty (20) contiguous claims totaling 1127.44 hectares with an additional 169.23 hectares covering three (3) claims at Lac Chanceux.

The main property block can be accessed year-round by truck, ATV/snowmobile and foot. Lebel-sur-Quévillon lies within 4km of highway 113; approximately 124km north of the Transcanadian highway linking Montreal to Val-d'Or (highway 117). From Lebel-sur-Quévillon, the property is accessed by driving 11km on the very well-maintained road out of Lebel (#1000), then driving 56km on the 5000 road before turning onto the 6000 road. From this point it is approximately 46km on the 6000 road before turning onto an unmaintained logging main road last used for logging in 2015. This turn is made about 3km from Osisko Mining's Lac Windfall

Camp. The claim boundary is 29km further on this unmaintained logging road via two separate routes with the split in routes at a beaver dam 2km from the claims. On the western one of these two access routes to the property is where EFU built their base camp for the duration of the exploration activities. The camp consisted of a mess/dining tent, a dry tent, a core shack/office, and 2 x 4-man sleeping tents. During the IP survey some individuals slept in personal sized tents. All work was conducted on the western side of the claims as the Saint-Cyr River bisects the main claim block.

Access to the east side of the main claim block can be gained from Chibougamau or Chapais, however once off the main highway, forestry roads are long unused, ill-maintained, and impassable without using a chainsaw to cut a route in through blown down trees and overgrown roads. In the summer of 2016, a raft was constructed to capably carry people and ATVs safely across the Saint-Cyr from the west side. This allowed crews to work on the eastern portion of the claim block and access the Lac Chanceux claims. This access was not used or needed in 2017.

From Val-d'Or it is an approximately 4-hour drive to the Urban Barry base camp. In turn, Val-d'Or is a 6-hour drive (or a 75-minute flight) from Montreal, 526km to the south-east. Air Canada offers daily service between Montreal and Val-d'Or using its fleet of Dash-8 aircraft. Val-d'Or is a well-serviced city with a population of approximately 32,000 people and amenities that include numerous hotels and restaurants as well as equipment manufacturers and rental companies. Groceries, equipment and supplies can be purchased at any number of stores in Val d'Or-- it is a good place to augment groceries and supplies before driving on to Urban Barry. Lebel-sur-Quévillon also has several restaurants in addition to grocery and supply stores, however the town is much smaller often leaving limited selections to choose from. The town does however provide an excellent place to pick up small orders in between larger orders and to access communications when needed. It also offers a bus terminal and trucking companies for moving people and supplies. The Urban-Barry base camp falls outside cell phone range making daily communications for safety check-ins and ordering supplies sometimes challenging. A satellite phone or portable

satellite dish is the only means of communication while on site and call quality was often poor, particularly during inclement weather. Cell phone coverage is available within 20km of the town of Lebel-sur-Quévillon.

Due to a good portion of the property being flat and swampy, fieldwork in this area is best completed in winter while the ground is frozen. The rest of the property can be accessed and explored year-round on foot with access by foot or ATV via logging roads. There is a network of historic logging roads throughout the claims—most of the logging having been conducted in the 1990's.

2.2 Climate, Topography and Vegetation

The Urban-Barry region experiences a continental to borderline subarctic climate. Winters are relatively cold with an average daily temperature ranging from -4.0°C to -17.7°C and an average minimum temperature of -23.4°C in January. Summers are warm with average daily temperatures of 14.2°C to 17.1°C and an average daily maximum of 23.1°C in July. Precipitation ranges from an average of 29.6mm in February to 122.9mm in July (Climate Canada website).

Topography on the Urban-Barry property is typical of the Canadian Shield. The area is relatively flat and low-lying with very few hills, ridges or other increases in elevation (max. 20m). Because of this, the area is poorly drained and consists of a large proportion of swamps and muskegs. The Urban-Barry property's main claim block is bisected by the St-Cyr River. All waters in the area eventually drain into James Bay by way of the Opawica, Waswanipi and Mégiscane Rivers (Joly, 1990). Vegetation consists predominantly of conifers (Spruce, Pine and Fir) with minor deciduous species (Birch, Aspen and Poplar). Most of the unmaintained logging roads are overgrown with Alder and Birch. Crown cover varies from near-zero in swamps and wet areas to 70% and up in older patches not logged in the 1990's as well as deciduous clusters and older/healthier plantation areas.

Significant overburden at Urban-Barry has been the main limiting factor to exploration in the past. Depth can range from 0-60m in thickness and averages as much as 25m. 2017 diamond

drilling averaged 21m through overburden to bedrock. Due to the low-lying relief and the thickness of overburden, there has not been any outcropping found on the property, though a minor amount can be found immediately adjacent to the north of the claims. The Chanceux claim block has minor outcropping but it is significantly to the south and on the east side of the St Cyr River. The Chanceux block was not worked on in 2017 nor was any outcropping there deemed as pertinent to 2017 exploration work.

3. Property

3.1 Mineral Claims

The property consists of two claim blocks totaling 1,296.67 hectares: the main Urban-Barry block and the Lac Chanceux claims. The main block is composed of twenty (20) contiguous claims totaling 1127.44 hectares. The Lac Chanceux claims comprise three (3) contiguous claims totaling 169.23 hectares. Aldever acquired a 100% interest in the Urban Barry Gold Project in November 2015 when they entered into an agreement with Urania Resource Corp. The agreement included the issuance of 3.5 million shares, a \$250,000 payment and by incurring \$1M in qualifying exploration expenditures over a five-year period. In December 2015, Aldever acquired a 100% interest in the Lac Chanceux gold claims by entering into an agreement with Garmin Metals and Mining Corp. The agreement included the issuing of 300,000 common shares, a \$50,000 payment and by incurring \$200,000 in qualifying exploration expenditures over a five-year term. The claims can be found listed in Table 1 below and their locations are plotted in Figure 2.

Table 1. List of claims for the Urban-Barry Property.

CLAIM #	OWNERSHIP	AREA (HA)	ACQUIRED	EXPIRES
CDC 2431748	Vorenus Metal Corp.	56.39	07/31/2015	07/30/2019
CDC 2431749	Vorenus Metal Corp.	56.39	07/31/2015	07/30/2019
CDC 2431750	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2019

CDC 2431751	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2019
CDC 2431752	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2019
CDC 2431753	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2019
CDC 2431754	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2019
CDC 2431755	Vorenus Metal Corp.	56.38	07/31/2015	07/30/2019
CDC 2431756	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2019
CDC 2431757	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2019
CDC 2431758	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2019
CDC 2431759	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2019
CDC 2431760	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2019
CDC 2431761	Vorenus Metal Corp.	56.37	07/31/2015	07/30/2019
CDC 2431762	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2019
CDC 2431763	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2019
CDC 2431764	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2019
CDC 2431765	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2019
CDC 2431766	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2019
CDC 2431767	Vorenus Metal Corp.	56.36	07/31/2015	07/30/2019
CDC 2431633	Vorenus Metal Corp.	56.41	07/29/2015	07/30/2019
CDC 2431634	Vorenus Metal Corp.	56.41	07/29/2015	07/30/2019
CDC 2431635	Vorenus Metal Corp.	56.41	07/29/2015	07/30/2019
Total:		1,296.67		

3.2 Exploration Expenditures

Expenditure Type	Expenditure Amount (CAD\$)
Preparation, logistics and Permitting	1,900
Travel and Lodging	2,444
Food and Perishable Supplies	12,776
Fuel	5,526
Camp	14,146
Rentals:	

<i>Radio, Sat Phone, Chainsaw and generator</i>	2,438
<i>Truck</i>	8,976
<i>Core Splitter</i>	750
<i>Snowmobiles</i>	4,700
Drill Contractor (Forages Rouillier)	119,728
Assays	21,028
Field Crew	128,996
Reports (IP interpretation and assessment)	8,125
Total	331,533

3.3 History and Previous Exploration

Historically, the claims that make up the Urban Barry property have been underexplored. The region surrounding the property, however, contains numerous showings and deposits-- providing ample evidence of potential in the area. Since the 1994 discovery of the Barry deposit by Murgor Resources, exploration efforts in the area have dramatically increased, resulting in the discovery of multiple deposits and showings, including: The Windfall Lake deposit, the Nubar deposit, the Gladiator Zone, the Belmont showing and the Lac Chanceux Nord Cu showing. The bulk of the historical work involves large-scale geological and geophysical surveys that included parts or all of the present claims within their scope.

The earliest reports related to work completed on the Urban-Barry claims consists of large-scale geological investigations undertaken by B.C. Freeman (RP142A) and R.L. Milner (RG014A) for the Province of Québec's Department of Mines in 1939. Before this, most of the territory had been either unmapped, or had been the subject of reconnaissance exploration. The discovery of massive sulfides carrying low anomalous gold values as well as the discovery of free gold in quartz veins prompted an interest in the Buteux region of the Abitibi (Freeman, 1939). Milner's work (geological mapping) covered the entire claim block westward towards Lac Windfall and Lac Barry, whereas Freeman's territory (investigating mineral indices and a geological survey) extended east from the western edge of Lac Chanceux, covering Lac Hébert eastward past the Pascagama River into Marceau Township. Both noted that outcropping was scarce and mostly concentrated along ridges and hills adjacent to rivers and lakes. Report RP143(A) mentions a

trench located on the north-western shore of Lac Chanceux (just west of the Chanceux claim boundary) that measures 100 feet in length and cross-cuts lithological contacts. Rock outcropping 30 feet to the south of the trench was mapped as Andesite with fine disseminated Pyrite. The trench intersected tuff and talc-schist with quartz veining and localized carbonization but returned no significant assay values.

The next reported works involved a massive airborne EM survey conducted by Shell Canada in 1977 (R.J. de Carle, 1977). Questor Surveys Ltd. flew 1,524 line kilometers using a Trislander C-GOXZ at 400 feet with the bird at 150 feet and 200m line spacing. A follow-up was conducted in 1977 (Côté, 1977) where VLF and geological mapping was completed on all conductors identified from the airborne EM. From the maps, it appears that while claims from the Urban-Barry property were included, nothing of note was followed-up on.

The government of Quebec was the next entity to commission geophysical work over the area (Gobeil, 1983). In 1981, Questor Surveys Ltd. flew an EM survey over the Marin-Barry region, with data compiled by Les Relevés Géophysiques Inc. The data was transposed over aerial photographs taken in 1967 and 1971 at a 1:40,000 scale. The entire NTS sheet 32G03 was among the territory covered. The survey identified numerous anomalies east and west of Lac Chanceux and all along the Urban Deformation Zone.

For several years, a portion of the Urban-Barry claims were included in the Eagle River Property, a joint venture project between Les Ressources Oasis and Mines Maseguay Inc. They completed geophysical surveys in both 1987 (McCurdy, 1987) and 1988 (McCurdy, 1988) before doing follow-up work in 1989 (Richer, 1989) that included geological mapping and sampling.

The Ministère de l'Énergie et des Ressources conducted an aeromagnetic survey in 1988 (DV 88-06). The survey was flown at a height of 125m with a 200m line spacing. This survey covers all the Urban-Barry claims. In 1990, the MER commissioned a team to conduct geological mapping of the area around Lac Aux Loutres and Lac Lacroix, in the western end of the UBGB using helicopters and canoes. Their objectives were to define the lithostratigraphic units,

elaborate on the structural analyses and to investigate mineral showings (Joly, 1990). Their findings are in report MB 90-42.

The claims then became incorporated into Aur Resources' Belmont Property, which was the subject of a helicopter-borne Mag, EM and VLF-EM survey in 1997 with follow-up work completed later that year. An IP survey was completed on parts of the Belmont Property in 1998 (Plante, 1998), two lines of which fall on the current Lac Chanceux claims that make up part of the Urban-Barry property.

Murgor Resources then picked up the claims, conducting their own helicopter-borne EM survey in 2004. At this point the claims once again fell under the Eagle River Property. Several additional programs were conducted on the claims, including: Helicopter-borne VTEM in 2004, resistivity and IP surveys at Lac Chanceux in 2005, regional-scale prospecting in 2008 and horizontal loop EM that covers parts of the claims conducted by Murgor Resources.

It appears that from 2005-2006 until 2016, the Urban-Barry claims were not part of any regional exploration efforts by any companies or individuals. They were again active in 2016 when EFU Inc. conducted a soil sampling survey, a Beepmat survey, a ground magnetometer/ VLF-EM survey, and minor backpack drilling. The backpack drills were both used to drill rock at the Chanceux claims and to drill and collect soil samples through up to 3.9m of peat in swampy areas on the main claim block.

In 2016, EFU collected 526 soil samples from the claims in 2 programs—an original 244 samples were collected in May-June and a follow-up 282 samples were taken in August. 89.3-line km of Beepmat was walked and a 57.6 line-km magnetometer/ VLF-EM survey was conducted and interpreted. 15 backpack drill holes were drilled and sampled but, in most cases, the rock sampled was boulder or subcrop. The Chanceux claim block was the only location where outcrop was located on the claims. The VLF-EM survey identified several anomalies concentrated within the southern domain of intermediate to felsic rocks. A follow-up max-min

or IP survey was recommended. Contouring of the soil samples identified several areas of anomalous Au, Ag and Cu concentrations which also required additional investigation.

4. Regional Geology

Regional Geology taken from (McLaughlin et al., 2015) and (Rhéaume et Bandyayera, 2006):

The Urban Barry property lies within the Urban-Barry Greenstone Belt which is in the eastern part of the Abitibi sub-province. The greenstone belt has an east-west extent of roughly 135km and varies in width from 4 to 20km. It is bounded to the north by the Urban Deformation Zone, to the east by the Grenville Front, to the south by granitoid rocks of the Barry complex and to the west by the granitoid rocks of the Souart Pluton. The Urban Deformation Zone is a major east-trending Archean shear zone that separates the Urban-Barry Greenstone Belt from the granitoid rocks of the Hébert and Father Plutons. The Grenville Front is a major Proterozoic discontinuity that truncates Archean rocks in a north-northeast direction.

The Urban-Barry Greenstone Belt (UBGB) is subdivided into five rock formations, interpreted to have formed between 2,791 and 2,707 Ma: The Urban, Macho, Fecteau, Lacroix and Chanceux. All five formations are imbricated and separated by thrust faults with oblique movement. The Fecteau Formation is the oldest in the Urban Barry Greenstone Belt. The Urban Formation is located at the base of the stratigraphy and consists of massive or pillowed Tholeiitic basalt, gabbro sills and felsic volcanic rock. The Macho Formation consists of massive or pillowed basalt units interbedded with felsic volcanic units. It also contains massive gabbro units and metasedimentary sequences composed of wacke, mudstone and conglomerate. Volcanic rocks of the Macho Formation, including rocks of the Windfall Member, are cut by a series of quartz and/or feldspar porphyry dykes. Samples taken from the Barry Gold Deposit dated these dykes at $2,697 \pm 0.6$ Ma. The contact between the Urban and Macho Formations is marked by the Milner Shear Zone in the western part of the UBGB, and by the southern limit of the Urban Deformation Zone in the eastern part of the UBGB. The Romeo Formation is composed of clastic metasedimentary rocks that locally contain metamorphic layering. It is located north of

the Urban Formation, and its contact with the Urban Formation is marked by the northern limit of the Urban Deformation Zone. Rocks of the UBGB were deformed during the 2,710 to 2,660 Ma Kenoran orogeny. The regional foliation generally strikes northeast to east-northeast with a variable dip from 30 to 85° to the southeast. The regional foliation is associated with a stretching lineation that plunges steeply to moderately to the east. Associated regional folds are generally isoclinal with steeply plunging axes, although Bandyayera et al. (2002) interpreted a shallowly-plunging regional-scale syncline south of the Windfall Member (named Urban Syncline). A series of east-northeast-trending shear zones characterized by strongly developed foliation occur in the UBGB and include the Milner, Masères, Saint-Cyr and Barry Shear Zones. As you approach the Urban Deformation Zone (UDZ) in the northern part of the belt, stratigraphic contacts, regional foliation and spaced cleavage become re-oriented in a predominantly east-west direction, paralleling the UDZ.

A set of north-northeast-trending brittle faults associated with slickenlines that are moderately plunging to the northeast crosscut all other structures. Such faults are likely related to the Grenville Front and include the Thubière, Croft, Picquet, Father, Roméo and Windfall faults. Rocks of the UBGB are generally metamorphosed to greenschist facies, although near intrusions, conditions locally reached amphibolite assemblages. The regional metamorphic temperature-pressure gradient generally increases eastward towards the Grenville Front.

5. Property Geology

The limited amount of historical work completed on the Urban Barry claims, coupled with the lack of surface outcropping and deep overburden depths means the bulk of the interpreted property-scale geology has been derived from surface and sub-surface work completed on adjacent properties within the UBGB. The property-scale geology at Urban Barry consists of three main Formations (per the Quebec Government's website, SIGEOM): Urban, Macho and Chanceux. Structurally, the main property is cut by several regional-scale faults (Saint-Cyr, Milner and Rouleau) as well as a regional-scale shear zone: The Urban Deformation Zone. The

Barry Fault cuts across the top North-West corner of the Lac Chanceux claim block before paralleling the claim boundary.

The rocks of the Chanceux Formation (2727 Ma) are associated with the first cycle of volcanism in the area that cover the basal Fecteau Formation (2791 Ma) (Rhéaume et Bandyayera, 2006). The Chanceux Formation rocks are interstratified intermediate to felsic volcanic rocks and epiclastic sedimentary rocks that characterise the end of the first volcanic cycle of the Urban-Barry. Rocks in this formation consist primarily of tholeiitic basalts, rhyodacitic or rhyolitic tuffs of calc-alkaline to transitional composition as thin beds with interstratified greywacke and graphitic argillites, intermediate tuffs and synvolcanic gabbros. The Chanceux Formation also includes the rocks bounded by the Barry, Milner and Saint-Cyr Faults, and are mainly composed of greywackes (sometimes magnetite-rich), mudstones and tuffs. The greywackes are quite abundant between the Barry and Saint-Cyr Faults, as well as to the south of Lac Chanceux, and due to their chemical composition, very likely represent the results of the erosion of the Chanceux Formation volcanics.

The Macho Formation refers specifically to a group of predominantly mafic volcanic rocks bounded by the Milner and St-Cyr Faults. These rocks formed 2718 Ma during the UBGB's second cycle of volcanism and are divided into two distinct lithostratigraphic units: The Windfall Member and the Rouleau Member. The Macho Formation consists mainly of basalts, andesites and andesitic basalts of transitional island arc settings. It also contains minor amounts of tholeiitic seafloor basalts and synvolcanic gabbros.

The Urban Formation (2707 to 2714 Ma) is the largest of the formations belonging to the UBGB, extending for over 125km from Lac Wilson to Lac Roy (Rhéaume et Bandyayera, 2006). The bulk of the Urban Formation consists of tholeiitic basalts with minor amounts of synvolcanic gabbros, felsic volcanics and sediments. The Urban Formation is a sequence of young effusive rocks with two important felsic centers within the formation: the Novellet Member (2714 Ma) and the Freeman Member (2707 Ma). The Urban Formation represents the third, and last, cycle of volcanism for the UBGB.

Property-scale geology and structures, as per the SIGEOM interactive website, can be found in Figure 3.

6. 2017 Exploration

In the spring of 2017, Exploration Facilitation Unlimited Inc. was asked to complete a reevaluation of all data related to the Urban Barry and Lac Chanceux claims, including data from adjacent properties with known mineralization and data collected during the 2016 field season. Based on interpretations and previous works, EFU was then to recommend an exploration program that would hopefully clarify/ enhance the known potential of the Urban Barry property. Based on the available data from a variety of sources, including government websites, a five-week program consisting of ground geophysics (Induced Polarization) and NQ diamond drilling was proposed. In total, nine (9) line-km of survey line were cut and six (6) line-km of IP survey and 1,372m of diamond drilling were completed.

6.1 Geophysics

6.1.1 Induced Polarization (IP)

The 2016 magnetometer survey identified a new structure; a fault that enters the main claim block in the very south-west corner and trends 045° to the north-east. An apparent pattern of elevated gold-in-soil values appears to occur sub-parallel, and northwest of, the fault. This soil anomaly pattern is approximately 500m to the northwest of the fault and appears to be on a slightly more northward trajectory. This difference in orientation could be due to glacial movement or the presence of an en-echelon gold-bearing structure. With this in mind, and a focus on discerning gold mineralization, an IP program was designed to cross this possible mineralization plane with lines oriented east-west. Nine (9) kilometers of line were cut for IP and six (6) kilometers of survey were completed.

Significant obstacles were faced during the summer IP program. The area chosen for the IP survey was relatively flat and unfortunately, very wet. The creation of a new beaver dam within

the bounds of the IP grid in the last two or three years compounded this issue. Lines were worked to the edges of swamps and ponds and then moves were conducted to the other side of wet ground, greatly slowing down the survey process. Vegetation to be cut was thick due to the available moisture in some of the survey area as well. Abundant alders slowed down progress and made cutting slow and onerous. In the end, the area deemed most prospective was cut and surveyed as time and budget became limiting factors.

Analysis and interpretation of the results of the IP survey indicated that a north-south orientation of lines may have been preferred. Results are deemed inconclusive at present. The complete set of results of this analysis can be found in the accompanying report from MBGeosolutions titled “Report of an Induced Polarization survey on the Urban-Barry Property”. On site, the initial raw data of IP pseudo sections was analyzed, and drill holes were designed to attempt to test the strongest apparent anomalies from the IP survey. A decision was made to use the raw data as a proxy for detailed analysis in order to take advantage of easy access during summer months and the presence of a camp and crew on site. Awaiting a full analysis of the data would have involved costly remobilization of the crews already present. A drilling crew was available at the time and EFU staff from the IP program were available to process core and manage the drilling program.

Figure 4 shows the location of the IP survey lines with respect to the claims. For the set of figures displaying the results of the IP survey, please refer to Jean Hubert’s report, submitted with this assessment report.

6.2 Drilling

Immediately after the June IP program, Forages Rouillier of Amos, Qc. was contracted to drill 1,372m to follow up on the apparent anomalies from the IP survey. The drill arrived about 6km from the drill sites on a lowbed on the 21st of June 2017 and was mobilized to the same landing for transport away on the 7th of July. The EFU crew, final samples, and camp were demobilized on the 8th of July. Samples were all delivered to ALS Labs in Val-d’Or Quebec for analysis.

The drilling was completed on five (5) holes with depths varying from 189m to 364m. Holes were all drilled from the main road on the west side of the claims near a junction with the main access road used for this program. The five collars span a distance of 350m along the road with four of the holes drilled to the east and the 5th and final hole drilled to the SSE. Extremely wet and swampy ground indicated that it would have been preferable to complete the drilling in winter. It would have been ideal to place the drill as close to the target areas as possible and then drill steep, direct holes. Due to the distance between the collar and the apparent IP anomalies, holes were drilled at shallow angles causing them to be much longer than desired.

Hole UB17-001 was designed to cross apparent mineralized keel structures in Line 600, features identified by the IP but most apparent in the chargeability. The top of the hole was designed to pierce a more western keel and continue on to intersect the stronger eastern chargeability zone at a depth beyond that of the IP survey. The apparent anomaly was strong and appeared to be dipping to the west. It appeared to have a width of 100m on Line 600 and narrowed significantly to both the north and south. The final geophysical interpretation confirmed this same apparent feature. Hole 001 was drilled to the east at -55 to a depth of 310m and is comprised almost entirely of mafic volcanics. There are 18m of rhyolite/felsic dyke in four intervals, 4.6m of greywacke in two intervals, and a 40cm Iron Formation interval composed of banded quartz-chlorite-magnetite-pyrite. The mafic volcanics contained local concentrations of amygdules with quartz fill. The rock displayed a pervasive foliation beyond initial S0 and was pervasively quartz-sericite-chlorite altered with varying strengths in alteration. Tourmaline alteration, potassic alteration, and ankerite alteration were all seen and are locally nil to strong. Veining comprised less than one percent of rock and was highlighted by a 44cm quartz-tourmaline-ankerite vein. Sulfides were mostly limited to pyrite with very minor traces of chalcopyrite, sphalerite, pyrrhotite, galena, and arsenopyrite.

Hole UB17-002 was designed to cross the same chargeability anomaly as hole 001 but to the south, on Line 500 of the IP survey. Hole 002 was drilled to the east at -50 degrees and was planned to intersect the continuation of the chargeability anomaly, extended down-dip along

its apparent strike. This would also have the hole piercing a closer and weaker anomaly with the same apparent dip as the main anomaly. Hole 002 was composed of mafic volcanics with a 2.2m interval of rhyolite/felsic dyke deep in the hole. Volcanics in hole 002 had abundant local zones of pillowed flows. Pillow rinds were quartz-tourmaline-calcite altered, with occasional pyrite alteration as well. The mafic volcanics had intervals of hydrothermal brecciation with quartz-calcite-ankerite breccia matrix/fill. The volcanics were also locally clastic with clasts up to 10cm; clasts appear to be of mafic volcanics as well. The volcanics were quartz-sericite-chlorite altered pervasively with local variations in intensity from almost nil to intense. Tourmaline and ankerite alteration was seen locally. Veining to a maximum size of 7cm comprises less than 1% of the rock and veins are of a mix of quartz-sericite-calcite-ankerite-pyrite-pyrrhotite with very minor rhodocrosite. Pyrite comprises 1% of the rock overall but can be as high as 50% locally. It is usually locally weakly disseminated but can be locally semi-massive with pyrrhotite. Extremely minor traces of very fine-grained chalcopyrite and sphalerite were also seen.

Hole UB17-003 was designed to pierce the interpolated/likely southern continuation of the chargeability anomaly. Hole 003 was on Line 400 from the IP survey but very little of Line 400 was surveyed due to a recently built beaver dam and an east-west running pond. The pond commences just east of the drill sites. Hole 003 was drilled east at -60° and intersected only mafic volcanics over its 289m length. The volcanic sequence in hole 003 included minor amounts of amygdules locally, but no pillows were noted. Quartz-sericite alteration was common throughout the hole with alteration intensity varying from nil to locally. Very minor amounts of tourmaline and ankerite were noted. Veining was <1% with the largest vein in the hole measuring 12cm.

Hole UB17-004 was designed to pierce the northern reaches of the IP-indicated chargeability anomalous zone. The hole was drilled to 219.2m on a -50 dip towards the east from Line 700 of the IP program. Hole 004 encountered 211m of mafic volcanics and a total of 8m of felsic/rhyolite dyke in two separate intervals. Hole 004 has numerous intervals of pillowed flows, with

pillow rinds commonly quartz-tourmaline altered. Quartz and sericite were again mostly pervasive throughout hole 004 but were much weaker than noted in previous holes. Tourmaline and trace ankerite were observed locally. Chlorite alteration was pervasive and moderate to strong throughout the volcanics.

Hole UB17-005 was designed to cross under interesting/veined/altered rock from the top of Hole 001 and hit the chargeability anomaly on line 500 (Hole 002). Unlike other holes, which were drilled at an azimuth of 90°, hole 005 was drilled at an azimuth of 150° to a depth of 189m. In previous holes, foliations and contacts were intersected at low angles to core axis, indicating that holes were crossing limited stratigraphy. Despite adjusting the drilling angle, hole 005 also intercepted foliations at low angles to core axis. 175m of the 189m was mafic volcanics. There was fourteen meters of rhyolite/felsic dyke in four occurrences, with the largest being the last seven meters of the hole. There are local pillows and amygdules in the volcanics with pervasive Qz-Ser-Chl alteration throughout the hole. Alteration intensity of all three varies from almost nil to intense locally but they are all weak to moderate overall. Very minor ankerite and tourmaline were seen locally, and they were both concentrated in veining and pillow rind alteration. Veining overall was very weak with the largest vein at 3cm width.

7. Analysis, Results and Discussion

Drill hole traces in both plan and section view can be seen in Figures 5 to 10 in Appendix A. All samples collected were submitted to ALS Labs in Val-d'Or, Québec for analysis. All core samples were split with a hydraulic splitter and bagged and tagged by EFU employees at the EFU camp—the site of the core shack and all core processing. The splitting area and cutter were cleaned after each sample to avoid potential cross-contamination. Samples were placed in clear plastic bags with the sample number written on the outside of the bag. A paper tag from the lab was then inserted in the bag before sealing the bag with a zip tie. All bags were triple checked for correct ID numbers before leaving site and were delivered by EFU employees to the lab in person. Standards, blanks, and duplicates were inserted into the sample stream by EFU at a rate

of one of each per 60 samples. The samples were delivered by pickup truck in four (4) batches during the program to avoid congestion at the camp and because of the weight of the samples.

A secondary batch totaling four samples was delivered to Activation Labs in Ancaster, Ontario in February of 2017 to follow up on a high assay value within a shoulder sample.

7.1 Data Analysis – Induced Polarization

IP data was collected using a Juniper “Allegro2” handheld device using a Windows platform and connected to a GDD GRx-8mini receiver with a GDD TxII Transmitter and a Honda 6.5kW generator power source. The data from the IP survey was sent to a geophysicist registered in the Province of Québec, as required by law, for processing and interpretation. The results and interpretations can be found in the report titled “Report of an Induced Polarization Survey on the Urban-Barry Property” submitted along with this report. It should be noted that the timeline set for drilling meant that the raw data viewed using GDD’s “IP PostProcess” software was used in the field to plan drill holes, not the interpretations and results of the geophysical report.

7.2 Sample Analysis – Drill Core

533 samples including 507 drill core, 12 duplicates, 5 blanks, and 9 standards were collected from the Urban Barry drill core logging program and they were submitted to ALS labs in Val d’Or for analysis in four (4) batches. Sample deliveries were made to the lab on June 26th (187 samples), June 30th (142 samples), July 6th (141 samples) and July 10th (62 samples). A final load of four samples was submitted to Activation Labs in Ancaster, Ontario on February 14th, 2018.

At ALS samples were crushed to 70% passing <2mm before being split with a riffle splitter. The split was then pulverized to 85% passing <75µm before analysis. 50g samples were analyzed for Au by fire assay with an AAS finish in addition to the multi-element aqua regia ICP-AES analysis. ME-ICP41 analysis, which combines Aqua Regia digestion and analysis by ICP-MS, provides low detection limits for: Ag, Al, As, B, Ba, Be, Bi, Ca, Cd, Co, Cr, Cu, Fe, Ga, Hg, K, La, Mg, Mn, Mo,

Na, Ni, P, Pb, S, Sb, Sc, Sr, Th, Ti, Tl, U, V, W and Zn. One standard per 15 samples and one blank per 20 samples were added to the Au sample stream as well as a duplicate for each 20 samples. For the ICP-AES sample stream for QA/QC purposes ALS added a duplicate per 20 samples and a blank or standard every 10 samples. Sample preparation and analysis were completed at the ALS laboratories in North Vancouver, BC for the most part with a minor amount of the prep done (142 samples) at the Thunder Bay lab.

At Actlabs, samples were prepared by first being crushed to a nominal -2mm. Samples were then mechanically split to obtain a representative sample before being pulverized to at least 85% passing -105 microns. Samples were analyzed using Instrumental Neutron Activation Analysis (INAA) whereby samples are encapsulated and irradiated in a nuclear reactor. After a suitable decay, samples are measured for the emitted gamma ray fingerprint (Actlabs website). INAA is a good tool for measuring concentrations of Au, Co, As, Sb, W, Ta, U, Th, Cs, In, Re, Cl and lower levels of most LREE. Samples submitted by EFU were analyzed for Ag, As, Au, Ba, Br, Ca, Ce, Co, Cr, Cs, Eu, Fe, Hf, Hg, Ir, La, Lu, Mo, Na, Nd, Ni, Rb, Sb, Sc, Se, Sm, Sn, Sr, Ta, Tb, Th, U, W, Yb and Zn. The lab inserted two standards and one blank into the sample stream as part of their internal QaQc program.

7.3 Discussion of Results, Recommendations

Multiple chargeability anomalies were identified from the IP data. Although imperfect, the choice of drill holes in the field represented a reasonable follow-up on the IP data. The holes intersected the best final interpreted anomalous chargeability zones on the grid on multiple lines. Holes were drilled towards the intersection of the Rouleau and Milner faults as determined by the 2016 ground magnetometer/ VLF-EM survey (Hubert, 2016), giving the possibility of a dilation zone and potential mineralization in the shadow of the intersection. They were also drilled towards EM conductors to the east also identified in the 2016 survey.

Results of drill core assay provided only anomalies rather than high-grade intercepts. The highest gold assay was 0.239g/t Au over 1.0m. Most gold and silver values were below

detection levels (5ppb and 0.2ppm respectively). The highest silver assay was only 1.0g/t and generally base metal values were low with the singular exception of zinc. Sphalerite was noted during core logging and zinc values were as high as 7500ppm Zn over 0.55m and 5400ppm Zn over 1.09m. There were additional highly anomalous values in several holes.

The best gold grade of the project was seen in Hole 001 with 0.239ppm Au over 1.0m or 0.097ppm Au over 3.0m. This grade was associated with veined mafic volcanics at 39m to 40m with the larger interval from 37m to 40m in depth. Copper was inconsequential with the highest copper assay at 333ppm over 0.50m. The highest silver grade, 1ppm, was also at the top of the hole at 34.36-36.02m (1.66m). The same sample, a contact between felsic dyke and mafic volcanics, also assayed 1240ppm (0.124%) zinc. Sample 125006, which assayed 0.239ppm Au, was a shoulder sample to an expected high grade for sample 125005. As a result, in February 2018, four additional 1m samples, taken immediately downhole of sample 125006, were collected to investigate the potential for additional anomalous gold grades. Unfortunately, the four meters of core returned no significant assays.

Some of the most promising assays of Hole 002, from 291.04m to 291.59m, returned 7510ppm (0.75%) zinc. Over a larger interval from 290.50m to 291.59m, the grade was 5400ppm (0.54%) zinc. A weaker anomaly is located up-hole, from 286m to 289m, with a weighted average of 512ppm zinc (0.05%) over 3m. In both cases, sphalerite was seen in the core during logging. The highest copper assay was 197ppm and nickel peaked at 256ppm. The most elevated silver was only 0.4ppm Ag. It should, however, be noted that the interval with 0.4ppm Ag, from 340.30m to 340.80m, also assayed 106ppm As, 18ppm Pb, and 571ppm Zn (0.06%). The lead and arsenic values were extremely anomalous as they were both the highest in their category for the program. The assayed rock was intensely pyrite-chlorite altered mafic volcanics with 35% pyrite. The best assay for gold in hole 002 was also from 340.30m to 340.80m at 92ppb Au. From 340.80m to 341.61m, the hole graded 55ppb Au. Although these assays are extremely anomalous, they are not of economic importance unto themselves. The anomalous values deep in the hole are all coincident with where the drill hole should have intersected the anomalous

chargeability zone. This may indicate proximity to a source of higher metal concentrations or these may be the highest grades for the area. To determine this, the area needs to be tested by future drilling, possibly in a different orientation.

There were no assay values of note in Hole 003 with the highest gold value at 7ppb, the highest silver value at 0.2ppm, the highest copper value 113ppm, the highest zinc value 139ppm, and the highest nickel assay 193ppm.

Limited elevated anomalies were seen in hole 004 with the highest assays returning 151ppm Cu, 256ppm Ni, 164ppm Zn, and all silver assays below detection levels. The bright spot was two separate anomalous gold values. From 20.0m to 21.0m in veined mafics the assay value was 84ppb Au and 117.4m to 118.8m assayed 71ppb Au. Almost all other values for gold were below detection limits of 5ppb Au.

Hole 005 had generally low gold values with a highest value of 24ppb Au from 132.89 to 133.6m in veined mafics with 15% veining. Silver was also low with almost all values below detection levels of 0.2ppm Ag. The highest silver value was in mafics from 60.0 to 61.0m at 0.5ppm Ag. A trace of visible sphalerite was noted in the log for this interval. Copper was generally low with the highest assay at only 160 ppm Cu. The highest nickel and zinc values were both found from 118.50 to 119.00m in mafics with weak signs of shearing and pyrite fill in the shears. Nickel assayed 285ppm Ni (0.03% Ni) while the zinc assay for this sample was 589ppm Zn (0.06% Zn). It should be noted that from 117.5m to 135m, twelve samples grouped into three intervals (117.5m to 119.0m, 123.0 to 126.0m, and 129.5 to 135.5m) all contained elevated arsenic assays, with values from 27ppm to a peak of 102. Zinc and nickel were also elevated throughout this interval.

The results of the diamond drilling program showed the continued presence of anomalous metal concentrations on the Urban-Barry property. Follow-up work is recommended to investigate the source of these metals and should include additional ground-based geophysics such as Max-Min, additional IP or even a gravimetric survey.

8.0 References

ALS Labs www.alsglobal.com accessed January 10th, 2017.

Activation Labs www.actlabs.com accessed May 10th, 2018.

Climate Canada climate.weather.gc.ca, accessed October 18th, 2016.

Cote, R., 1977. Progress report, Barry North and Barry (Reassessment) Projects, Barry Lake Area, Quebec; GM38829, 20 pages, 3 maps.

De Carle, R.J., 1977 (Shell Canada Resources Ltd.). Airborne electromagnetic survey, Barry (North) Project, Qc; GM38804, 58 pages, 2 maps.

DV88-06, 1988. Traitement des données géophysiques (aeromagnétiques), Lac Hebert, Ministère de l'Énergie et des Ressources (Mines), Québec; DV88-06, 4 maps, 1:50,000.

Freeman, B.C., 1939. Advance Report, Buteux Area, Abitibi County and Abitibi Territory. Department of Mines, Division of Mineral Deposits; RP142(A), 11 pages, 1 map.

Gobeil, A., 1983. Levé input (MK VI) dans la région de Marin-Barry, Ministère de l'Énergie et des Ressources, Québec; DP 83-08, 27 maps 1/20,000.

Hubert, Jean. M., 2016. Report of a Combined Magnetic and VLF-EM Survey on the Urban-Barry Property, Abitibi, 32G03; August 2016.

Joly, M., 1990. Géologie de la région du Lac aux Loutres et du Lac Lacroix, Ministère de l'Énergie et des Ressources, Québec; MB 90-42, 55 pages, 1 map.

McCurdy, S., 1987. A report on geophysical surveys conducted on the Eagle River Property in Urban and Belmont Townships of northwestern Quebec; GM45207, 23 pages, 9 maps.

McCurdy, S., 1988. A report on geophysical surveys conducted on the Eagle River Property in Urban and Belmont Townships of northwestern Quebec; GM46701, 36 pages, 13 maps.

McLaughlin, M., Kesavanathan, D., Sweeney, D., Hafez, S.A., Chartier, D., Couture, J-F., Ravenelle, J-F., Roy, P., d'Anjou, N., and Dion St-Pierre, M-C., 2015. Preliminary economic assessment of the Windfall Lake gold property, Quebec, Canada; April 28, 2015.

Milner, R.L., 1943. Barry Lake Area, Abitibi County and Abitibi Territory. Department of Mines, Division of Mineral Deposits; RG014(A), 27 pages, 1 map.

Plante, L., 1998. Levé de polarisation provoquée pour Ressources Aur Inc., Projet Belmont, Cantons Belmont et Lacroix; GM56185, 26 pages, 56 maps.

Richer, V., 1989 (Les Entreprises Minières DIG). Rapport sur les résultats de la cartographie géologique et de l'échantillonnage lithogéochimique effectués sur la propriété « Rivière de l'Aigle », cantons Urban et Belmont, Québec; GM48572, 72 pages, 2 maps.

Rhéaume, P. and Bandyayera, D., 2006. Révision stratigraphique de la Ceinture d'Urban Barry, Ministère des Ressources Naturelles et de la Faune, Québec; RP2006-08, 11 pages.

9.0 STATEMENT OF QUALIFICATIONS

I, Abby Peterson, P.Geol. do hereby certify that:


1. I am an employee of Exploration Facilitation Unlimited Inc. with my office based at 946 Lynwood Drive, Sudbury, ON, P3A 3N4.
2. I am a graduate of McGill University, Montréal, in the Province of Québec, with a Bachelor of Science degree in Earth and Planetary Sciences.
3. I am registered as a Professional Geoscientist (P. Geo./Géo) in the Province of Québec with the Ordre des Géologues du Québec (OGQ No.1463).
4. I have practiced my profession as an exploration geologist in the mineral exploration industry continuously since 2005. I have worked on gold and base metal exploration projects as a geologist in Ontario, Nunavut, the Yukon Territory, Québec (including Val d'Or) and in Burkina Faso, West Africa.
5. This report is for Assessment purposes and is not intended to be a NI 43-101 compliant report; nevertheless, it has been prepared with care.
6. I am responsible for the preparation of all sections of this report except for the Expenditures, which was prepared by EFU Inc. management.
7. I visited the Urban Barry Property personally on July 27th, 2017. During this time, I went through all the core with J. Rensby, Géo, including logging and sampling procedures and results.

Abby Peterson

Abby Peterson

.....
Abby Peterson, P.Geol.
Geologist
Exploration Facilitation Unlimited Inc.

DATED at Sudbury, Ontario this 7th Day of June, 2018.



APPENDIX A

Figures




Figure 1. Claim Location Map – Quebec.




Figure 2. Urban Barry Claims with landmarks and access.




Figure 3. Regional geology on and around the Urban Barry Property with structures.




Figure 4. Claims of the Urban-Barry property showing the location of the IP survey lines.




Figure 5. Plan view of diamond drill hole locations and traces.




Figure 6. Section 5436800.




Figure 7. Section 5436920.




Figure 8. Section 5436980.




Figure 9. Section 5437040.




Figure 10. Section 5437100.



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 This copy reported on
 25-AUG-2017
 Account: GNKCQZ

CERTIFICATE VO17136550

Project: URBAN BARRY

This report is for 187 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 29-JUN-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125001		2.50	<0.005
125002		3.74	<0.005
125003		2.25	<0.005
125004		2.04	0.021
125005		2.37	0.031
125006		2.34	0.239
125007		2.37	<0.005
125008		2.46	<0.005
125009		2.60	<0.005
125010		1.11	<0.005
125011		1.78	<0.005
125012		1.51	<0.005
125013		1.29	<0.005
125014		3.00	<0.005
125015		2.53	0.006
125016		2.55	<0.005
125017		2.34	<0.005
125018		1.25	<0.005
125019		3.08	<0.005
125020		1.62	<0.005
125021		2.76	<0.005
125022		1.52	<0.005
125023		Not Recvd	
125024		Not Recvd	
125025		Not Recvd	
125026		1.44	<0.005
125027		1.23	<0.005
125028		1.40	<0.005
125029		0.88	<0.005
125030		0.88	<0.005
125031		0.96	<0.005
125032		1.22	<0.005
125033		1.30	<0.005
125034		1.31	<0.005
125035		2.05	<0.005
125036		2.28	0.005
125037		1.75	<0.005
125038		2.63	<0.005
125039		2.45	<0.005
125040		2.29	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm
		0.02	0.005
125041		1.56	0.005
125042		2.38	<0.005
125043		1.42	<0.005
125044		1.63	0.007
125045		2.54	0.006
125046		1.75	0.015
125047		1.50	0.014
125048		3.44	<0.005
125049		2.30	<0.005
125050		0.07	1.330
125051		1.30	<0.005
125052		1.18	<0.005
125053		2.34	<0.005
125054		2.58	<0.005
125055		1.24	<0.005
125056		3.27	<0.005
125057		1.70	<0.005
125058		2.34	<0.005
125059		1.49	<0.005
125060		1.77	<0.005
125061		1.86	<0.005
125062		1.47	<0.005
125063		0.83	<0.005
125064		1.15	<0.005
125065		2.21	<0.005
125066		1.95	<0.005
125067		2.76	<0.005
125068		2.22	<0.005
125069		1.42	<0.005
125070		1.21	<0.005
125071		1.43	<0.005
125072		1.99	<0.005
125073		1.50	<0.005
125074		2.29	<0.005
125075		1.72	<0.005
125076		3.25	<0.005
125077		3.66	<0.005
125078		1.18	<0.005
125079		1.12	<0.005
125080		2.04	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm
		0.02	0.005
125081		1.18	<0.005
125082		3.87	<0.005
125083		4.16	<0.005
125084		4.62	<0.005
125085		4.06	<0.005
125086		3.01	<0.005
125087		3.47	<0.005
125088		4.33	<0.005
125089		2.52	0.005
125090		0.12	1.225
125091		3.51	<0.005
125092		3.50	<0.005
125093		3.54	<0.005
125094		3.51	0.006
125095		3.42	0.018
125096		2.14	0.009
125097		3.33	<0.005
125098		2.70	<0.005
125099		3.79	0.007
125100		3.69	0.007
125101		3.82	0.005
125102		3.99	0.005
125103		3.46	<0.005
125104		3.97	<0.005
125105		2.58	<0.005
125106		1.31	<0.005
125107		1.65	<0.005
125108		1.88	<0.005
125109		1.50	<0.005
125110		1.19	<0.005
125111		2.39	<0.005
125112		2.15	<0.005
125113		2.02	<0.005
125114		1.95	<0.005
125115		2.08	<0.005
125116		1.95	<0.005
125117		2.33	<0.005
125118		2.17	<0.005
125119		2.38	0.005
125120		2.71	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm
		0.02	0.005
125121		1.44	<0.005
125122		1.17	<0.005
125123		3.16	<0.005
125124		0.95	<0.005
125125		1.30	0.016
125126		3.07	<0.005
125127		1.20	<0.005
125128		2.63	<0.005
125129		3.64	<0.005
125130		0.10	1.285
125131		1.63	<0.005
125132		0.73	<0.005
125133		1.32	<0.005
125134		3.30	<0.005
125135		0.77	<0.005
125136		2.74	<0.005
125137		2.15	<0.005
125138		2.25	<0.005
125139		2.61	<0.005
125140		1.23	<0.005
125141		0.97	<0.005
125142		1.13	<0.005
125143		1.08	<0.005
125144		2.21	<0.005
125145		1.53	<0.005
125146		0.97	<0.005
125147		1.07	<0.005
125148		1.36	<0.005
125149		0.95	<0.005
125150		1.11	<0.005
125151		2.65	<0.005
125152		2.49	<0.005
125153		3.15	<0.005
125154		3.46	<0.005
125155		3.24	<0.005
125156		1.13	<0.005
125157		1.52	<0.005
125158		1.32	<0.005
125159		1.39	<0.005
125160		3.48	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - A
 Total # Pages: 6 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm
		0.02	0.005
125161		3.58	<0.005
125162		2.34	<0.005
125163		3.66	<0.005
125164		3.67	<0.005
125165		2.52	<0.005
125166		2.60	<0.005
125167		1.10	<0.005
125168		2.80	<0.005
125169		3.46	<0.005
125170		0.08	1.270
125171		2.57	<0.005
125172		3.21	<0.005
125173		2.49	<0.005
125174		1.14	<0.005
125175		3.43	<0.005
125176		3.16	<0.005
125177		3.42	<0.005
125178		2.52	<0.005
125179		2.76	<0.005
125180		2.95	<0.005
125181		3.77	<0.005
125182		2.40	<0.005
125183		3.31	<0.005
125184		2.94	<0.005
125185		1.99	<0.005
125186		2.55	<0.005
125187		2.62	<0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-AUG-2017
Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17136550

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada			
	CRU-31	CRU-QC	LOG-22	LOG-23
	PUL-31	PUL-QC	SPL-21	WEI-21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.			
	Au-AA24			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 This copy reported on
 1-SEP-2017
 Account: GNKCQZ

CERTIFICATE VO17137903

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm
		0.02	0.005
125188		2.92	<0.005
125189		1.96	<0.005
125190		1.90	<0.005
125191		2.42	<0.005
125192		1.66	<0.005
125193		3.56	<0.005
125194		4.44	<0.005
125195		1.80	<0.005
125196		1.50	<0.005
125197		3.02	0.007
125198		1.26	0.006
125199		2.36	<0.005
125200		2.82	<0.005
125201		2.60	<0.005
125202		3.10	0.006
125203		3.52	<0.005
125204		1.26	<0.005
125205		1.46	<0.005
125206		1.34	<0.005
125207		2.68	<0.005
125208		3.28	0.006
125209		3.92	<0.005
125210		0.08	1.305
125211		2.80	<0.005
125212		3.56	<0.005
125213		3.20	<0.005
125214		3.64	<0.005
125215		3.06	<0.005
125216		2.92	<0.005
125217		3.62	<0.005
125218		3.62	<0.005
125219		3.50	<0.005
125220		3.32	<0.005
125221		1.42	<0.005
125222		2.82	<0.005
125223		3.06	<0.005
125224		2.36	<0.005
125225		2.54	<0.005
125226		1.42	<0.005
125227		3.48	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125228		2.52	<0.005
125229		0.64	<0.005
125230		0.74	<0.005
125231		3.38	<0.005
125232		3.66	<0.005
125233		3.42	<0.005
125234		3.28	<0.005
125235		3.58	<0.005
125236		3.40	<0.005
125237		1.08	<0.005
125238		1.18	<0.005
125239		0.98	<0.005
125240		1.40	<0.005
125241		1.32	<0.005
125242		1.14	<0.005
125243		1.12	<0.005
125244		1.52	<0.005
125245		0.94	<0.005
125246		1.86	<0.005
125247		1.56	<0.005
125248		1.32	<0.005
125249		1.32	<0.005
125250		0.24	<0.005
125251		1.44	<0.005
125252		1.28	<0.005
125253		1.06	<0.005
125254		1.28	<0.005
125255		1.34	<0.005
125256		1.00	<0.005
125257		2.06	<0.005
125258		2.22	<0.005
125259		1.36	<0.005
125260		1.02	<0.005
125261		1.18	<0.005
125262		1.32	<0.005
125263		1.44	0.092
125264		1.84	0.055
125265		1.98	<0.005
125266		1.06	<0.005
125267		1.22	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125268		1.48	<0.005
125269		3.00	<0.005
125270		0.08	1.250
125271		2.16	<0.005
125272		1.50	<0.005
125273		1.42	<0.005
125274		1.28	<0.005
125275		1.18	<0.005
125276		1.00	<0.005
125277		1.48	<0.005
125278		1.26	<0.005
125279		2.54	<0.005
125280		1.32	<0.005
125281		2.46	<0.005
125282		1.32	<0.005
125283		1.06	<0.005
125284		1.06	<0.005
125285		3.50	<0.005
125286		3.06	<0.005
125287		1.58	<0.005
125288		3.00	<0.005
125289		1.34	<0.005
125290		1.30	<0.005
125291		2.52	<0.005
125292		1.08	<0.005
125293		1.40	<0.005
125294		2.04	<0.005
125295		1.40	<0.005
125296		1.56	<0.005
125297		1.02	<0.005
125298		1.78	<0.005
125299		1.52	<0.005
125300		3.46	<0.005
125301		1.58	<0.005
125302		1.50	<0.005
125303		1.32	<0.005
125304		1.26	<0.005
125305		1.54	<0.005
125306		1.58	<0.005
125307		1.48	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125308		1.96	<0.005
125309		2.50	<0.005
125310		0.28	<0.005
125311		1.64	<0.005
125312		1.38	<0.005
125313		1.24	<0.005
125314		2.78	<0.005
125315		1.42	<0.005
125316		2.32	<0.005
125317		1.24	<0.005
125318		1.16	<0.005
125319		2.14	<0.005
125320		1.20	<0.005
125321		1.10	<0.005
125322		1.08	<0.005
125323		0.76	<0.005
125324		1.22	<0.005
125325		1.28	<0.005
125326		1.00	<0.005
125327		1.44	<0.005
125328		1.18	<0.005
125329		1.20	<0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2017
Account: GNKCOZ

CERTIFICATE OF ANALYSIS VO17137903

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.			
	Au-AA24	CRU-31	CRU-QC	LOG-22
	LOG-24	PUL-31	PUL-QC	SPL-21
	WEI-21			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 This copy reported on
 1-SEP-2017
 Account: GNKCQZ

CERTIFICATE VO17137909

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125330		0.10	1.545
125331		1.64	<0.005
125332		1.12	<0.005
125333		4.04	<0.005
125334		1.74	<0.005
125335		0.82	<0.005
125336		1.34	<0.005
125337		2.90	<0.005
125338		2.50	<0.005
125339		2.16	<0.005
125340		2.44	<0.005
125341		1.66	<0.005
125342		2.76	<0.005
125343		1.30	<0.005
125344		3.38	<0.005
125345		1.62	<0.005
125346		1.00	<0.005
125347		2.14	<0.005
125348		3.88	<0.005
125349		0.74	<0.005
125350		0.78	<0.005
125351		0.76	<0.005
125352		1.14	<0.005
125353		1.16	<0.005
125354		1.16	<0.005
125355		1.24	<0.005
125356		1.12	<0.005
125357		1.48	<0.005
125358		1.48	<0.005
125359		1.16	<0.005
125360		1.90	0.006
125361		2.36	0.007
125362		2.90	0.005
125363		1.72	<0.005
125364		0.98	<0.005
125365		2.82	<0.005
125366		2.34	0.084
125367		2.52	<0.005
125368		3.08	<0.005
125369		2.82	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125370		0.28	<0.005
125371		3.14	<0.005
125372		1.22	<0.005
125373		2.48	<0.005
125374		1.30	<0.005
125375		2.50	<0.005
125376		2.72	<0.005
125377		1.82	<0.005
125378		1.02	<0.005
125379		1.96	<0.005
125380		1.24	<0.005
125381		1.16	<0.005
125382		1.20	<0.005
125383		1.04	<0.005
125384		1.38	<0.005
125385		2.76	<0.005
125386		4.16	<0.005
125387		2.56	0.007
125388		1.54	<0.005
125389		1.12	<0.005
125390		0.10	1.265
125391		1.14	<0.005
125392		2.44	<0.005
125393		3.44	<0.005
125394		2.46	<0.005
125395		2.70	<0.005
125396		2.64	<0.005
125397		1.06	<0.005
125398		2.72	<0.005
125399		1.28	<0.005
125400		1.16	<0.005
125401		1.10	<0.005
125402		1.10	<0.005
125403		1.32	<0.005
125404		2.08	<0.005
125405		2.32	<0.005
125406		1.48	<0.005
125407		3.22	<0.005
125408		3.24	<0.005
125409		1.48	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125410		1.48	<0.005
125411		2.72	<0.005
125412		2.42	0.006
125413		2.82	0.071
125414		1.34	0.009
125415		3.92	<0.005
125416		1.44	<0.005
125417		1.16	<0.005
125418		2.20	<0.005
125419		2.92	<0.005
125420		1.94	<0.005
125421		3.32	<0.005
125422		2.70	<0.005
125423		0.88	<0.005
125424		1.80	<0.005
125425		1.02	<0.005
125426		1.32	<0.005
125427		2.86	<0.005
125428		1.36	<0.005
125429		1.28	<0.005
125430		0.26	<0.005
125431		2.32	<0.005
125432		1.32	<0.005
125433		1.14	<0.005
125434		2.74	<0.005
125435		1.92	<0.005
125436		2.70	<0.005
125437		1.28	<0.005
125438		1.18	<0.005
125439		1.40	<0.005
125440		3.50	<0.005
125441		1.22	<0.005
125442		3.30	<0.005
125443		1.12	<0.005
125444		0.52	<0.005
125445		1.02	<0.005
125446		2.32	<0.005
125447		2.56	<0.005
125448		2.38	<0.005
125449		0.76	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg 0.02	Au-AA24 Au ppm 0.005
125450		0.80	<0.005
125451		2.08	<0.005
125452		1.10	0.005
125453		0.92	<0.005
125454		3.54	<0.005
125455		2.60	<0.005
125456		2.42	<0.005
125457		1.10	<0.005
125458		2.84	<0.005
125459		1.50	<0.005
125460		2.86	<0.005
125461		1.36	0.007
125462		1.30	0.012
125463		1.36	0.012
125464		2.36	<0.005
125465		2.20	<0.005
125466		1.98	<0.005
125467		2.22	<0.005
125468		3.30	<0.005
125469		2.44	<0.005
125470		0.30	<0.005
125471		0.96	<0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2017
Account: GNKCOZ

CERTIFICATE OF ANALYSIS VO17137909

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.			
	Au-AA24	CRU-31	CRU-QC	LOG-22
	LOG-24	PUL-31	PUL-QC	SPL-21
	WEI-21			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE VO17159601

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	0.01	10	1	
125188		<0.2	1.66	3	<10	50	<0.5	<2	2.59	<0.5	14	10	31	2.12	<10	<1
125189		<0.2	1.96	<2	<10	40	<0.5	<2	2.68	<0.5	33	33	43	3.90	<10	<1
125190		<0.2	1.92	<2	<10	40	<0.5	<2	2.22	<0.5	36	33	65	4.67	<10	<1
125191		<0.2	2.19	2	<10	30	<0.5	<2	2.93	<0.5	92	136	94	3.99	<10	<1
125192		<0.2	2.30	<2	<10	20	<0.5	<2	3.30	<0.5	83	150	73	3.35	<10	1
125193		<0.2	2.43	<2	<10	20	<0.5	<2	2.81	<0.5	93	170	66	3.88	<10	<1
125194		<0.2	2.41	2	<10	10	<0.5	<2	2.25	<0.5	97	192	94	4.46	<10	<1
125195		<0.2	2.47	2	<10	30	<0.5	<2	2.14	<0.5	104	170	61	3.90	<10	<1
125196		<0.2	2.72	<2	<10	10	<0.5	2	2.32	<0.5	102	185	100	5.27	<10	<1
125197		<0.2	2.58	5	<10	10	<0.5	<2	2.33	<0.5	102	165	118	6.07	10	<1
125198		<0.2	2.52	4	<10	10	<0.5	<2	2.88	<0.5	92	155	148	6.99	10	<1
125199		<0.2	2.45	2	<10	20	<0.5	<2	3.30	<0.5	88	155	81	4.40	<10	1
125200		<0.2	2.53	7	<10	20	<0.5	<2	2.01	<0.5	93	161	104	5.30	<10	<1
125201		<0.2	2.61	7	<10	20	<0.5	<2	2.68	<0.5	103	158	108	5.52	<10	<1
125202		<0.2	2.47	13	<10	20	<0.5	<2	3.19	<0.5	103	153	112	5.42	<10	<1
125203		<0.2	2.81	8	<10	20	<0.5	<2	2.02	<0.5	107	170	129	5.86	10	<1
125204		<0.2	2.33	2	<10	20	<0.5	2	3.28	<0.5	98	191	80	3.88	<10	<1
125205		<0.2	1.72	13	<10	40	<0.5	2	5.59	<0.5	60	89	35	2.14	<10	1
125206		<0.2	2.40	7	<10	30	<0.5	<2	2.25	<0.5	96	177	98	4.83	<10	<1
125207		<0.2	2.40	11	<10	40	<0.5	<2	2.23	<0.5	106	171	92	4.94	<10	<1
125208		<0.2	2.60	17	<10	30	<0.5	<2	1.64	<0.5	116	175	128	6.24	10	<1
125209		<0.2	2.56	11	<10	40	<0.5	<2	1.69	<0.5	111	174	104	5.62	<10	<1
125210		38.9	1.72	50	<10	140	<0.5	<2	0.99	13.2	10	19	107	3.75	<10	1
125211		<0.2	2.03	11	<10	20	<0.5	<2	2.36	<0.5	108	173	97	4.41	<10	<1
125212		<0.2	2.54	4	<10	30	<0.5	<2	2.07	<0.5	104	167	116	5.09	<10	1
125213		<0.2	2.14	4	<10	40	<0.5	<2	2.09	<0.5	84	148	77	3.74	<10	<1
125214		<0.2	2.92	<2	<10	40	<0.5	<2	1.93	<0.5	88	173	108	5.81	10	<1
125215		<0.2	1.84	10	<10	20	<0.5	<2	3.47	<0.5	88	170	71	3.80	<10	<1
125216		<0.2	2.87	4	<10	60	<0.5	<2	2.19	<0.5	85	154	101	6.40	10	1
125217		<0.2	3.27	6	<10	20	<0.5	<2	2.02	<0.5	76	177	91	6.01	10	1
125218		<0.2	2.72	6	<10	10	<0.5	<2	3.04	<0.5	82	177	85	4.66	<10	<1
125219		<0.2	2.63	6	<10	30	<0.5	<2	3.02	<0.5	90	171	96	4.98	<10	<1
125220		<0.2	2.80	2	<10	30	<0.5	<2	2.97	<0.5	81	175	86	5.18	<10	<1
125221		<0.2	3.14	2	<10	10	<0.5	<2	3.27	<0.5	63	182	77	5.21	<10	<1
125222		<0.2	2.98	4	<10	40	<0.5	<2	3.11	<0.5	80	176	90	5.11	<10	<1
125223		<0.2	3.35	2	<10	40	<0.5	<2	3.57	<0.5	74	173	94	5.56	<10	<1
125224		<0.2	3.28	2	<10	20	<0.5	<2	2.23	<0.5	72	176	107	4.92	<10	<1
125225		<0.2	4.09	2	<10	60	<0.5	<2	2.61	<0.5	71	188	94	5.89	10	<1
125226		<0.2	3.57	<2	<10	80	<0.5	<2	2.75	<0.5	77	173	69	5.06	10	<1
125227		<0.2	2.99	2	<10	90	<0.5	<2	4.50	<0.5	89	149	90	4.71	<10	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125188		0.23	<10	0.78	569	1	0.04	24	470	<2	0.40	<2	2	43	<20	0.15
125189		0.25	<10	1.19	625	1	0.01	67	390	2	1.42	<2	3	31	<20	0.16
125190		0.24	<10	1.21	579	1	0.01	74	390	3	1.90	<2	3	29	<20	0.16
125191		0.16	<10	1.60	827	<1	0.04	192	480	<2	1.17	<2	4	29	<20	0.25
125192		0.09	<10	1.80	921	<1	0.04	188	530	<2	0.50	<2	3	34	<20	0.22
125193		0.09	<10	1.93	846	<1	0.04	204	540	<2	0.70	<2	4	30	<20	0.26
125194		0.04	<10	1.96	698	<1	0.04	198	510	2	1.01	<2	5	24	<20	0.29
125195		0.13	<10	2.04	696	<1	0.04	210	680	<2	0.73	2	4	27	<20	0.27
125196		0.07	<10	2.31	757	<1	0.04	187	610	2	1.42	<2	5	32	<20	0.27
125197		0.07	<10	2.26	713	<1	0.04	184	630	3	2.25	<2	4	32	<20	0.24
125198		0.03	<10	2.12	718	<1	0.03	176	400	2	2.81	<2	5	35	<20	0.26
125199		0.08	<10	2.16	756	<1	0.04	164	710	<2	1.17	<2	4	32	<20	0.25
125200		0.10	<10	2.23	644	1	0.04	194	580	2	1.87	<2	4	25	<20	0.23
125201		0.10	<10	2.31	764	<1	0.03	186	660	3	2.11	<2	4	32	<20	0.24
125202		0.09	<10	2.13	793	<1	0.03	193	640	3	2.16	<2	4	34	<20	0.24
125203		0.08	<10	2.40	734	<1	0.04	203	630	2	1.94	<2	5	30	<20	0.30
125204		0.06	<10	1.98	734	<1	0.04	196	810	<2	0.85	<2	7	34	<20	0.34
125205		0.15	<10	1.16	773	<1	0.02	129	470	<2	0.32	<2	5	48	<20	0.21
125206		0.08	<10	2.04	664	<1	0.04	197	630	2	1.50	<2	5	26	<20	0.28
125207		0.10	<10	1.99	658	1	0.04	203	600	3	1.68	<2	5	28	<20	0.26
125208		0.09	<10	2.25	660	1	0.03	208	570	5	2.54	<2	5	23	<20	0.24
125209		0.09	<10	2.21	671	<1	0.03	204	560	2	2.05	<2	4	23	<20	0.23
125210		0.22	10	0.77	973	5	0.19	15	530	6400	0.22	34	3	82	<20	0.14
125211		0.06	<10	1.66	619	1	0.04	205	530	7	1.58	<2	4	25	<20	0.23
125212		0.06	<10	2.10	760	<1	0.03	184	570	2	1.25	<2	5	27	<20	0.24
125213		0.07	<10	1.66	723	<1	0.03	171	610	<2	0.65	<2	4	30	<20	0.21
125214		0.07	<10	2.47	906	<1	0.02	177	620	<2	1.27	<2	4	24	<20	0.22
125215		0.03	<10	1.58	789	<1	0.04	182	580	<2	1.10	<2	4	30	<20	0.19
125216		0.09	<10	2.57	817	<1	0.02	186	530	<2	1.95	<2	4	21	<20	0.20
125217		0.03	<10	3.00	870	<1	0.01	155	570	2	1.45	<2	4	21	<20	0.19
125218		0.02	<10	2.46	857	<1	0.02	164	580	<2	0.93	<2	3	25	<20	0.20
125219		0.03	<10	2.30	827	<1	0.02	177	520	<2	1.23	<2	4	27	<20	0.21
125220		0.04	<10	2.46	827	<1	0.02	184	530	<2	1.14	<2	3	25	<20	0.21
125221		0.01	<10	2.83	934	<1	0.01	144	530	<2	0.81	<2	3	23	<20	0.18
125222		0.04	<10	2.63	880	<1	0.02	182	550	<2	0.92	<2	4	23	<20	0.21
125223		0.04	<10	2.90	1000	<1	0.01	160	560	2	0.93	<2	4	27	<20	0.20
125224		0.02	<10	2.90	883	<1	0.01	164	560	2	0.55	<2	4	25	<20	0.20
125225		0.07	<10	3.66	960	<1	0.01	159	600	<2	0.37	<2	5	32	<20	0.23
125226		0.09	<10	3.11	855	<1	0.01	173	640	<2	0.26	<2	5	33	<20	0.25
125227		0.13	<10	2.42	895	<1	0.02	194	630	2	0.51	<2	4	33	<20	0.27



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125188		<10	<10	15	<10	74
125189		<10	<10	25	<10	181
125190		<10	<10	25	<10	211
125191		<10	<10	51	<10	150
125192		<10	<10	48	<10	139
125193		<10	<10	61	<10	192
125194		<10	<10	78	<10	209
125195		<10	<10	64	<10	201
125196		<10	<10	77	<10	409
125197		<10	<10	74	<10	258
125198		<10	<10	74	<10	327
125199		<10	<10	72	<10	208
125200		<10	<10	65	<10	279
125201		<10	<10	68	<10	305
125202		<10	<10	68	<10	210
125203		<10	<10	86	<10	218
125204		<10	<10	88	<10	177
125205		<10	<10	54	<10	113
125206		<10	<10	83	<10	171
125207		<10	<10	75	<10	175
125208		<10	<10	80	<10	217
125209		<10	<10	79	<10	204
125210		<10	<10	90	<10	1460
125211		<10	<10	76	<10	150
125212		<10	<10	78	<10	283
125213		<10	<10	61	<10	181
125214		<10	<10	77	<10	245
125215		<10	<10	73	<10	145
125216		<10	<10	66	<10	215
125217		<10	<10	74	<10	287
125218		<10	<10	75	<10	114
125219		<10	<10	69	<10	101
125220		<10	<10	66	<10	113
125221		<10	<10	75	<10	96
125222		<10	<10	74	<10	97
125223		<10	<10	74	<10	128
125224		<10	<10	69	<10	123
125225		<10	<10	89	<10	195
125226		<10	<10	79	<10	150
125227		<10	<10	67	<10	151

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125228		<0.2	2.73	4	<10	70	<0.5	<2	4.98	<0.5	89	137	92	4.61	<10	<1
125229		<0.2	3.01	9	<10	70	<0.5	<2	5.06	<0.5	76	147	83	4.66	<10	<1
125230		<0.2	2.99	2	<10	60	<0.5	<2	5.10	<0.5	70	143	86	4.67	<10	<1
125231		<0.2	2.07	13	<10	50	<0.5	<2	7.6	<0.5	65	92	77	3.70	<10	1
125232		<0.2	1.35	29	<10	30	<0.5	<2	5.57	<0.5	82	66	86	2.67	<10	1
125233		<0.2	1.46	30	<10	20	<0.5	<2	7.4	<0.5	93	67	82	3.09	<10	<1
125234		<0.2	1.43	5	<10	20	<0.5	<2	5.60	<0.5	98	70	88	3.05	<10	1
125235		<0.2	1.51	5	<10	20	<0.5	<2	4.52	<0.5	108	74	93	3.01	<10	<1
125236		<0.2	1.92	2	<10	20	<0.5	<2	4.38	<0.5	105	110	79	3.36	<10	<1
125237		<0.2	2.26	<2	<10	50	<0.5	<2	3.07	<0.5	87	177	154	4.49	<10	<1
125238		<0.2	1.77	<2	<10	80	<0.5	<2	6.23	<0.5	55	115	107	3.14	<10	<1
125239		<0.2	3.71	3	<10	40	<0.5	<2	3.75	<0.5	72	229	102	6.72	10	<1
125240		<0.2	2.51	31	<10	80	<0.5	<2	2.92	1.4	146	149	105	4.38	<10	<1
125241		<0.2	2.17	38	<10	80	<0.5	<2	2.61	3.3	117	105	83	3.77	<10	2
125242		<0.2	2.72	<2	<10	50	<0.5	<2	1.64	<0.5	23	71	40	3.78	10	<1
125243		<0.2	2.39	<2	<10	10	<0.5	<2	2.23	<0.5	22	65	46	3.01	10	<1
125244		0.2	2.28	3	<10	50	<0.5	<2	1.20	<0.5	27	52	107	3.43	10	<1
125245		<0.2	2.39	<2	<10	20	<0.5	<2	1.02	<0.5	21	66	49	3.05	<10	<1
125246		<0.2	1.76	11	<10	40	<0.5	<2	1.50	0.5	20	33	30	2.29	<10	<1
125247		<0.2	2.34	8	<10	40	<0.5	<2	1.07	<0.5	19	49	34	3.09	<10	<1
125248		<0.2	1.91	3	<10	30	<0.5	<2	1.76	<0.5	18	49	42	2.70	<10	<1
125249		<0.2	2.12	<2	<10	20	<0.5	<2	1.30	<0.5	21	65	54	3.31	10	<1
125250		<0.2	0.04	<2	10	20	<0.5	2	19.5	<0.5	<1	1	1	0.17	<10	1
125251		<0.2	2.14	2	<10	40	<0.5	<2	1.36	1.2	20	40	31	2.96	<10	<1
125252		<0.2	2.23	5	<10	50	<0.5	<2	0.94	<0.5	26	36	62	3.38	<10	<1
125253		<0.2	1.92	2	<10	40	<0.5	<2	2.04	<0.5	20	38	31	3.02	<10	<1
125254		<0.2	2.08	5	<10	50	<0.5	<2	1.68	<0.5	17	35	37	2.63	<10	<1
125255		<0.2	2.13	8	<10	20	<0.5	<2	2.06	<0.5	16	55	31	2.83	<10	<1
125256		<0.2	2.47	9	<10	10	<0.5	<2	2.66	<0.5	20	63	37	3.59	10	<1
125257		<0.2	1.97	7	<10	30	<0.5	<2	1.46	<0.5	17	38	42	2.59	<10	<1
125258		<0.2	2.45	5	<10	40	<0.5	<2	1.65	<0.5	20	45	42	3.28	<10	<1
125259		<0.2	2.47	9	<10	40	<0.5	<2	3.04	<0.5	19	50	48	3.22	10	<1
125260		<0.2	1.98	2	<10	40	<0.5	<2	3.98	<0.5	14	53	45	2.45	10	<1
125261		<0.2	2.55	3	<10	30	<0.5	<2	3.75	<0.5	28	79	45	3.72	10	1
125262		<0.2	1.75	4	<10	40	<0.5	<2	5.11	<0.5	10	37	3	3.07	10	<1
125263		0.4	1.47	106	<10	30	<0.5	<2	3.26	1.7	99	23	69	12.90	<10	1
125264		<0.2	3.05	80	<10	40	<0.5	<2	3.24	0.6	116	107	140	10.30	10	1
125265		<0.2	2.13	30	<10	40	<0.5	<2	4.55	<0.5	51	14	133	3.42	10	1
125266		<0.2	1.94	<2	<10	40	<0.5	<2	3.75	<0.5	11	8	33	2.48	10	1
125267		<0.2	1.94	2	<10	40	<0.5	<2	3.06	<0.5	11	8	32	2.54	10	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
Units		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125228		0.13	<10	2.04	921	<1	0.02	192	570	<2	0.52	<2	4	35	<20	0.24
125229		0.15	<10	2.18	1000	<1	0.01	167	780	<2	0.20	<2	5	40	<20	0.27
125230		0.13	<10	2.18	1000	<1	0.01	164	800	3	0.22	<2	4	39	<20	0.28
125231		0.18	<10	1.01	875	<1	0.01	154	480	<2	0.28	<2	4	41	<20	0.17
125232		0.21	<10	0.43	563	<1	0.01	192	670	<2	0.41	<2	3	30	<20	0.05
125233		0.18	<10	0.52	676	<1	0.02	189	660	<2	0.47	<2	3	34	<20	0.07
125234		0.18	<10	0.51	630	<1	0.02	222	580	<2	0.62	<2	3	30	<20	0.10
125235		0.20	<10	0.56	681	1	0.03	233	610	<2	0.59	<2	3	27	<20	0.16
125236		0.17	<10	0.99	765	<1	0.03	229	630	<2	0.47	<2	3	27	<20	0.17
125237		0.15	<10	1.23	869	<1	0.06	208	350	<2	0.77	<2	5	28	<20	0.22
125238		0.25	<10	0.83	1200	<1	0.04	114	220	<2	0.48	<2	5	38	<20	0.11
125239		0.11	<10	2.33	1370	2	0.03	161	270	<2	0.36	<2	5	33	<20	0.23
125240		0.18	<10	1.54	863	<1	0.05	223	480	<2	0.71	<2	5	31	<20	0.25
125241		0.18	<10	1.42	744	1	0.05	202	520	2	1.04	<2	4	28	<20	0.21
125242		0.12	<10	2.07	688	2	0.04	74	480	3	0.24	<2	2	22	<20	0.18
125243		0.03	<10	1.96	523	<1	0.03	69	380	3	0.17	<2	2	28	<20	0.17
125244		0.09	<10	1.81	455	1	0.03	82	410	2	0.53	<2	2	27	<20	0.14
125245		0.04	<10	2.00	481	<1	0.03	71	440	<2	0.15	<2	2	22	<20	0.16
125246		0.19	<10	1.07	393	4	0.04	44	350	<2	0.11	<2	2	30	<20	0.10
125247		0.17	<10	1.66	376	<1	0.03	54	550	<2	0.05	<2	2	26	<20	0.14
125248		0.16	<10	1.23	552	<1	0.05	53	430	3	0.17	<2	1	28	<20	0.13
125249		0.10	<10	1.45	536	1	0.06	65	500	2	0.25	<2	2	24	<20	0.14
125250		0.02	<10	11.40	370	<1	0.17	<1	80	2	0.05	<2	<1	129	<20	<0.01
125251		0.21	<10	1.38	463	1	0.04	50	450	2	0.19	<2	2	30	<20	0.12
125252		0.25	<10	1.39	408	1	0.03	55	530	3	0.41	<2	2	28	<20	0.11
125253		0.20	<10	1.17	490	1	0.03	51	390	2	0.38	<2	2	29	<20	0.11
125254		0.25	<10	1.22	414	1	0.03	41	430	2	0.13	<2	2	30	<20	0.13
125255		0.11	<10	1.42	562	<1	0.04	51	410	<2	0.03	<2	2	34	<20	0.14
125256		0.06	<10	1.74	746	<1	0.05	69	420	<2	0.07	<2	2	35	<20	0.14
125257		0.18	<10	1.19	369	1	0.04	42	420	<2	0.12	<2	2	31	<20	0.13
125258		0.18	<10	1.56	444	1	0.03	49	460	2	0.13	<2	2	33	<20	0.13
125259		0.17	10	1.63	605	<1	0.04	61	490	2	0.01	<2	3	40	<20	0.01
125260		0.19	10	1.16	662	<1	0.05	48	420	2	0.06	<2	4	50	<20	0.01
125261		0.13	10	1.66	801	2	0.04	77	430	<2	0.07	<2	4	45	<20	0.03
125262		0.10	10	0.72	553	<1	0.21	29	560	<2	0.34	<2	5	61	<20	<0.01
125263		0.08	10	0.51	431	3	0.14	98	280	18	>10.0	<2	5	41	<20	<0.01
125264		0.11	10	0.99	657	4	0.17	217	700	12	5.60	<2	13	47	<20	0.01
125265		0.12	20	0.60	980	1	0.20	51	1680	2	0.05	<2	10	68	<20	0.04
125266		0.30	20	0.89	504	<1	0.04	20	510	3	0.06	<2	2	66	<20	0.08
125267		0.25	20	0.96	469	1	0.04	20	500	3	0.04	<2	2	48	<20	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125228		<10	<10	59	<10	149
125229		<10	<10	65	<10	139
125230		<10	<10	66	<10	136
125231		<10	<10	44	<10	135
125232		<10	<10	30	<10	304
125233		<10	<10	32	<10	372
125234		<10	<10	31	<10	322
125235		<10	<10	36	<10	259
125236		<10	<10	46	<10	213
125237		<10	<10	70	<10	151
125238		<10	<10	62	<10	86
125239		<10	<10	128	<10	239
125240		<10	<10	71	<10	2550
125241		<10	<10	54	<10	7510
125242		<10	<10	44	<10	421
125243		<10	<10	34	<10	113
125244		<10	<10	28	<10	136
125245		<10	<10	35	<10	102
125246		<10	<10	21	<10	145
125247		<10	<10	28	<10	110
125248		<10	<10	25	<10	82
125249		<10	<10	38	<10	102
125250		<10	<10	2	<10	37
125251		<10	<10	28	<10	295
125252		<10	<10	28	<10	147
125253		<10	<10	24	<10	127
125254		<10	<10	25	<10	108
125255		<10	<10	33	<10	79
125256		<10	<10	39	<10	86
125257		<10	<10	23	<10	84
125258		<10	<10	27	<10	116
125259		<10	<10	28	<10	88
125260		<10	<10	31	<10	63
125261		<10	<10	47	<10	114
125262		<10	<10	25	<10	125
125263		<10	<10	25	<10	571
125264		<10	<10	82	<10	432
125265		<10	<10	69	<10	105
125266		<10	<10	16	<10	56
125267		<10	<10	17	<10	60



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg
Units		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
LOR		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125268		<0.2	1.92	<2	<10	40	<0.5	<2	1.55	<0.5	12	11	33	2.04	10	<1
125269		<0.2	1.15	3	<10	50	<0.5	<2	2.54	<0.5	7	7	30	0.96	<10	<1
125270		39.2	1.75	48	<10	140	<0.5	<2	1.00	13.2	9	19	107	3.76	<10	<1
125271		<0.2	1.84	<2	<10	60	<0.5	<2	1.66	<0.5	9	10	29	1.97	<10	<1
125272		<0.2	1.84	<2	<10	30	<0.5	<2	2.22	<0.5	11	12	33	2.25	<10	<1
125273		<0.2	3.53	50	<10	30	<0.5	<2	5.48	<0.5	81	153	108	6.80	10	<1
125274		<0.2	2.64	14	<10	30	<0.5	<2	5.94	<0.5	43	83	59	4.48	10	<1
125275		<0.2	2.60	2	<10	10	<0.5	<2	5.86	<0.5	25	66	47	3.97	10	1
125276		<0.2	2.18	<2	<10	30	<0.5	<2	2.26	<0.5	14	11	20	2.96	10	<1
125277		<0.2	1.10	2	<10	30	<0.5	<2	2.83	<0.5	8	8	36	1.36	<10	<1
125278		<0.2	1.10	2	<10	40	<0.5	<2	3.07	<0.5	7	8	21	1.37	<10	<1
125279		<0.2	1.48	17	<10	40	<0.5	<2	2.29	<0.5	17	7	31	1.82	<10	<1
125280		<0.2	1.41	14	<10	50	<0.5	<2	2.52	<0.5	15	8	63	1.65	<10	<1
125281		<0.2	1.40	27	<10	50	<0.5	<2	2.46	<0.5	20	8	35	1.53	<10	<1
125282		<0.2	1.52	2	<10	40	<0.5	<2	3.04	<0.5	9	7	21	1.74	<10	<1
125283		<0.2	1.26	3	<10	40	<0.5	<2	3.07	<0.5	8	7	24	1.45	<10	<1
125284		<0.2	1.58	<2	<10	40	<0.5	<2	3.21	<0.5	11	7	27	1.89	<10	<1
125285		<0.2	1.04	7	<10	40	<0.5	<2	2.59	<0.5	10	11	31	1.38	<10	<1
125286		<0.2	1.65	11	<10	40	<0.5	<2	2.46	<0.5	11	10	35	2.25	10	<1
125287		<0.2	0.71	8	<10	40	<0.5	<2	3.96	<0.5	6	5	37	0.74	<10	<1
125288		<0.2	2.11	10	<10	30	<0.5	<2	2.62	<0.5	13	11	23	2.76	10	<1
125289		<0.2	1.08	10	<10	40	<0.5	<2	6.02	<0.5	9	5	24	1.28	<10	<1
125290		<0.2	0.76	10	<10	40	<0.5	<2	5.43	<0.5	6	4	22	0.84	<10	<1
125291		<0.2	1.37	7	<10	40	<0.5	<2	3.37	<0.5	9	7	34	1.85	<10	<1
125292		<0.2	1.84	9	<10	30	<0.5	<2	4.15	<0.5	13	11	28	2.69	10	<1
125293		<0.2	1.12	7	<10	40	<0.5	<2	1.99	<0.5	8	8	23	1.39	<10	<1
125294		<0.2	0.64	<2	<10	50	<0.5	<2	4.34	<0.5	5	6	37	0.74	<10	<1
125295		<0.2	1.35	4	<10	40	<0.5	<2	3.15	<0.5	9	8	31	1.74	<10	<1
125296		<0.2	1.51	10	<10	50	<0.5	<2	2.85	<0.5	11	6	24	1.83	<10	<1
125297		<0.2	1.43	7	<10	60	<0.5	<2	3.13	<0.5	10	6	32	1.63	<10	<1
125298		<0.2	1.35	7	<10	50	<0.5	<2	3.48	<0.5	10	8	36	1.62	<10	<1
125299		<0.2	2.21	21	<10	30	<0.5	<2	3.92	<0.5	20	10	23	3.03	10	<1
125300		<0.2	1.25	11	<10	30	<0.5	<2	5.51	<0.5	10	6	23	1.65	<10	<1
125301		<0.2	2.64	<2	<10	40	<0.5	<2	2.72	<0.5	22	56	53	3.35	10	<1
125302		<0.2	2.51	<2	<10	20	<0.5	<2	2.97	<0.5	18	78	52	3.50	10	<1
125303		<0.2	3.27	<2	<10	30	<0.5	<2	1.91	<0.5	24	70	49	4.33	10	<1
125304		<0.2	1.57	<2	<10	30	<0.5	<2	4.25	<0.5	12	43	38	1.92	10	<1
125305		<0.2	1.94	<2	<10	30	<0.5	<2	3.03	<0.5	16	53	47	2.40	10	<1
125306		<0.2	1.05	<2	<10	20	<0.5	<2	3.86	<0.5	9	40	28	1.39	<10	<1
125307		<0.2	2.87	<2	<10	20	<0.5	<2	2.92	<0.5	20	72	39	3.77	10	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
Units		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125268		0.15	10	1.12	442	<1	0.07	21	500	2	0.01	<2	2	32	<20	0.13
125269		0.18	10	0.45	423	<1	0.07	12	470	2	0.01	<2	2	37	<20	0.14
125270		0.22	10	0.76	976	5	0.20	15	530	6400	0.22	34	3	84	<20	0.14
125271		0.19	10	0.92	467	1	0.08	20	480	9	0.06	<2	2	32	<20	0.15
125272		0.11	10	1.04	571	1	0.06	21	480	2	0.07	<2	2	33	<20	0.14
125273		0.14	<10	1.80	1590	1	0.01	193	320	5	0.37	<2	8	74	<20	0.07
125274		0.10	20	1.66	1190	1	0.02	95	800	6	0.31	<2	7	84	<20	0.03
125275		0.04	30	1.94	958	1	0.03	53	1110	13	0.20	<2	8	87	<20	0.01
125276		0.16	10	1.42	518	1	0.02	26	570	3	0.01	<2	2	32	<20	0.05
125277		0.14	10	0.60	453	1	0.03	14	480	2	0.01	<2	2	42	<20	0.06
125278		0.13	30	0.59	549	<1	0.04	15	490	5	0.01	<2	2	39	<20	0.07
125279		0.15	20	0.96	364	1	0.03	28	500	3	0.01	<2	1	36	<20	0.04
125280		0.16	20	0.92	325	<1	0.05	26	380	9	0.07	<2	1	39	<20	0.05
125281		0.16	20	0.92	285	<1	0.06	26	490	3	0.03	<2	1	41	<20	0.05
125282		0.18	20	1.03	324	<1	0.04	17	530	4	0.02	<2	1	48	<20	0.05
125283		0.18	20	0.82	278	1	0.02	14	430	9	0.02	<2	1	41	<20	0.06
125284		0.18	10	1.10	296	1	0.02	19	490	4	0.01	<2	1	41	<20	0.07
125285		0.11	10	0.64	406	1	0.05	20	500	16	0.07	<2	2	35	<20	0.10
125286		0.14	20	1.11	529	<1	0.03	23	530	7	0.02	<2	1	34	<20	0.09
125287		0.16	20	0.34	548	<1	0.04	10	490	5	0.02	<2	1	54	<20	0.09
125288		0.13	20	1.58	634	<1	0.03	26	580	<2	0.01	<2	2	37	<20	0.08
125289		0.18	10	0.62	704	<1	0.02	16	490	3	0.02	<2	1	89	<20	0.06
125290		0.17	10	0.38	602	<1	0.02	10	460	3	0.01	<2	1	80	<20	0.06
125291		0.18	20	0.77	575	2	0.03	16	500	3	0.05	<2	1	49	<20	0.07
125292		0.11	20	1.22	915	1	0.03	22	510	2	0.01	<2	2	59	<20	0.10
125293		0.14	10	0.62	402	<1	0.05	16	530	2	0.03	<2	3	33	<20	0.12
125294		0.17	10	0.24	503	<1	0.05	10	500	9	0.11	<2	2	56	<20	0.11
125295		0.16	10	0.87	425	1	0.03	17	490	4	0.03	<2	2	40	<20	0.10
125296		0.20	20	1.04	370	1	0.02	19	530	3	0.01	<2	1	34	<20	0.10
125297		0.24	10	0.92	413	1	0.02	18	540	2	0.01	<2	1	39	<20	0.09
125298		0.18	20	0.87	515	<1	0.03	17	530	4	0.01	<2	2	44	<20	0.11
125299		0.16	20	1.40	528	<1	0.02	34	660	3	0.01	<2	2	47	<20	0.08
125300		0.15	10	0.69	518	1	0.02	16	520	2	0.02	<2	1	58	<20	0.05
125301		0.17	10	1.85	611	<1	0.04	73	600	<2	0.01	<2	3	41	<20	<0.01
125302		0.09	10	1.80	592	1	0.04	59	540	<2	0.06	<2	5	39	<20	<0.01
125303		0.13	10	2.38	542	1	0.04	80	630	<2	0.03	<2	3	31	<20	<0.01
125304		0.14	10	1.04	718	1	0.04	38	470	3	0.04	<2	3	50	<20	<0.01
125305		0.13	10	1.35	547	1	0.05	50	510	<2	0.08	<2	3	37	<20	<0.01
125306		0.11	10	0.61	501	1	0.05	23	390	2	0.18	<2	2	45	<20	<0.01
125307		0.10	10	2.10	649	<1	0.05	68	530	<2	0.02	<2	4	39	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125268		<10	<10	19	<10	57
125269		<10	<10	13	<10	25
125270		<10	<10	90	<10	1460
125271		<10	<10	18	<10	53
125272		<10	<10	19	<10	56
125273		<10	<10	72	<10	139
125274		<10	<10	62	<10	85
125275		<10	<10	70	<10	86
125276		<10	<10	17	<10	81
125277		<10	<10	11	<10	38
125278		<10	<10	13	<10	50
125279		<10	<10	13	<10	47
125280		<10	<10	12	<10	59
125281		<10	<10	13	<10	44
125282		<10	<10	12	<10	47
125283		<10	<10	10	<10	69
125284		<10	<10	11	<10	49
125285		<10	<10	16	<10	57
125286		<10	<10	17	<10	73
125287		<10	<10	8	<10	24
125288		<10	<10	20	<10	100
125289		<10	<10	9	<10	43
125290		<10	<10	6	<10	26
125291		<10	<10	11	<10	46
125292		<10	<10	19	<10	63
125293		<10	<10	16	<10	46
125294		<10	<10	12	<10	24
125295		<10	<10	16	<10	70
125296		<10	<10	11	<10	71
125297		<10	<10	10	<10	66
125298		<10	<10	15	<10	71
125299		<10	<10	17	<10	86
125300		<10	<10	11	<10	50
125301		<10	<10	33	<10	106
125302		<10	<10	40	<10	126
125303		<10	<10	43	<10	179
125304		<10	<10	24	<10	66
125305		<10	<10	29	<10	80
125306		<10	<10	20	<10	40
125307		<10	<10	47	<10	137



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125308		<0.2	2.12	<2	<10	30	<0.5	<2	3.30	<0.5	17	58	44	2.77	10	<1
125309		<0.2	2.70	<2	<10	30	<0.5	<2	2.76	<0.5	18	62	45	3.43	10	<1
125310		<0.2	0.11	<2	10	20	<0.5	<2	19.8	<0.5	1	2	2	0.24	<10	<1
125311		<0.2	1.75	<2	<10	70	<0.5	<2	4.29	<0.5	17	39	26	2.96	10	<1
125312		<0.2	1.85	<2	<10	560	<0.5	<2	5.98	<0.5	19	43	55	3.36	10	<1
125313		<0.2	2.00	<2	<10	60	<0.5	<2	4.21	<0.5	19	50	43	3.54	10	<1
125314		<0.2	1.52	2	<10	40	<0.5	2	2.15	<0.5	12	8	29	1.74	<10	<1
125315		<0.2	1.56	2	<10	30	<0.5	<2	3.03	<0.5	13	9	32	1.83	<10	<1
125316		<0.2	1.53	3	<10	30	<0.5	<2	2.51	<0.5	12	8	28	1.76	<10	<1
125317		<0.2	1.77	11	<10	50	<0.5	2	2.25	<0.5	13	12	29	2.20	10	<1
125318		<0.2	1.29	8	<10	50	<0.5	<2	3.68	<0.5	10	10	37	1.61	<10	<1
125319		<0.2	1.76	12	<10	50	<0.5	<2	2.56	<0.5	14	11	38	2.30	10	<1
125320		<0.2	1.54	9	<10	30	<0.5	<2	2.77	<0.5	11	7	24	1.90	<10	<1
125321		<0.2	1.67	<2	<10	40	<0.5	<2	2.16	<0.5	12	8	35	2.12	<10	<1
125322		<0.2	1.43	<2	<10	50	<0.5	<2	5.05	<0.5	11	5	30	1.88	<10	<1
125323		<0.2	1.62	<2	<10	40	<0.5	<2	4.63	<0.5	12	6	31	2.16	<10	<1
125324		<0.2	1.67	5	<10	40	<0.5	<2	2.14	<0.5	14	7	34	2.09	<10	<1
125325		<0.2	1.58	2	<10	40	<0.5	<2	3.17	<0.5	11	6	42	2.01	<10	<1
125326		<0.2	1.62	4	<10	40	<0.5	<2	2.09	<0.5	13	7	35	2.01	<10	<1
125327		<0.2	1.53	2	<10	30	<0.5	<2	2.54	<0.5	11	6	30	1.95	<10	<1
125328		<0.2	1.34	2	<10	40	<0.5	<2	2.80	<0.5	10	5	35	1.76	<10	<1
125329		<0.2	1.51	<2	<10	40	<0.5	<2	2.82	<0.5	11	6	30	2.03	<10	<1

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
Units		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125308		0.12	10	1.47	601	<1	0.05	56	490	2	0.08	<2	3	43	<20	<0.01
125309		0.12	10	2.03	605	<1	0.04	63	560	2	0.06	<2	3	35	<20	<0.01
125310		0.03	<10	11.70	390	<1	0.17	1	90	<2	0.06	<2	<1	129	<20	<0.01
125311		0.15	10	1.54	528	<1	0.08	51	600	<2	0.02	<2	4	55	<20	<0.01
125312		0.09	20	1.39	779	<1	0.06	64	460	<2	0.17	<2	4	55	<20	<0.01
125313		0.12	10	1.46	612	<1	0.08	74	520	2	0.02	<2	5	41	<20	<0.01
125314		0.17	10	0.93	440	1	0.03	22	530	<2	0.01	<2	2	41	<20	0.11
125315		0.16	10	0.96	518	1	0.03	21	510	<2	0.01	<2	2	40	<20	0.11
125316		0.15	10	0.96	498	1	0.03	22	530	<2	0.01	<2	1	42	<20	0.11
125317		0.12	20	1.32	487	<1	0.04	23	560	3	0.01	<2	2	33	<20	0.13
125318		0.12	20	0.87	589	<1	0.04	18	520	7	0.02	<2	2	47	<20	0.12
125319		0.12	10	1.22	555	<1	0.05	24	540	5	0.02	<2	2	36	<20	0.13
125320		0.17	20	0.90	386	<1	0.03	22	570	2	<0.01	<2	1	32	<20	0.06
125321		0.18	10	0.97	417	1	0.04	22	540	<2	<0.01	<2	2	38	<20	0.10
125322		0.26	10	0.78	603	<1	0.01	21	510	3	0.03	<2	2	71	<20	0.08
125323		0.21	10	0.90	634	<1	0.02	23	540	3	0.04	<2	2	66	<20	0.11
125324		0.20	10	0.93	442	1	0.03	24	550	<2	<0.01	<2	2	39	<20	0.11
125325		0.24	10	0.87	511	1	0.02	22	520	<2	0.01	<2	2	48	<20	0.09
125326		0.21	10	0.92	419	<1	0.03	23	530	<2	<0.01	<2	2	38	<20	0.10
125327		0.20	10	0.85	384	<1	0.02	20	510	3	<0.01	<2	2	35	<20	0.10
125328		0.23	10	0.71	387	1	0.02	19	500	2	0.03	<2	2	34	<20	0.09
125329		0.26	10	0.79	394	1	0.02	22	550	2	0.06	<2	2	40	<20	0.09



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125308		<10	<10	34	<10	99
125309		<10	<10	37	<10	105
125310		<10	<10	3	<10	40
125311		<10	<10	27	<10	119
125312		<10	<10	30	<10	128
125313		<10	<10	33	<10	151
125314		<10	<10	13	<10	64
125315		<10	<10	14	<10	63
125316		<10	<10	13	<10	64
125317		<10	<10	20	<10	56
125318		<10	<10	17	<10	42
125319		<10	<10	21	<10	70
125320		<10	<10	12	<10	62
125321		<10	<10	15	<10	65
125322		<10	<10	8	<10	54
125323		<10	<10	12	<10	65
125324		<10	<10	13	<10	64
125325		<10	<10	10	<10	60
125326		<10	<10	12	<10	62
125327		<10	<10	12	<10	46
125328		<10	<10	9	<10	51
125329		<10	<10	11	<10	58

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-AUG-2017
Account: GNKCOZ

CERTIFICATE OF ANALYSIS VO17159601

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-ICP41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 This copy reported on
 11-AUG-2017
 Account: GNKCQZ

CERTIFICATE VO17159607

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	0.01	10	1	
125330		40.8	1.69	54	<10	140	<0.5	<2	0.94	14.0	9	20	113	3.76	<10	<1
125331		<0.2	1.71	6	<10	40	<0.5	<2	1.31	<0.5	12	9	35	2.09	<10	<1
125332		<0.2	1.67	4	<10	30	<0.5	2	2.11	<0.5	12	8	26	2.15	<10	<1
125333		<0.2	1.61	5	<10	30	<0.5	<2	1.58	<0.5	11	8	36	1.99	<10	<1
125334		<0.2	1.55	4	<10	20	<0.5	<2	2.99	<0.5	11	7	27	1.90	<10	<1
125335		<0.2	1.67	5	<10	30	<0.5	<2	1.53	<0.5	12	8	29	2.04	<10	<1
125336		<0.2	2.03	<2	<10	90	<0.5	<2	3.51	<0.5	14	27	106	3.32	10	<1
125337		<0.2	1.49	6	<10	70	<0.5	<2	1.92	<0.5	12	7	25	2.04	<10	<1
125338		<0.2	0.99	9	<10	100	<0.5	<2	1.66	<0.5	10	9	29	1.13	<10	<1
125339		<0.2	2.20	<2	<10	170	<0.5	<2	1.89	<0.5	14	25	30	3.15	10	<1
125340		<0.2	2.20	4	<10	140	<0.5	<2	1.67	<0.5	15	26	25	3.22	10	<1
125341		<0.2	1.33	10	<10	110	<0.5	<2	1.85	<0.5	10	7	9	1.50	<10	<1
125342		<0.2	1.52	10	<10	60	<0.5	<2	1.25	<0.5	12	10	28	1.87	<10	<1
125343		<0.2	1.65	13	<10	60	<0.5	<2	1.28	<0.5	15	10	54	2.07	<10	<1
125344		<0.2	1.79	11	<10	50	<0.5	<2	0.87	<0.5	14	11	35	2.28	<10	<1
125345		<0.2	1.02	12	<10	70	<0.5	<2	1.94	<0.5	13	8	32	1.19	<10	<1
125346		<0.2	1.66	14	<10	30	<0.5	<2	0.88	<0.5	14	9	43	1.79	<10	<1
125347		<0.2	1.73	14	<10	40	<0.5	<2	0.91	<0.5	14	9	31	1.88	<10	<1
125348		<0.2	1.82	11	<10	40	<0.5	<2	1.35	<0.5	15	9	35	2.03	<10	<1
125349		<0.2	1.71	9	<10	50	<0.5	<2	1.99	<0.5	13	8	51	2.00	<10	<1
125350		<0.2	1.60	10	<10	50	<0.5	2	2.07	<0.5	13	7	52	1.82	<10	<1
125351		<0.2	1.72	8	<10	40	<0.5	2	0.57	<0.5	15	9	52	2.02	<10	<1
125352		<0.2	1.60	3	<10	50	<0.5	<2	0.72	<0.5	13	8	40	1.83	<10	1
125353		<0.2	1.79	7	<10	50	<0.5	2	0.98	<0.5	14	8	19	1.88	<10	<1
125354		<0.2	1.51	10	<10	40	<0.5	<2	1.98	<0.5	12	7	32	1.60	<10	1
125355		<0.2	1.55	11	<10	30	<0.5	<2	0.91	<0.5	13	8	44	1.83	<10	<1
125356		<0.2	1.54	11	<10	30	<0.5	<2	1.10	<0.5	12	8	36	1.79	<10	1
125357		<0.2	1.36	2	<10	30	<0.5	2	2.26	<0.5	11	6	32	1.89	<10	1
125358		<0.2	1.35	<2	<10	30	<0.5	<2	2.60	<0.5	10	5	32	1.84	<10	<1
125359		<0.2	1.34	3	<10	30	<0.5	2	2.57	<0.5	11	6	29	1.82	<10	<1
125360		<0.2	2.23	6	<10	10	<0.5	<2	7.9	<0.5	59	126	90	3.87	10	<1
125361		<0.2	1.95	5	<10	20	<0.5	<2	6.38	<0.5	54	116	104	3.25	10	1
125362		<0.2	2.14	4	<10	20	<0.5	<2	6.29	<0.5	51	127	100	3.53	10	<1
125363		<0.2	2.00	2	<10	10	<0.5	2	9.0	<0.5	48	116	93	3.43	<10	1
125364		<0.2	2.27	2	<10	20	<0.5	<2	6.21	<0.5	54	142	65	3.88	10	<1
125365		<0.2	2.06	7	<10	10	<0.5	3	8.2	<0.5	52	120	73	3.67	10	<1
125366		<0.2	2.13	4	<10	10	<0.5	<2	8.6	<0.5	51	123	86	3.67	10	<1
125367		<0.2	2.05	5	<10	10	<0.5	<2	7.7	<0.5	50	124	118	3.51	10	<1
125368		<0.2	2.13	3	<10	10	<0.5	2	6.94	<0.5	51	129	91	3.59	10	1
125369		<0.2	2.26	5	<10	10	<0.5	<2	6.86	<0.5	53	128	107	3.86	10	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
Units		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125330		0.22	10	0.77	990	6	0.18	16	550	6640	0.23	37	3	73	<20	0.13
125331		0.18	10	1.00	416	1	0.04	22	530	7	0.01	<2	1	27	<20	0.10
125332		0.19	10	0.92	442	1	0.03	22	520	<2	0.01	<2	2	30	<20	0.06
125333		0.16	10	0.92	423	1	0.03	21	510	<2	0.01	<2	1	30	<20	0.09
125334		0.15	10	0.85	438	1	0.03	20	510	3	0.03	<2	2	37	<20	0.04
125335		0.15	10	0.96	405	1	0.03	21	520	<2	0.01	<2	1	31	<20	0.11
125336		0.28	40	1.17	548	<1	0.04	13	1100	6	0.37	<2	4	79	<20	0.05
125337		0.23	10	0.84	382	1	0.04	27	580	4	0.07	<2	1	39	<20	0.07
125338		0.25	10	0.41	292	<1	0.06	15	610	3	0.07	<2	2	39	<20	0.08
125339		1.30	30	1.32	602	1	0.07	14	1160	6	0.10	<2	3	86	<20	0.16
125340		1.04	30	1.36	613	<1	0.07	15	1190	5	0.13	<2	3	90	<20	0.15
125341		0.25	10	0.72	401	1	0.04	19	510	4	0.03	<2	2	40	<20	0.09
125342		0.14	10	1.02	454	1	0.06	22	520	<2	0.01	<2	2	31	<20	0.11
125343		0.16	10	1.17	502	1	0.05	26	510	<2	0.02	<2	2	27	<20	0.10
125344		0.13	10	1.30	506	1	0.06	26	530	2	0.01	<2	2	26	<20	0.11
125345		0.19	10	0.55	381	1	0.06	23	490	<2	0.08	<2	2	34	<20	0.10
125346		0.15	10	1.07	229	1	0.05	25	530	<2	0.02	<2	2	26	<20	0.13
125347		0.18	10	1.09	249	1	0.05	25	550	<2	0.02	<2	2	29	<20	0.12
125348		0.24	10	1.13	270	1	0.05	26	580	<2	0.02	<2	2	29	<20	0.13
125349		0.30	10	1.01	292	1	0.04	24	550	<2	0.02	<2	2	32	<20	0.10
125350		0.30	10	0.93	279	1	0.04	22	520	2	0.02	<2	2	31	<20	0.09
125351		0.14	10	1.13	312	1	0.06	26	570	<2	0.04	<2	1	23	<20	0.11
125352		0.18	10	0.98	289	1	0.04	24	530	<2	0.07	<2	2	26	<20	0.12
125353		0.21	10	1.07	316	1	0.03	26	560	<2	0.03	<2	2	31	<20	0.14
125354		0.18	10	0.84	336	1	0.03	21	480	<2	0.01	<2	1	34	<20	0.10
125355		0.12	10	0.99	288	1	0.02	25	530	2	0.01	<2	1	24	<20	0.11
125356		0.13	10	0.96	290	1	0.02	24	510	<2	0.01	<2	1	24	<20	0.11
125357		0.16	10	0.84	374	1	0.01	22	540	<2	0.01	<2	1	27	<20	0.08
125358		0.19	10	0.77	404	1	0.01	21	510	4	0.02	<2	1	31	<20	0.08
125359		0.14	10	0.81	414	1	0.01	20	500	<2	0.01	<2	1	34	<20	0.07
125360		0.04	<10	1.24	1110	<1	0.08	173	220	<2	0.34	<2	15	27	<20	<0.01
125361		0.04	<10	1.04	913	<1	0.10	156	180	<2	0.31	<2	14	25	<20	<0.01
125362		0.04	<10	1.16	937	<1	0.09	167	180	<2	0.26	<2	14	25	<20	<0.01
125363		0.04	<10	1.11	1155	<1	0.08	149	190	<2	0.23	<2	14	29	<20	<0.01
125364		0.04	<10	1.30	972	<1	0.08	171	240	<2	0.24	<2	14	23	<20	<0.01
125365		0.03	<10	1.20	1140	<1	0.07	165	180	<2	0.25	<2	14	26	<20	<0.01
125366		0.03	<10	1.17	1130	<1	0.08	160	170	<2	0.26	<2	15	28	<20	<0.01
125367		0.04	<10	1.10	1050	<1	0.09	157	170	<2	0.29	<2	14	26	<20	<0.01
125368		0.04	<10	1.15	1060	1	0.09	157	210	<2	0.31	<2	14	25	<20	<0.01
125369		0.03	<10	1.24	1060	<1	0.08	161	210	<2	0.32	<2	16	26	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125330		<10	<10	91	<10	1530
125331		<10	<10	13	<10	65
125332		<10	<10	12	<10	62
125333		<10	<10	13	<10	53
125334		<10	<10	13	<10	37
125335		<10	<10	13	<10	48
125336		<10	<10	30	<10	76
125337		<10	<10	12	<10	62
125338		<10	<10	14	<10	33
125339		<10	<10	45	<10	77
125340		<10	<10	42	<10	79
125341		<10	<10	12	<10	41
125342		<10	<10	17	<10	55
125343		<10	<10	18	<10	71
125344		<10	<10	19	<10	74
125345		<10	<10	14	<10	32
125346		<10	<10	13	<10	65
125347		<10	<10	14	<10	66
125348		<10	<10	14	<10	68
125349		<10	<10	12	<10	67
125350		<10	<10	11	<10	63
125351		<10	<10	15	<10	75
125352		<10	<10	14	<10	64
125353		<10	<10	14	<10	68
125354		<10	<10	12	<10	51
125355		<10	<10	12	<10	60
125356		<10	<10	12	<10	57
125357		<10	<10	9	<10	49
125358		<10	<10	9	<10	52
125359		<10	<10	9	<10	53
125360		<10	<10	88	<10	92
125361		<10	<10	80	<10	77
125362		<10	<10	85	<10	86
125363		<10	<10	78	<10	81
125364		<10	<10	88	<10	94
125365		<10	<10	82	<10	85
125366		<10	<10	89	<10	86
125367		<10	<10	86	<10	81
125368		<10	<10	87	<10	84
125369		<10	<10	95	<10	88

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	Hg
Units		ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
LOR		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125370		<0.2	0.04	<2	10	20	<0.5	2	19.4	<0.5	<1	5	3	0.21	<10	<1
125371		<0.2	2.64	4	<10	10	<0.5	2	6.07	<0.5	52	147	82	4.49	10	<1
125372		<0.2	2.30	6	<10	10	<0.5	2	7.8	<0.5	50	130	86	3.93	10	<1
125373		<0.2	2.22	6	<10	10	<0.5	2	6.15	<0.5	57	143	89	3.75	10	<1
125374		<0.2	1.91	8	<10	10	<0.5	<2	10.2	<0.5	48	108	120	3.27	10	<1
125375		<0.2	2.50	10	<10	10	<0.5	<2	5.11	<0.5	69	148	123	4.54	10	1
125376		<0.2	1.84	6	<10	10	<0.5	<2	11.0	<0.5	52	114	111	3.42	10	1
125377		<0.2	2.41	8	<10	10	<0.5	2	6.64	<0.5	57	140	100	4.44	10	1
125378		<0.2	3.97	3	<10	10	<0.5	2	5.06	<0.5	45	168	56	7.40	10	1
125379		<0.2	3.50	2	<10	10	<0.5	3	9.4	<0.5	38	134	73	6.62	10	1
125380		<0.2	3.89	6	<10	10	<0.5	2	7.01	<0.5	55	183	117	6.94	10	<1
125381		<0.2	3.07	17	<10	10	<0.5	2	5.65	<0.5	53	173	106	5.42	10	1
125382		<0.2	3.25	9	<10	10	<0.5	2	6.78	<0.5	47	179	122	5.75	10	1
125383		<0.2	2.99	11	<10	20	<0.5	<2	5.05	<0.5	48	155	118	5.09	10	1
125384		<0.2	3.47	30	<10	10	<0.5	2	9.9	<0.5	24	57	77	9.37	10	1
125385		<0.2	2.85	76	<10	20	<0.5	3	7.9	<0.5	55	153	68	8.23	10	1
125386		<0.2	3.45	33	<10	20	<0.5	<2	6.07	<0.5	50	190	81	6.51	10	1
125387		<0.2	4.25	42	<10	20	<0.5	3	3.89	<0.5	68	205	95	8.17	10	1
125388		<0.2	2.20	30	<10	20	<0.5	2	4.64	<0.5	53	158	87	3.90	10	1
125389		<0.2	3.16	52	<10	20	<0.5	3	5.18	<0.5	61	223	97	5.94	10	<1
125390		41.1	1.73	53	<10	140	<0.5	2	0.99	14.0	9	20	109	3.84	10	<1
125391		<0.2	2.80	32	<10	30	<0.5	<2	7.8	<0.5	52	206	79	4.89	10	1
125392		<0.2	3.19	44	<10	10	<0.5	2	6.33	<0.5	55	215	86	5.92	10	1
125393		<0.2	2.33	27	<10	40	<0.5	2	2.93	<0.5	121	171	114	4.09	10	1
125394		<0.2	2.17	15	<10	30	<0.5	2	3.04	<0.5	115	178	110	4.12	10	1
125395		<0.2	2.14	50	<10	40	<0.5	2	2.86	<0.5	119	181	84	3.54	10	<1
125396		<0.2	3.06	35	<10	10	<0.5	2	5.58	<0.5	51	188	88	5.36	10	1
125397		<0.2	3.19	26	<10	10	<0.5	3	4.38	<0.5	48	216	84	5.21	10	1
125398		<0.2	2.92	33	<10	10	<0.5	<2	5.76	<0.5	53	214	92	4.99	10	<1
125399		<0.2	2.42	38	<10	10	<0.5	3	6.24	<0.5	53	187	92	3.76	10	1
125400		<0.2	2.11	37	<10	10	<0.5	<2	8.4	<0.5	51	185	96	3.44	10	1
125401		<0.2	2.94	23	<10	10	<0.5	<2	7.1	<0.5	50	206	100	4.75	10	1
125402		<0.2	2.33	35	<10	10	<0.5	2	5.00	<0.5	58	167	85	4.45	10	1
125403		<0.2	1.99	30	<10	10	<0.5	2	5.26	<0.5	50	148	120	4.03	10	1
125404		<0.2	1.95	37	<10	10	<0.5	<2	6.45	<0.5	60	154	122	3.67	10	<1
125405		<0.2	2.43	23	<10	10	<0.5	<2	8.0	<0.5	59	164	92	4.02	10	<1
125406		<0.2	2.14	32	<10	10	<0.5	3	7.3	<0.5	74	152	125	3.93	10	1
125407		<0.2	2.22	25	<10	10	<0.5	2	7.7	<0.5	65	154	100	3.89	10	1
125408		<0.2	2.95	22	<10	10	<0.5	3	8.0	<0.5	63	177	101	5.20	10	1
125409		<0.2	2.53	19	<10	10	<0.5	<2	8.8	<0.5	55	157	91	4.43	10	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125370		0.02	<10	11.60	387	1	0.17	5	80	<2	0.04	<2	<1	123	<20	<0.01
125371		0.03	<10	1.46	963	<1	0.08	173	190	<2	0.29	<2	17	22	<20	<0.01
125372		0.03	<10	1.27	1110	<1	0.08	158	140	<2	0.25	<2	15	24	<20	<0.01
125373		0.03	<10	1.17	1040	<1	0.08	183	240	<2	0.24	<2	15	23	<20	<0.01
125374		0.03	10	0.94	1530	<1	0.08	141	150	<2	0.26	<2	16	37	<20	<0.01
125375		0.03	<10	1.27	946	<1	0.09	217	200	<2	0.57	<2	16	22	<20	<0.01
125376		0.03	<10	0.91	1790	<1	0.09	168	220	<2	0.38	<2	15	34	<20	<0.01
125377		0.03	10	1.17	1195	1	0.08	169	330	<2	0.38	<2	17	25	<20	<0.01
125378		0.01	<10	2.15	1110	<1	0.05	124	280	<2	0.20	<2	19	20	<20	<0.01
125379		0.01	<10	1.94	1710	<1	0.05	125	250	<2	0.18	<2	17	28	<20	<0.01
125380		0.03	10	1.94	1395	<1	0.09	157	440	<2	0.21	<2	21	26	<20	<0.01
125381		0.04	10	1.43	1080	<1	0.11	184	450	<2	0.25	<2	18	21	<20	<0.01
125382		0.03	10	1.53	1270	<1	0.10	169	440	<2	0.18	<2	20	22	<20	<0.01
125383		0.04	10	1.36	955	<1	0.13	169	370	<2	0.21	<2	17	20	<20	<0.01
125384		0.02	10	1.04	3380	1	0.05	72	320	2	1.82	2	17	25	<20	<0.01
125385		0.05	<10	1.11	1840	1	0.10	179	160	3	3.33	<2	20	27	<20	<0.01
125386		0.04	<10	1.89	1565	2	0.09	173	190	<2	1.08	<2	22	23	<20	<0.01
125387		0.03	<10	3.17	1195	2	0.08	200	150	2	2.34	<2	23	18	<20	<0.01
125388		0.04	<10	3.04	1815	1	0.13	175	230	<2	0.06	<2	17	25	<20	<0.01
125389		0.02	<10	1.67	1415	<1	0.09	187	170	<2	0.73	<2	23	23	<20	<0.01
125390		0.22	10	0.78	1030	6	0.19	17	550	6690	0.23	37	3	79	<20	0.14
125391		0.03	<10	1.51	1580	<1	0.06	166	220	5	0.21	<2	23	26	<20	<0.01
125392		0.01	<10	1.74	1530	<1	0.07	176	200	<2	0.58	<2	26	22	<20	<0.01
125393		0.11	<10	1.45	869	<1	0.04	256	670	<2	0.45	<2	6	29	<20	0.24
125394		0.08	<10	1.34	899	1	0.03	249	530	<2	0.49	<2	4	27	<20	0.20
125395		0.10	<10	1.39	836	<1	0.04	238	720	<2	0.28	<2	5	26	<20	0.21
125396		0.04	<10	2.58	1175	<1	0.09	199	170	<2	0.44	<2	22	20	<20	<0.01
125397		0.03	<10	2.25	867	<1	0.06	200	130	<2	0.63	<2	23	15	<20	<0.01
125398		0.02	<10	1.84	1130	<1	0.08	196	170	<2	0.66	<2	22	19	<20	<0.01
125399		0.02	<10	1.52	1040	<1	0.07	186	220	<2	0.11	<2	21	20	<20	<0.01
125400		0.03	<10	1.20	1180	<1	0.08	188	220	<2	0.32	<2	19	28	<20	<0.01
125401		0.02	<10	1.93	1200	<1	0.07	185	270	<2	0.11	<2	24	22	<20	<0.01
125402		0.02	<10	3.32	1100	<1	0.09	197	210	<2	0.21	<2	16	16	<20	<0.01
125403		0.02	<10	3.08	1140	<1	0.10	183	210	<2	0.25	<2	13	16	<20	<0.01
125404		0.03	<10	2.41	931	<1	0.13	194	230	<2	0.36	<2	13	20	<20	<0.01
125405		0.02	<10	1.29	869	<1	0.10	199	230	<2	0.37	<2	13	29	<20	<0.01
125406		0.02	<10	1.11	799	<1	0.08	205	130	<2	0.61	<2	12	26	<20	<0.01
125407		0.03	<10	1.03	813	<1	0.12	191	210	<2	0.60	<2	12	33	<20	<0.01
125408		0.02	<10	1.61	970	1	0.09	200	180	<2	0.43	<2	17	23	<20	<0.01
125409		0.02	<10	1.34	1005	<1	0.09	191	150	<2	0.35	<2	15	23	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125370		<10	<10	2	<10	35
125371		<10	<10	111	<10	101
125372		<10	<10	98	<10	83
125373		<10	<10	99	<10	75
125374		<10	<10	83	<10	61
125375		<10	<10	112	<10	81
125376		<10	<10	81	<10	55
125377		<10	<10	100	<10	75
125378		<10	<10	130	<10	130
125379		<10	<10	117	<10	110
125380		<10	<10	135	<10	118
125381		<10	<10	116	<10	114
125382		<10	<10	119	<10	123
125383		<10	<10	109	<10	108
125384		<10	<10	96	<10	114
125385		<10	<10	119	<10	142
125386		<10	<10	136	<10	164
125387		<10	<10	169	<10	155
125388		<10	<10	89	<10	97
125389		<10	<10	175	<10	146
125390		<10	<10	94	<10	1475
125391		<10	<10	141	<10	113
125392		<10	<10	156	<10	142
125393		<10	<10	85	<10	813
125394		<10	<10	72	<10	363
125395		<10	<10	86	<10	361
125396		<10	<10	124	<10	124
125397		<10	<10	143	<10	112
125398		<10	<10	150	<10	106
125399		<10	<10	114	<10	54
125400		<10	<10	98	<10	46
125401		<10	<10	131	<10	56
125402		<10	<10	121	<10	114
125403		<10	<10	98	<10	94
125404		<10	<10	101	<10	87
125405		<10	<10	113	<10	87
125406		<10	<10	104	<10	79
125407		<10	<10	103	<10	77
125408		<10	<10	136	<10	107
125409		<10	<10	120	<10	90

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125410		<0.2	2.70	21	<10	10	<0.5	<2	9.4	<0.5	57	165	89	4.73	10	1
125411		<0.2	2.60	18	<10	10	<0.5	3	9.5	<0.5	48	170	82	4.54	10	<1
125412		<0.2	0.89	<2	<10	40	<0.5	2	4.79	<0.5	10	9	17	2.25	<10	<1
125413		<0.2	1.55	16	<10	10	<0.5	2	12.5	<0.5	41	98	72	3.20	<10	1
125414		<0.2	2.14	26	<10	10	<0.5	<2	9.4	<0.5	66	148	126	3.98	10	1
125415		<0.2	2.08	15	<10	10	<0.5	<2	8.6	<0.5	53	136	56	3.70	10	1
125416		<0.2	2.70	30	<10	10	<0.5	<2	4.37	<0.5	69	195	116	4.64	10	1
125417		<0.2	3.12	32	<10	10	<0.5	2	3.28	<0.5	72	205	86	5.38	10	1
125418		<0.2	1.85	16	<10	10	<0.5	2	9.0	<0.5	33	111	79	3.27	10	1
125419		<0.2	1.89	17	<10	10	<0.5	2	10.7	<0.5	44	125	67	3.39	<10	1
125420		<0.2	2.16	31	<10	10	<0.5	<2	7.7	<0.5	62	154	119	3.69	10	<1
125421		<0.2	2.34	25	<10	10	<0.5	2	8.8	<0.5	56	155	90	3.78	10	1
125422		<0.2	2.42	26	<10	10	<0.5	<2	7.1	<0.5	58	168	107	4.02	10	<1
125423		<0.2	2.05	32	<10	10	<0.5	2	9.5	<0.5	63	136	116	3.39	10	1
125424		<0.2	2.01	30	<10	10	<0.5	2	9.4	<0.5	58	139	103	3.43	10	<1
125425		<0.2	2.48	19	<10	10	<0.5	<2	8.6	<0.5	46	171	93	4.00	10	<1
125426		<0.2	2.49	27	<10	10	<0.5	2	5.74	<0.5	54	171	67	4.20	10	<1
125427		<0.2	1.69	27	<10	10	<0.5	3	10.0	<0.5	48	117	120	2.97	10	<1
125428		<0.2	2.02	37	<10	10	<0.5	<2	7.0	<0.5	70	148	119	3.56	10	<1
125429		<0.2	2.25	25	<10	10	<0.5	<2	8.8	<0.5	54	150	86	3.73	10	<1
125430		<0.2	0.05	<2	10	20	<0.5	4	20.2	<0.5	<1	2	2	0.21	<10	1
125431		<0.2	1.81	27	<10	10	<0.5	<2	8.2	<0.5	55	128	99	3.28	10	<1
125432		<0.2	2.22	28	<10	10	<0.5	<2	5.25	<0.5	61	170	151	3.60	10	1
125433		<0.2	1.77	24	<10	10	<0.5	<2	7.0	<0.5	58	169	134	4.97	10	1
125434		<0.2	2.44	24	<10	10	<0.5	<2	6.30	<0.5	53	161	74	4.24	10	1
125435		<0.2	1.56	36	<10	10	<0.5	<2	5.53	<0.5	55	115	112	4.02	10	1
125436		<0.2	1.31	56	<10	10	<0.5	<2	5.32	<0.5	55	100	82	3.78	<10	1
125437		<0.2	1.15	37	<10	10	<0.5	2	5.08	<0.5	52	83	95	4.19	<10	1
125438		<0.2	1.11	15	<10	10	<0.5	<2	5.93	<0.5	46	97	73	3.16	<10	<1
125439		<0.2	1.32	18	<10	10	<0.5	<2	7.1	<0.5	53	111	101	3.76	<10	<1
125440		<0.2	2.35	8	<10	10	<0.5	2	5.75	<0.5	57	209	95	4.21	10	<1
125441		<0.2	2.20	20	<10	10	<0.5	2	4.98	<0.5	54	195	90	4.00	10	1
125442		<0.2	2.22	16	<10	10	<0.5	<2	5.77	<0.5	63	208	115	3.78	10	1
125443		<0.2	2.83	9	<10	10	<0.5	<2	5.19	<0.5	61	224	86	4.61	10	<1
125444		<0.2	1.95	4	<10	10	<0.5	<2	6.10	<0.5	55	195	74	3.04	10	1
125445		<0.2	2.84	6	<10	10	<0.5	<2	5.47	<0.5	55	210	82	4.83	10	1
125446		<0.2	2.17	11	<10	10	<0.5	<2	5.68	<0.5	50	186	74	3.29	10	<1
125447		<0.2	2.17	7	<10	10	<0.5	2	9.0	<0.5	48	178	74	3.29	10	1
125448		<0.2	2.43	6	<10	10	<0.5	<2	6.13	<0.5	52	209	74	3.71	10	<1
125449		<0.2	0.90	19	<10	10	<0.5	<2	7.7	<0.5	53	64	87	3.70	<10	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125410		0.02	<10	1.42	1085	<1	0.09	207	180	<2	0.37	<2	16	23	<20	<0.01
125411		0.02	<10	1.37	1085	1	0.08	197	150	<2	0.27	2	16	22	<20	<0.01
125412		0.10	50	0.74	503	<1	0.13	16	1230	<2	0.30	<2	2	68	<20	<0.01
125413		0.03	10	0.84	1185	1	0.08	135	170	<2	0.38	<2	12	56	<20	<0.01
125414		0.02	<10	0.99	977	<1	0.08	193	170	<2	0.42	<2	14	41	<20	<0.01
125415		0.02	<10	0.96	887	<1	0.08	167	170	<2	0.27	2	13	37	<20	<0.01
125416		0.02	<10	1.37	597	<1	0.09	193	270	<2	0.49	<2	13	15	<20	<0.01
125417		0.02	<10	1.63	488	<1	0.08	204	280	<2	0.51	<2	15	13	<20	<0.01
125418		0.02	<10	0.96	993	1	0.07	97	120	<2	0.24	<2	12	18	<20	<0.01
125419		0.02	<10	0.97	1080	3	0.08	138	150	<2	0.31	<2	13	22	<20	<0.01
125420		0.02	<10	1.07	863	<1	0.09	168	170	<2	0.41	<2	12	18	<20	<0.01
125421		0.02	<10	1.19	985	<1	0.10	184	160	<2	0.30	<2	14	19	<20	<0.01
125422		0.02	<10	1.26	811	<1	0.08	192	220	<2	0.32	<2	13	16	<20	<0.01
125423		0.03	<10	1.00	1015	<1	0.11	163	110	<2	0.41	<2	13	21	<20	<0.01
125424		0.02	<10	1.01	1035	1	0.09	167	140	<2	0.37	<2	13	24	<20	<0.01
125425		0.02	<10	1.23	936	<1	0.10	179	210	<2	0.20	<2	14	19	<20	<0.01
125426		0.02	<10	1.18	665	<1	0.09	195	250	<2	0.30	<2	14	17	<20	<0.01
125427		0.02	<10	0.78	1060	3	0.09	164	140	<2	0.39	<2	12	21	<20	<0.01
125428		0.02	<10	1.00	766	<1	0.08	202	190	<2	0.50	2	13	22	<20	<0.01
125429		0.03	<10	1.11	918	1	0.10	192	220	2	0.36	<2	14	21	<20	<0.01
125430		0.03	<10	12.20	406	<1	0.17	2	80	3	0.06	<2	<1	128	<20	<0.01
125431		0.02	<10	0.87	837	<1	0.08	166	160	<2	0.41	<2	11	17	<20	<0.01
125432		0.02	<10	1.25	596	<1	0.08	185	280	<2	0.23	<2	12	19	<20	<0.01
125433		0.02	<10	1.85	916	<1	0.10	197	130	<2	0.42	<2	17	17	<20	<0.01
125434		0.02	<10	1.23	733	<1	0.07	184	200	<2	0.28	<2	14	17	<20	<0.01
125435		0.03	<10	2.61	977	<1	0.10	170	170	<2	0.25	<2	12	15	<20	<0.01
125436		0.02	<10	2.68	1070	<1	0.09	180	220	<2	0.05	<2	11	14	<20	<0.01
125437		0.02	<10	1.94	880	<1	0.10	177	150	<2	0.68	<2	12	16	<20	<0.01
125438		0.02	<10	1.32	755	<1	0.08	141	230	<2	0.06	<2	12	16	<20	<0.01
125439		0.02	<10	1.56	946	<1	0.11	175	260	<2	0.14	<2	15	24	<20	<0.01
125440		0.01	<10	1.58	898	<1	0.08	178	210	<2	0.28	<2	21	21	<20	<0.01
125441		0.01	<10	1.41	803	<1	0.07	176	190	<2	0.47	<2	18	22	<20	<0.01
125442		0.02	<10	1.33	839	<1	0.08	191	210	<2	0.43	<2	22	26	<20	<0.01
125443		0.01	<10	1.76	871	<1	0.09	190	240	<2	0.28	<2	23	24	<20	<0.01
125444		0.01	<10	1.29	855	<1	0.09	184	270	<2	0.04	<2	17	25	<20	<0.01
125445		0.01	<10	1.89	904	<1	0.09	199	220	<2	0.28	<2	22	24	<20	<0.01
125446		0.02	<10	1.38	941	<1	0.08	181	180	<2	0.23	<2	19	21	<20	<0.01
125447		0.01	<10	1.41	1260	<1	0.07	160	190	<2	0.21	<2	20	29	<20	0.01
125448		0.01	<10	1.64	1005	<1	0.06	174	220	<2	0.22	<2	22	17	<20	0.01
125449		0.02	<10	1.66	999	<1	0.13	174	290	<2	0.19	<2	10	23	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125410		<10	<10	128	<10	96
125411		<10	<10	123	<10	94
125412		<10	<10	9	<10	42
125413		<10	<10	65	<10	66
125414		<10	<10	96	<10	88
125415		<10	<10	90	<10	82
125416		<10	<10	125	<10	99
125417		<10	<10	137	<10	117
125418		<10	<10	97	<10	68
125419		<10	<10	95	<10	77
125420		<10	<10	102	<10	86
125421		<10	<10	109	<10	101
125422		<10	<10	114	<10	109
125423		<10	<10	93	<10	84
125424		<10	<10	95	<10	89
125425		<10	<10	117	<10	110
125426		<10	<10	119	<10	133
125427		<10	<10	82	<10	100
125428		<10	<10	99	<10	103
125429		<10	<10	104	<10	110
125430		<10	<10	2	<10	36
125431		<10	<10	87	<10	93
125432		<10	<10	107	<10	112
125433		<10	<10	92	<10	120
125434		<10	<10	115	<10	135
125435		<10	<10	80	<10	110
125436		<10	<10	72	<10	98
125437		<10	<10	59	<10	87
125438		<10	<10	55	<10	68
125439		<10	<10	67	<10	78
125440		<10	<10	151	<10	95
125441		<10	<10	126	<10	93
125442		<10	<10	141	<10	84
125443		<10	<10	165	<10	98
125444		<10	<10	126	<10	68
125445		<10	<10	150	<10	105
125446		<10	<10	120	<10	77
125447		<10	<10	119	<10	78
125448		<10	<10	140	<10	83
125449		<10	<10	46	<10	70

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125450		<0.2	0.96	18	<10	10	<0.5	<2	7.5	<0.5	53	70	89	3.68	<10	1
125451		<0.2	0.93	21	<10	10	<0.5	2	7.3	<0.5	49	65	77	3.93	<10	<1
125452		<0.2	0.68	28	<10	10	<0.5	2	6.8	<0.5	54	53	99	3.47	<10	1
125453		<0.2	1.45	25	<10	10	<0.5	<2	8.1	<0.5	49	113	134	6.54	<10	<1
125454		<0.2	0.80	19	<10	10	<0.5	<2	7.2	<0.5	52	62	90	3.58	<10	<1
125455		<0.2	0.87	29	<10	10	<0.5	2	6.10	<0.5	59	66	75	3.18	<10	<1
125456		<0.2	1.03	29	<10	10	<0.5	<2	6.69	<0.5	57	98	113	3.41	<10	<1
125457		<0.2	1.01	28	<10	10	<0.5	2	7.3	<0.5	62	61	77	3.74	<10	1
125458		<0.2	1.97	<2	<10	30	<0.5	<2	3.86	<0.5	24	7	138	6.59	10	1
125459		<0.2	2.06	<2	<10	30	<0.5	2	3.58	<0.5	28	7	152	6.84	10	1
125460		<0.2	1.84	<2	<10	30	<0.5	2	3.32	<0.5	23	5	140	6.13	10	1
125461		<0.2	2.24	<2	<10	40	<0.5	<2	4.61	<0.5	25	5	126	8.57	10	1
125462		0.3	1.66	<2	<10	50	<0.5	2	5.18	<0.5	27	4	157	8.49	10	1
125463		<0.2	0.42	2	<10	90	<0.5	2	2.45	<0.5	9	4	13	2.23	<10	<1
125464		<0.2	3.15	5	<10	20	<0.5	<2	3.88	<0.5	57	8	135	8.84	10	1
125465		0.5	2.21	<2	<10	30	<0.5	<2	3.47	<0.5	25	6	141	6.34	10	1
125466		<0.2	2.77	<2	<10	20	<0.5	<2	4.62	<0.5	31	6	133	8.41	10	<1
125467		<0.2	3.05	<2	<10	20	<0.5	2	5.01	<0.5	34	7	144	9.47	10	<1
125468		<0.2	3.01	<2	<10	30	<0.5	2	4.39	<0.5	32	7	160	9.14	10	<1
125469		<0.2	2.61	<2	<10	30	<0.5	2	5.15	<0.5	29	7	141	8.77	10	<1
125470		<0.2	0.05	<2	10	20	<0.5	3	19.3	<0.5	<1	1	3	0.23	<10	1
125471		<0.2	2.82	<2	<10	30	<0.5	3	4.64	<0.5	33	7	158	8.84	10	1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - B
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125450		0.02	<10	1.68	1000	<1	0.14	174	280	<2	0.17	<2	10	23	<20	<0.01
125451		0.02	<10	1.60	1095	<1	0.13	162	260	<2	0.31	<2	10	24	<20	<0.01
125452		0.02	<10	1.32	973	<1	0.10	172	270	<2	0.27	<2	9	16	<20	<0.01
125453		0.02	<10	2.06	1710	1	0.12	159	240	<2	1.52	<2	16	20	<20	<0.01
125454		0.03	<10	1.25	985	<1	0.10	175	300	<2	0.64	<2	11	22	<20	<0.01
125455		0.03	<10	1.48	851	<1	0.11	198	310	<2	0.18	<2	13	21	<20	<0.01
125456		0.02	<10	1.35	951	<1	0.09	210	220	<2	0.28	<2	13	20	<20	<0.01
125457		0.03	<10	1.37	1075	<1	0.10	210	430	<2	0.26	2	12	25	<20	<0.01
125458		0.05	20	0.64	1700	1	0.08	18	1370	2	0.02	<2	10	52	<20	0.06
125459		0.06	20	0.68	1515	<1	0.09	19	1450	<2	0.03	<2	13	51	<20	0.06
125460		0.05	10	0.60	1400	<1	0.07	19	1420	<2	0.06	<2	10	45	<20	0.05
125461		0.08	10	1.08	2370	1	0.06	18	1330	<2	0.03	<2	9	76	<20	0.05
125462		0.11	10	1.21	2620	33	0.04	18	1380	<2	0.80	2	6	101	<20	0.04
125463		0.14	30	0.71	442	1	0.05	11	1240	<2	0.69	<2	1	164	<20	<0.01
125464		0.04	20	0.59	1980	<1	0.04	33	1360	<2	0.11	<2	12	50	<20	0.05
125465		0.06	20	0.43	1800	1	0.06	19	1390	<2	0.10	<2	10	47	<20	0.06
125466		0.05	20	0.77	2250	<1	0.05	23	1360	<2	0.05	<2	11	57	<20	0.05
125467		0.05	20	1.01	2210	<1	0.05	22	1320	<2	0.06	<2	13	61	<20	0.04
125468		0.06	20	0.87	2110	<1	0.06	23	1450	<2	0.04	<2	13	52	<20	0.04
125469		0.06	20	1.10	2290	1	0.06	21	1260	2	0.03	<2	12	66	<20	0.04
125470		0.02	<10	11.55	399	<1	0.16	<1	80	<2	0.05	<2	<1	123	<20	<0.01
125471		0.06	20	0.87	2470	<1	0.07	24	1420	<2	0.07	<2	12	54	<20	0.05



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - C
 Total # Pages: 5 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125450		<10	<10	48	<10	71
125451		<10	<10	47	<10	73
125452		<10	<10	33	<10	53
125453		<10	<10	72	<10	87
125454		<10	<10	36	<10	60
125455		<10	<10	43	<10	55
125456		<10	<10	49	<10	73
125457		<10	<10	43	<10	61
125458		<10	<10	74	<10	67
125459		<10	<10	73	<10	73
125460		<10	<10	71	<10	63
125461		<10	<10	108	<10	90
125462		<10	<10	55	<10	105
125463		<10	<10	7	<10	67
125464		<10	<10	108	<10	74
125465		<10	<10	85	<10	56
125466		<10	<10	122	<10	86
125467		<10	<10	143	<10	102
125468		<10	<10	106	<10	175
125469		<10	<10	130	<10	125
125470		<10	<10	2	<10	37
125471		<10	<10	116	<10	102



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-AUG-2017
Account: GNKCOZ

CERTIFICATE OF ANALYSIS VO17159607

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-ICP41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 This copy reported on
 25-AUG-2017
 Account: GNKCQZ

CERTIFICATE VO17162547

Project: URBAN BARRY

This report is for 184 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 29-JUN-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis


ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Samples originally form VO17136550

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125001		<0.2	0.39	5	<10	30	<0.5	<2	4.40	0.9	8	9	38	1.35	<10	<1
125002		1.0	0.62	27	<10	50	<0.5	<2	3.51	4.3	31	13	37	2.92	<10	<1
125003		<0.2	0.50	3	<10	70	<0.5	<2	2.35	0.7	9	6	17	2.28	<10	<1
125004		<0.2	0.45	11	<10	70	<0.5	<2	2.38	<0.5	21	5	16	2.45	<10	<1
125005		<0.2	0.37	3	<10	70	<0.5	<2	2.32	<0.5	9	5	19	2.27	<10	1
125006		<0.2	0.36	18	<10	50	<0.5	2	2.82	<0.5	28	4	30	3.35	<10	<1
125007		<0.2	2.46	<2	<10	20	<0.5	<2	5.27	<0.5	28	6	125	7.78	10	<1
125008		<0.2	2.20	<2	<10	20	<0.5	<2	4.33	<0.5	24	6	127	6.57	10	<1
125009		<0.2	1.26	42	<10	30	<0.5	<2	4.11	<0.5	55	24	149	4.70	<10	1
125010		<0.2	1.73	30	<10	20	<0.5	<2	2.53	<0.5	56	20	125	5.04	10	<1
125011		<0.2	1.09	56	<10	30	<0.5	<2	4.51	<0.5	62	42	114	3.04	<10	<1
125012		<0.2	2.33	2	<10	10	<0.5	<2	5.05	<0.5	35	7	147	6.64	10	<1
125013		<0.2	3.08	<2	<10	10	<0.5	<2	2.41	<0.5	46	8	158	7.32	10	<1
125014		<0.2	2.09	12	<10	20	<0.5	<2	3.63	<0.5	46	22	149	5.02	10	<1
125015		<0.2	2.82	<2	<10	10	<0.5	<2	4.40	<0.5	30	7	162	7.78	10	<1
125016		<0.2	2.49	8	<10	20	<0.5	<2	3.75	<0.5	33	11	144	6.76	10	<1
125017		<0.2	0.82	96	<10	20	<0.5	<2	3.73	<0.5	84	27	110	3.30	<10	<1
125018		<0.2	2.83	7	<10	20	<0.5	<2	5.01	<0.5	52	7	166	7.08	10	<1
125019		<0.2	3.21	<2	<10	20	<0.5	<2	4.62	<0.5	36	8	123	8.07	10	<1
125020		<0.2	3.87	<2	<10	20	<0.5	<2	4.26	<0.5	54	9	133	9.70	20	<1
125021		<0.2	2.80	<2	<10	20	<0.5	<2	4.48	<0.5	34	7	172	7.59	10	1
125022		<0.2	2.32	<2	<10	20	<0.5	<2	4.31	<0.5	31	7	162	6.15	10	<1
125026		<0.2	2.07	<2	<10	20	<0.5	<2	3.84	<0.5	28	8	161	6.86	10	<1
125027		<0.2	2.13	<2	<10	20	<0.5	<2	5.32	<0.5	29	8	152	7.33	10	<1
125028		<0.2	2.74	<2	<10	20	<0.5	<2	5.35	<0.5	36	9	149	9.04	10	1
125029		<0.2	3.36	<2	<10	20	<0.5	<2	4.63	<0.5	38	12	152	9.82	10	<1
125030		<0.2	3.41	<2	<10	20	<0.5	<2	4.80	<0.5	39	13	149	9.94	10	<1
125031		<0.2	2.85	<2	<10	20	<0.5	<2	4.41	<0.5	31	13	146	8.33	10	<1
125032		<0.2	2.94	<2	<10	20	<0.5	<2	4.51	<0.5	36	12	157	8.74	10	<1
125033		<0.2	1.85	<2	<10	30	<0.5	<2	1.89	<0.5	30	5	147	4.80	10	1
125034		<0.2	2.94	<2	<10	20	<0.5	<2	4.31	<0.5	33	9	136	9.07	10	<1
125035		<0.2	2.65	<2	<10	20	<0.5	<2	3.45	<0.5	26	7	174	7.66	10	<1
125036		<0.2	2.97	<2	<10	20	<0.5	<2	4.37	<0.5	32	9	159	8.93	10	<1
125037		<0.2	3.21	<2	<10	20	<0.5	<2	4.40	<0.5	33	15	188	8.98	10	<1
125038		<0.2	3.96	<2	<10	10	<0.5	<2	4.16	<0.5	41	18	168	10.80	20	<1
125039		<0.2	2.85	<2	<10	20	<0.5	<2	4.48	<0.5	40	11	238	8.91	10	1
125040		<0.2	2.88	<2	<10	10	<0.5	<2	4.00	<0.5	31	15	165	8.72	10	<1
125041		<0.2	2.44	<2	<10	20	<0.5	<2	4.08	<0.5	29	13	137	7.62	10	<1
125042		<0.2	2.23	<2	<10	20	<0.5	<2	5.26	<0.5	31	12	159	8.20	10	<1
125043		<0.2	3.06	<2	<10	20	<0.5	<2	4.49	<0.5	36	15	163	9.95	10	<1

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
125001		0.09	20	0.31	535	1	0.08	13	640	8	0.13	2	2	44	<20	<0.01
125002		0.10	30	1.00	745	2	0.05	42	950	5	0.28	<2	2	83	<20	<0.01
125003		0.10	40	0.68	389	<1	0.05	12	1300	5	0.24	<2	1	135	<20	0.01
125004		0.10	40	0.70	393	<1	0.05	13	1260	4	0.59	<2	1	150	<20	0.01
125005		0.10	40	0.68	380	<1	0.05	12	1250	5	0.64	<2	1	143	<20	<0.01
125006		0.10	30	0.60	459	1	0.05	25	1100	5	1.82	<2	1	98	<20	0.01
125007		0.04	20	1.15	1395	<1	0.06	18	1360	<2	0.02	<2	12	56	<20	0.03
125008		0.04	10	0.90	1190	<1	0.06	17	1250	<2	0.03	<2	10	46	<20	0.03
125009		0.07	10	0.83	1365	<1	0.08	51	980	2	0.02	<2	8	49	<20	0.03
125010		0.06	10	0.61	1255	<1	0.07	46	1290	<2	0.03	<2	8	42	<20	0.04
125011		0.07	10	0.36	1360	1	0.07	56	720	2	0.02	<2	7	79	<20	0.03
125012		0.04	20	0.91	1705	1	0.06	28	1600	3	0.02	<2	11	65	<20	0.05
125013		0.03	20	0.81	1005	<1	0.07	35	1570	<2	0.03	<2	11	38	<20	0.05
125014		0.04	10	0.50	1285	<1	0.07	31	1340	<2	0.02	<2	10	49	<20	0.04
125015		0.03	20	0.97	2100	<1	0.06	22	1550	2	0.07	2	13	56	<20	0.04
125016		0.05	10	0.77	1485	1	0.07	25	1340	3	0.38	<2	9	54	<20	0.03
125017		0.06	10	0.57	1370	1	0.08	63	1110	2	0.08	<2	7	49	<20	0.03
125018		0.05	20	0.71	1780	1	0.05	39	1560	<2	0.10	<2	12	58	<20	0.06
125019		0.06	20	0.84	1665	1	0.05	25	1670	2	0.03	4	12	54	<20	0.05
125020		0.05	20	1.03	1580	<1	0.04	35	1780	2	0.03	<2	15	51	<20	0.05
125021		0.05	20	0.90	1670	<1	0.05	24	1600	2	0.03	<2	10	60	<20	0.06
125022		0.05	20	0.71	1490	1	0.06	21	1670	<2	0.03	<2	11	58	<20	0.06
125026		0.06	10	1.01	1790	<1	0.05	22	1630	<2	0.04	<2	7	58	<20	0.01
125027		0.05	10	1.08	2140	<1	0.04	22	1550	<2	0.10	<2	7	63	<20	0.01
125028		0.05	10	1.40	2320	<1	0.05	28	1710	3	0.08	<2	9	74	<20	0.01
125029		0.04	20	1.37	1985	<1	0.04	30	1580	<2	0.02	<2	13	74	<20	0.03
125030		0.04	20	1.39	2040	<1	0.04	30	1620	2	0.01	<2	13	78	<20	0.03
125031		0.05	20	1.13	1840	1	0.05	26	1520	<2	0.02	<2	10	72	<20	0.03
125032		0.04	20	1.22	2090	1	0.05	31	1560	2	0.02	2	11	67	<20	0.04
125033		0.08	20	0.61	975	<1	0.06	25	1990	2	0.02	2	8	41	<20	0.08
125034		0.04	20	1.27	2370	<1	0.05	25	1590	2	0.01	2	14	72	<20	0.04
125035		0.05	20	1.06	1985	<1	0.05	20	1470	<2	0.02	2	12	58	<20	0.02
125036		0.04	20	1.32	2380	<1	0.05	27	1710	<2	0.01	<2	11	68	<20	0.01
125037		0.04	20	1.19	2020	<1	0.04	28	1600	<2	0.02	<2	14	68	<20	0.01
125038		0.03	20	1.37	2360	<1	0.04	36	1650	2	0.02	2	15	64	<20	0.01
125039		0.04	10	1.08	2490	<1	0.05	30	1730	<2	0.24	<2	18	70	<20	0.01
125040		0.04	20	1.22	2480	<1	0.05	26	1600	<2	0.02	<2	14	66	<20	0.03
125041		0.04	20	1.20	1820	<1	0.05	27	1580	<2	0.01	<2	13	69	<20	0.01
125042		0.05	10	1.78	2090	<1	0.05	28	1530	2	0.01	<2	9	86	<20	0.02
125043		0.04	10	1.64	1890	<1	0.05	32	1620	<2	0.01	<2	11	78	<20	0.01

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125001		<10	<10	5	<10	231
125002		<10	<10	12	<10	1240
125003		<10	<10	7	<10	170
125004		<10	<10	6	<10	76
125005		<10	<10	5	<10	120
125006		<10	<10	5	<10	159
125007		<10	<10	87	<10	177
125008		<10	<10	79	<10	157
125009		<10	<10	55	<10	115
125010		<10	<10	61	<10	68
125011		<10	<10	45	<10	43
125012		<10	<10	114	<10	120
125013		<10	<10	116	<10	106
125014		<10	<10	84	<10	75
125015		<10	<10	109	<10	115
125016		<10	<10	77	<10	123
125017		<10	<10	30	<10	137
125018		<10	<10	108	<10	77
125019		<10	<10	114	<10	145
125020		<10	<10	124	<10	214
125021		<10	<10	117	<10	101
125022		<10	<10	108	<10	66
125026		<10	<10	71	<10	122
125027		<10	<10	69	<10	127
125028		<10	<10	88	<10	167
125029		<10	<10	114	<10	150
125030		<10	<10	115	<10	151
125031		<10	<10	95	<10	123
125032		<10	<10	110	<10	126
125033		<10	<10	63	<10	85
125034		<10	<10	105	<10	141
125035		<10	<10	99	<10	116
125036		<10	<10	109	<10	143
125037		<10	<10	107	<10	153
125038		<10	<10	141	<10	203
125039		<10	<10	115	<10	192
125040		<10	<10	101	<10	228
125041		<10	<10	95	<10	197
125042		<10	<10	80	<10	176
125043		<10	<10	94	<10	204

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125044		<0.2	3.46	<2	<10	10	<0.5	<2	4.56	<0.5	44	12	180	10.10	10	<1
125045		<0.2	1.61	51	<10	30	<0.5	<2	3.95	<0.5	70	15	169	5.78	10	<1
125046		<0.2	3.17	4	<10	20	<0.5	<2	4.08	<0.5	43	7	137	9.41	10	<1
125047		<0.2	1.93	<2	<10	20	<0.5	<2	3.09	<0.5	26	5	119	6.02	10	<1
125048		<0.2	0.37	<2	<10	60	<0.5	<2	2.65	<0.5	10	6	42	2.06	<10	1
125049		<0.2	0.38	<2	<10	60	<0.5	<2	2.63	<0.5	11	7	46	1.96	<10	<1
125050		42.1	1.91	56	<10	150	<0.5	<2	1.10	14.2	10	20	112	3.88	10	<1
125051		<0.2	0.74	2	<10	50	<0.5	<2	2.75	<0.5	14	5	51	3.26	<10	<1
125052		<0.2	2.03	<2	<10	20	<0.5	<2	2.58	<0.5	18	5	113	5.65	10	<1
125053		<0.2	2.88	<2	<10	20	<0.5	<2	4.76	<0.5	37	12	149	9.63	10	1
125054		<0.2	2.42	<2	<10	20	<0.5	<2	4.35	<0.5	31	10	152	8.04	10	<1
125055		<0.2	1.38	<2	<10	20	<0.5	<2	2.50	<0.5	26	6	170	4.36	10	<1
125056		<0.2	2.99	<2	<10	20	<0.5	<2	3.57	<0.5	37	7	164	8.11	10	1
125057		<0.2	2.80	<2	<10	20	<0.5	<2	3.61	<0.5	42	12	181	7.98	10	<1
125058		<0.2	3.37	2	<10	20	<0.5	<2	3.02	<0.5	53	14	191	8.66	10	1
125059		<0.2	3.51	2	<10	20	<0.5	<2	4.48	<0.5	38	13	180	10.30	10	<1
125060		<0.2	4.17	5	<10	10	<0.5	<2	3.54	<0.5	82	10	143	19.70	10	<1
125061		<0.2	2.58	2	<10	20	<0.5	<2	3.64	<0.5	51	10	158	7.36	10	<1
125062		<0.2	2.82	5	<10	20	<0.5	<2	3.00	<0.5	50	10	187	7.93	10	<1
125063		<0.2	4.19	4	<10	10	<0.5	<2	4.52	<0.5	62	11	333	12.45	20	<1
125064		<0.2	4.24	3	<10	10	<0.5	<2	3.95	<0.5	56	13	268	12.65	20	<1
125065		<0.2	4.48	2	<10	10	<0.5	<2	4.37	<0.5	49	23	159	11.60	20	<1
125066		<0.2	3.63	<2	<10	10	<0.5	<2	3.64	<0.5	38	14	165	9.52	10	<1
125067		<0.2	3.41	<2	<10	10	<0.5	<2	4.28	<0.5	33	14	150	8.95	10	<1
125068		<0.2	4.30	<2	<10	10	<0.5	<2	4.63	<0.5	42	15	164	10.95	20	<1
125069		<0.2	1.65	7	<10	20	<0.5	<2	2.83	<0.5	53	12	153	5.25	10	<1
125070		<0.2	1.42	8	<10	20	<0.5	<2	2.55	<0.5	55	11	158	4.69	10	<1
125071		<0.2	0.64	<2	<10	10	<0.5	<2	1.78	<0.5	12	10	41	2.64	<10	<1
125072		<0.2	2.76	<2	<10	20	<0.5	<2	4.09	<0.5	35	16	163	8.36	10	<1
125073		<0.2	1.50	<2	<10	20	<0.5	<2	4.41	<0.5	24	10	141	5.11	10	<1
125074		<0.2	2.25	<2	<10	10	<0.5	<2	6.35	<0.5	29	11	158	7.52	10	1
125075		<0.2	2.93	<2	<10	10	<0.5	<2	6.32	<0.5	36	15	122	8.97	10	<1
125076		<0.2	1.65	<2	<10	20	<0.5	<2	7.37	<0.5	25	10	130	6.96	10	<1
125077		<0.2	2.81	<2	<10	20	<0.5	<2	5.16	<0.5	37	15	148	8.70	10	<1
125078		<0.2	1.11	3	<10	20	<0.5	<2	4.16	<0.5	30	4	103	4.01	<10	<1
125079		<0.2	1.45	3	<10	20	<0.5	<2	3.63	<0.5	31	5	137	4.50	10	<1
125080		<0.2	3.75	<2	<10	20	<0.5	<2	4.59	<0.5	42	18	162	10.05	10	<1
125081		<0.2	0.61	7	<10	10	<0.5	<2	3.24	<0.5	46	7	83	5.78	<10	<1
125082		<0.2	1.35	7	<10	10	<0.5	<2	3.65	0.5	49	5	169	8.68	10	<1
125083		<0.2	0.95	6	<10	10	<0.5	<2	3.51	<0.5	56	4	149	7.63	<10	1

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
125044		0.03	10	1.40	2040	1	0.04	41	1770	<2	0.03	<2	15	79	<20	0.03
125045		0.09	10	0.89	1970	1	0.05	45	1760	<2	0.03	<2	6	74	<20	0.01
125046		0.07	10	1.21	1870	1	0.03	33	1450	2	0.11	2	12	70	<20	0.01
125047		0.07	10	0.75	1635	1	0.05	21	1580	<2	0.10	2	5	61	<20	<0.01
125048		0.09	40	0.73	668	<1	0.05	12	1160	3	0.30	<2	1	118	<20	<0.01
125049		0.10	40	0.72	656	<1	0.04	12	1180	3	0.23	<2	1	133	<20	<0.01
125050		0.22	10	0.79	1025	6	0.22	17	580	6830	0.23	36	3	92	<20	0.15
125051		0.09	30	0.76	851	1	0.05	14	1290	8	0.35	<2	2	100	<20	0.01
125052		0.07	10	0.55	1150	<1	0.05	15	1500	3	0.05	<2	6	60	<20	0.05
125053		0.03	10	1.75	1635	<1	0.05	31	1480	<2	0.01	<2	13	78	<20	0.01
125054		0.04	10	1.37	1755	<1	0.06	27	1430	<2	0.01	<2	12	78	<20	0.02
125055		0.05	20	0.72	1135	1	0.07	28	1270	4	0.02	<2	7	52	<20	0.05
125056		0.05	20	1.03	1915	1	0.05	28	1480	<2	0.06	<2	13	62	<20	0.05
125057		0.04	20	1.06	1980	<1	0.05	29	1770	<2	0.09	3	13	63	<20	0.03
125058		0.05	10	0.91	1550	1	0.04	36	1410	<2	0.28	<2	17	52	<20	0.04
125059		0.04	10	1.40	2550	<1	0.04	34	1660	<2	0.02	<2	15	78	<20	0.01
125060		0.02	10	1.31	3280	1	0.02	60	1450	2	0.34	3	25	55	<20	0.03
125061		0.06	20	1.03	2010	1	0.06	39	1820	<2	0.06	<2	11	67	<20	0.02
125062		0.04	20	0.94	1965	<1	0.05	39	1730	<2	0.33	<2	14	51	<20	0.05
125063		0.02	20	1.60	2490	<1	0.02	41	1480	2	1.29	<2	16	62	<20	0.03
125064		0.02	20	1.56	2480	<1	0.03	44	1730	<2	1.38	<2	16	59	<20	0.02
125065		0.02	20	1.27	2430	<1	0.03	45	1510	<2	0.11	2	18	62	<20	0.04
125066		0.03	20	1.12	2030	<1	0.04	34	1720	<2	0.10	<2	14	60	<20	0.04
125067		0.03	20	1.14	2130	<1	0.04	30	1570	<2	0.07	<2	15	62	<20	0.05
125068		0.02	20	1.30	2110	<1	0.03	36	1650	<2	0.14	<2	18	66	<20	0.04
125069		0.05	20	0.66	1165	1	0.06	31	1600	<2	0.44	<2	9	47	<20	0.05
125070		0.05	20	0.57	1040	<1	0.06	29	1750	<2	0.61	<2	8	46	<20	0.05
125071		0.02	10	0.41	731	<1	0.03	13	610	<2	0.02	2	3	29	<20	0.02
125072		0.04	20	1.29	1440	<1	0.05	37	1560	2	0.08	<2	11	61	<20	0.03
125073		0.04	20	0.90	1845	<1	0.06	23	1540	<2	0.02	<2	6	65	<20	0.05
125074		0.03	20	1.47	2120	<1	0.04	27	1200	2	0.02	<2	10	88	<20	0.03
125075		0.02	10	1.58	1745	<1	0.04	34	1400	<2	0.01	<2	14	84	<20	0.02
125076		0.04	10	1.46	1825	<1	0.06	24	1410	<2	0.02	<2	8	101	<20	0.02
125077		0.03	20	1.49	1585	<1	0.05	33	1470	<2	0.02	<2	13	67	<20	0.03
125078		0.05	20	0.73	1240	<1	0.07	20	1540	<2	0.06	<2	6	58	<20	0.05
125079		0.05	20	0.72	1150	<1	0.07	25	1570	<2	0.15	<2	6	53	<20	0.04
125080		0.04	20	1.48	1985	<1	0.05	40	1660	<2	0.06	<2	13	59	<20	0.03
125081		0.04	10	0.42	850	1	0.06	39	970	5	4.25	<2	3	36	<20	0.02
125082		0.03	20	0.80	1130	<1	0.07	41	1630	4	5.13	3	7	39	<20	0.03
125083		0.03	20	0.56	1060	<1	0.07	38	1530	4	5.34	<2	5	37	<20	0.03

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125044		<10	<10	122	<10	205
125045		<10	<10	44	<10	92
125046		<10	<10	90	<10	170
125047		<10	<10	53	<10	94
125048		<10	<10	7	<10	51
125049		<10	<10	8	<10	55
125050		<10	<10	98	<10	1540
125051		<10	<10	17	<10	61
125052		<10	<10	51	<10	88
125053		<10	<10	99	<10	157
125054		<10	<10	86	<10	134
125055		<10	<10	64	<10	79
125056		<10	<10	100	<10	166
125057		<10	<10	114	<10	177
125058		<10	<10	113	<10	224
125059		<10	<10	112	<10	210
125060		<10	<10	135	<10	276
125061		<10	<10	104	<10	215
125062		<10	<10	106	<10	206
125063		<10	<10	140	<10	282
125064		<10	<10	131	<10	264
125065		<10	<10	150	<10	173
125066		<10	<10	123	<10	134
125067		<10	<10	129	<10	135
125068		<10	<10	149	<10	228
125069		<10	<10	81	<10	152
125070		<10	<10	72	<10	128
125071		<10	<10	24	<10	53
125072		<10	<10	98	<10	197
125073		<10	<10	73	<10	81
125074		<10	<10	100	<10	146
125075		<10	<10	114	<10	197
125076		<10	<10	62	<10	117
125077		<10	<10	105	<10	173
125078		<10	<10	38	<10	65
125079		<10	<10	55	<10	81
125080		<10	<10	114	<10	202
125081		<10	<10	15	<10	81
125082		<10	<10	42	<10	225
125083		<10	<10	31	<10	94

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125084		<0.2	2.03	6	<10	10	<0.5	<2	5.33	<0.5	52	6	154	7.92	10	1
125085		<0.2	0.76	27	<10	20	<0.5	<2	4.25	<0.5	107	45	125	4.41	<10	<1
125086		<0.2	0.61	17	<10	20	<0.5	<2	3.52	<0.5	78	20	152	5.72	<10	<1
125087		<0.2	0.68	7	<10	10	<0.5	<2	4.18	<0.5	49	4	120	6.08	<10	<1
125088		<0.2	0.55	8	<10	20	<0.5	<2	3.40	<0.5	51	3	144	6.66	<10	1
125089		<0.2	1.01	8	<10	10	<0.5	<2	2.88	<0.5	64	5	136	8.25	<10	1
125090		41.9	1.81	55	<10	150	<0.5	<2	1.04	14.2	10	20	113	3.79	10	<1
125091		<0.2	1.97	5	<10	10	<0.5	<2	3.97	<0.5	58	9	140	8.08	10	<1
125092		<0.2	2.10	4	<10	10	<0.5	<2	4.48	<0.5	45	8	136	8.40	10	1
125093		<0.2	2.55	4	<10	10	<0.5	<2	5.12	<0.5	39	10	152	8.58	10	<1
125094		<0.2	1.48	5	<10	10	<0.5	<2	4.73	<0.5	46	7	155	7.63	10	<1
125095		<0.2	0.45	9	<10	20	<0.5	<2	3.56	<0.5	66	2	148	7.90	<10	<1
125096		<0.2	1.51	9	<10	10	<0.5	<2	4.03	<0.5	70	7	117	8.27	10	<1
125097		<0.2	3.28	<2	<10	10	<0.5	<2	6.16	<0.5	36	14	90	8.63	10	<1
125098		<0.2	2.96	3	<10	10	<0.5	<2	5.65	<0.5	35	13	92	8.16	10	<1
125099		<0.2	1.84	5	<10	10	<0.5	<2	4.46	<0.5	45	9	138	7.51	10	1
125100		<0.2	1.61	6	<10	10	<0.5	<2	4.19	<0.5	48	7	133	7.53	10	<1
125101		<0.2	2.50	5	<10	10	<0.5	<2	4.18	<0.5	55	11	129	8.75	10	<1
125102		<0.2	1.13	6	<10	20	<0.5	<2	3.93	0.5	41	6	140	7.16	<10	<1
125103		<0.2	2.04	4	<10	20	<0.5	<2	4.20	<0.5	38	9	124	9.44	10	<1
125104		<0.2	2.33	3	<10	20	<0.5	<2	4.77	<0.5	41	10	138	8.89	10	<1
125105		<0.2	2.42	6	<10	20	<0.5	<2	4.39	<0.5	53	10	134	9.96	10	1
125106		<0.2	1.02	<2	<10	20	<0.5	<2	2.37	<0.5	9	11	34	1.57	<10	<1
125107		<0.2	1.19	3	<10	20	<0.5	<2	2.62	<0.5	11	10	22	1.81	<10	<1
125108		<0.2	2.44	31	<10	20	<0.5	<2	4.43	<0.5	56	119	94	4.11	10	<1
125109		<0.2	2.95	45	<10	10	<0.5	<2	3.35	<0.5	74	208	103	5.05	10	<1
125110		<0.2	2.88	45	<10	10	<0.5	<2	3.66	<0.5	71	202	96	4.96	10	<1
125111		<0.2	3.19	30	<10	10	<0.5	<2	3.62	0.5	70	221	143	5.68	10	<1
125112		<0.2	3.00	35	<10	10	<0.5	<2	2.90	<0.5	65	206	108	5.58	10	<1
125113		<0.2	3.24	30	<10	20	<0.5	<2	4.36	<0.5	62	179	104	5.61	10	<1
125114		<0.2	3.01	72	<10	20	<0.5	2	4.00	<0.5	73	173	127	5.32	10	<1
125115		<0.2	2.88	40	<10	30	<0.5	<2	3.49	0.5	74	194	144	5.59	10	<1
125116		<0.2	2.49	82	<10	30	<0.5	<2	4.72	<0.5	81	129	105	4.57	10	<1
125117		<0.2	3.15	39	<10	20	<0.5	<2	2.55	<0.5	73	231	133	6.23	10	<1
125118		<0.2	2.80	51	<10	30	<0.5	<2	3.38	<0.5	63	155	124	5.04	10	<1
125119		<0.2	3.01	65	<10	30	<0.5	<2	4.11	<0.5	72	151	122	5.04	10	<1
125120		<0.2	3.36	20	<10	40	<0.5	<2	2.14	<0.5	56	182	125	5.87	10	<1
125121		<0.2	3.17	4	<10	30	<0.5	<2	0.83	<0.5	51	220	108	5.55	10	<1
125122		<0.2	3.17	2	<10	40	<0.5	2	4.21	<0.5	48	62	68	5.49	10	1
125123		<0.2	3.01	32	<10	50	<0.5	<2	2.81	<0.5	77	178	103	5.14	10	<1

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
125084		0.03	20	0.89	1480	1	0.06	50	1480	<2	2.74	<2	8	51	<20	0.03
125085		0.05	10	0.56	1005	1	0.07	147	650	3	2.06	<2	5	43	<20	0.01
125086		0.05	10	0.60	847	1	0.07	85	1230	3	3.87	<2	5	35	<20	0.03
125087		0.04	20	0.56	970	1	0.06	38	1410	4	3.99	<2	4	54	<20	0.03
125088		0.04	10	0.54	739	1	0.07	39	1320	3	5.23	2	4	39	<20	0.03
125089		0.04	20	0.61	865	1	0.08	40	1360	5	6.38	2	5	35	<20	0.03
125090		0.22	10	0.78	1020	6	0.20	16	580	6760	0.23	36	3	86	<20	0.15
125091		0.03	10	0.91	1260	1	0.07	37	1240	2	3.32	<2	9	38	<20	0.02
125092		0.03	10	0.83	1065	<1	0.07	36	1230	2	3.79	2	9	42	<20	0.03
125093		0.03	20	1.12	1250	<1	0.06	35	1210	2	2.32	<2	11	49	<20	0.02
125094		0.04	10	0.89	1075	<1	0.08	33	1300	2	3.86	<2	7	43	<20	0.03
125095		0.04	10	0.49	727	<1	0.08	46	1290	4	7.49	<2	3	34	<20	0.04
125096		0.03	10	0.86	1130	1	0.06	33	890	2	4.41	<2	8	38	<20	0.02
125097		0.03	20	1.33	1455	1	0.06	31	1300	<2	0.43	2	14	58	<20	0.01
125098		0.03	10	1.21	1335	1	0.06	30	1230	<2	0.84	<2	12	51	<20	0.02
125099		0.03	10	0.82	1020	1	0.07	33	1110	3	3.16	<2	8	44	<20	0.02
125100		0.03	10	0.76	1075	<1	0.07	35	1210	2	3.78	<2	7	45	<20	0.03
125101		0.03	10	0.84	1095	<1	0.06	38	1260	2	3.36	2	10	45	<20	0.01
125102		0.04	10	0.76	1340	<1	0.08	41	1190	4	3.90	<2	6	40	<20	0.03
125103		0.04	10	0.89	1750	1	0.06	41	1110	5	4.23	<2	10	43	<20	0.02
125104		0.04	10	0.93	1980	<1	0.07	41	1270	4	3.13	2	10	49	<20	0.03
125105		0.03	10	0.75	1795	1	0.05	42	1040	4	4.47	<2	10	44	<20	0.03
125106		0.05	20	0.64	374	<1	0.04	17	560	<2	0.03	<2	3	22	<20	0.11
125107		0.06	20	0.71	441	<1	0.04	20	570	5	0.02	<2	3	29	<20	0.11
125108		0.08	10	1.48	1055	<1	0.03	148	420	4	0.14	<2	5	41	<20	0.23
125109		0.05	<10	1.81	1235	<1	0.03	205	310	<2	0.14	<2	4	31	<20	0.33
125110		0.05	<10	1.77	1260	1	0.03	207	310	<2	0.14	<2	4	32	<20	0.34
125111		0.05	<10	1.95	1285	<1	0.03	198	320	<2	0.23	2	5	33	<20	0.39
125112		0.06	<10	1.72	1290	<1	0.03	190	370	2	0.12	<2	5	30	<20	0.34
125113		0.08	<10	2.10	1375	<1	0.02	171	300	<2	0.10	<2	5	47	<20	0.34
125114		0.10	<10	1.80	1090	<1	0.02	198	290	<2	0.17	<2	7	39	<20	0.39
125115		0.10	<10	1.67	1125	<1	0.02	214	330	<2	0.26	<2	6	32	<20	0.25
125116		0.13	<10	1.45	1065	<1	0.01	198	290	2	0.23	2	5	42	<20	0.27
125117		0.06	<10	1.71	1050	<1	0.02	219	350	<2	0.21	<2	12	24	<20	0.30
125118		0.09	<10	1.72	1115	<1	0.02	174	270	<2	0.15	<2	7	29	<20	0.26
125119		0.10	<10	1.96	1095	<1	0.01	169	310	<2	0.05	2	7	35	<20	0.31
125120		0.10	<10	2.17	1070	<1	0.02	195	340	4	0.03	<2	8	20	<20	0.42
125121		0.06	<10	2.03	784	<1	0.02	174	340	13	0.03	<2	10	12	<20	0.44
125122		0.06	10	2.16	1175	<1	0.02	105	1010	5	0.07	2	7	42	<20	0.15
125123		0.08	<10	2.03	1010	1	0.02	198	350	4	0.19	2	5	30	<20	0.32

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125084		<10	<10	60	<10	150
125085		<10	<10	28	<10	90
125086		<10	<10	23	<10	99
125087		<10	<10	22	<10	106
125088		<10	<10	21	<10	83
125089		<10	<10	37	<10	102
125090		<10	<10	95	<10	1520
125091		<10	<10	75	<10	128
125092		<10	<10	66	<10	123
125093		<10	<10	83	<10	159
125094		<10	<10	52	<10	140
125095		<10	<10	15	<10	42
125096		<10	<10	50	<10	117
125097		<10	<10	104	<10	201
125098		<10	<10	95	<10	183
125099		<10	<10	62	<10	122
125100		<10	<10	52	<10	105
125101		<10	<10	79	<10	223
125102		<10	<10	41	<10	116
125103		<10	<10	70	<10	147
125104		<10	<10	76	<10	125
125105		<10	<10	75	<10	111
125106		<10	<10	20	<10	60
125107		<10	<10	21	<10	73
125108		<10	<10	60	<10	136
125109		<10	<10	95	<10	157
125110		<10	<10	96	<10	154
125111		<10	<10	108	<10	214
125112		<10	<10	103	<10	171
125113		<10	<10	81	<10	179
125114		<10	<10	79	<10	217
125115		<10	<10	79	<10	195
125116		<10	<10	53	<10	189
125117		<10	<10	120	<10	214
125118		<10	<10	69	<10	176
125119		<10	<10	68	<10	179
125120		<10	<10	83	<10	183
125121		<10	<10	122	<10	194
125122		<10	<10	87	<10	176
125123		<10	<10	78	<10	167

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125124		<0.2	2.04	40	<10	20	<0.5	<2	3.44	<0.5	77	197	127	3.96	<10	<1
125125		<0.2	2.73	10	<10	10	<0.5	<2	3.14	<0.5	65	199	116	5.35	10	<1
125126		<0.2	3.43	40	<10	<10	<0.5	<2	6.22	<0.5	64	229	112	5.89	10	<1
125127		<0.2	2.27	50	<10	<10	<0.5	<2	7.30	<10	63	207	145	4.54	10	1
125128		<0.2	2.93	69	<10	<10	<0.5	<2	5.38	0.7	67	203	106	5.27	10	1
125129		<0.2	3.24	66	<10	10	<0.5	<2	5.21	0.8	67	213	115	5.71	10	1
125130		42.4	1.77	56	<10	150	<0.5	2	0.99	14.7	11	20	115	3.86	10	1
125131		<0.2	3.12	71	<10	30	<0.5	<2	6.01	0.8	68	196	130	5.49	10	2
125132		<0.2	1.84	<2	<10	80	<0.5	<2	2.26	<0.5	14	29	23	3.44	10	<1
125133		<0.2	1.53	2	<10	70	<0.5	<2	3.56	<0.5	12	24	22	2.94	10	1
125134		<0.2	2.76	22	<10	60	<0.5	2	5.75	0.7	56	197	97	5.42	10	1
125135		0.2	3.17	24	<10	70	<0.5	<2	2.56	0.6	58	172	112	5.33	<10	2
125136		<0.2	2.82	10	<10	140	<0.5	<2	2.39	0.6	56	162	130	4.99	<10	<1
125137		<0.2	2.63	9	<10	120	<0.5	<2	1.94	0.6	57	175	103	4.74	<10	<1
125138		<0.2	1.80	5	<10	40	<0.5	<2	2.12	<0.5	59	168	143	3.59	<10	1
125139		<0.2	2.72	9	<10	100	<0.5	<2	1.53	0.5	65	203	119	5.16	<10	1
125140		<0.2	2.45	2	<10	50	<0.5	<2	5.95	0.8	68	267	117	5.45	<10	1
125141		<0.2	2.06	3	<10	70	<0.5	<2	5.90	0.5	57	225	141	4.66	<10	1
125142		<0.2	2.50	10	<10	130	<0.5	2	2.10	0.5	64	214	108	4.91	<10	1
125143		<0.2	2.91	3	<10	<10	<0.5	2	2.70	0.5	69	206	142	5.59	<10	1
125144		<0.2	2.24	4	<10	10	<0.5	<2	4.35	0.7	59	174	90	4.26	<10	<1
125145		<0.2	2.27	18	<10	30	<0.5	<2	3.46	0.5	70	190	115	4.35	<10	<1
125146		<0.2	3.49	<2	<10	50	<0.5	2	2.47	0.8	79	223	173	7.00	10	1
125147		<0.2	2.88	<2	<10	70	<0.5	<2	3.58	0.7	70	192	197	6.22	<10	1
125148		<0.2	2.77	<2	<10	40	<0.5	<2	5.38	0.7	67	209	146	5.59	<10	2
125149		<0.2	2.83	2	<10	40	<0.5	<2	3.27	0.6	66	208	104	5.55	<10	1
125150		<0.2	2.89	<2	<10	40	<0.5	<2	3.31	0.7	66	212	105	5.61	<10	1
125151		<0.2	2.44	5	<10	40	<0.5	<2	3.76	0.7	72	205	137	5.03	<10	1
125152		<0.2	2.73	<2	<10	10	<0.5	<2	3.48	0.8	73	225	117	5.57	<10	<1
125153		<0.2	2.52	<2	<10	10	<0.5	<2	3.36	0.5	70	190	116	5.02	<10	<1
125154		<0.2	2.50	7	<10	10	<0.5	<2	3.55	0.5	72	253	110	4.92	10	1
125155		<0.2	2.82	7	<10	<10	<0.5	2	3.17	0.5	82	250	110	5.40	10	1
125156		<0.2	1.86	<2	<10	20	<0.5	<2	5.26	0.5	53	115	77	3.74	<10	1
125157		<0.2	1.55	2	<10	30	<0.5	<2	2.28	0.8	39	51	111	8.82	<10	1
125158		<0.2	2.21	4	<10	10	<0.5	<2	3.10	0.5	63	142	81	4.02	<10	1
125159		<0.2	1.51	<2	<10	40	<0.5	<2	2.96	0.5	29	16	58	5.06	<10	1
125160		<0.2	1.95	2	<10	30	<0.5	<2	1.29	<0.5	30	44	49	3.37	<10	1
125161		<0.2	2.36	8	<10	<10	<0.5	2	2.60	<0.5	65	179	76	3.83	<10	1
125162		<0.2	2.48	2	<10	<10	<0.5	<2	3.00	<0.5	65	165	96	4.14	<10	<1
125163		<0.2	2.58	4	<10	<10	<0.5	<2	3.10	0.9	64	157	150	4.60	<10	1

Comments: Samples originally form VO17136550



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
125124		0.04	<10	1.20	843	2	0.03	212	300	2	0.32	<2	4	33	<20	0.27
125125		0.02	<10	1.58	1035	1	0.03	162	310	<2	0.27	<2	4	35	<20	0.27
125126		<0.01	<10	2.56	1395	<1	0.03	171	300	<2	0.19	<2	3	50	<20	0.32
125127		0.01	<10	1.65	1080	1	0.02	191	290	3	0.37	<2	4	48	<20	0.21
125128		<0.01	<10	2.13	1245	<1	0.01	188	280	<2	0.16	<2	3	42	<20	0.28
125129		0.02	<10	2.37	1270	1	0.02	168	280	<2	0.14	<2	3	41	<20	0.28
125130		0.22	10	0.78	1040	6	0.19	17	560	6970	0.23	39	3	82	<20	0.14
125131		0.06	<10	2.31	1290	1	0.01	174	290	7	0.15	<2	5	44	<20	0.22
125132		0.26	30	1.25	742	<1	0.02	15	1190	<2	0.13	3	5	65	<20	0.10
125133		0.17	30	1.03	745	1	0.02	12	1130	4	0.11	<2	4	68	<20	0.09
125134		0.16	<10	1.97	1410	<1	0.01	169	420	3	0.27	2	3	63	<20	0.29
125135		0.21	<10	2.52	1150	<1	0.01	154	300	2	0.07	3	4	28	<20	0.39
125136		0.43	<10	2.11	1010	<1	0.01	160	270	<2	0.19	2	3	25	<20	0.29
125137		0.37	<10	1.83	880	<1	0.01	160	250	<2	0.14	2	3	19	<20	0.31
125138		0.11	<10	1.10	650	<1	0.02	173	230	<2	0.33	<2	3	17	<20	0.28
125139		0.32	<10	1.82	913	<1	0.02	182	240	<2	0.15	4	3	16	<20	0.34
125140		0.15	<10	1.50	1360	<1	0.02	230	430	3	0.31	2	4	26	<20	0.27
125141		0.18	<10	1.17	1130	<1	0.02	164	240	<2	0.37	2	4	32	<20	0.25
125142		0.39	<10	1.55	925	<1	0.02	186	260	<2	0.10	<2	3	16	<20	0.34
125143		0.01	<10	1.75	1265	<1	0.01	178	320	<2	0.10	3	3	20	<20	0.45
125144		0.03	<10	1.30	1145	<1	0.01	170	270	<2	0.12	2	3	24	<20	0.31
125145		0.08	<10	1.29	1130	1	0.01	214	280	<2	0.19	2	3	23	<20	0.32
125146		0.15	<10	2.09	1470	<1	0.01	198	350	<2	0.26	<2	3	18	<20	0.36
125147		0.19	<10	1.61	1300	<1	0.01	205	320	2	0.43	<2	3	22	<20	0.27
125148		0.10	<10	1.57	1555	<1	0.01	223	360	<2	0.24	<2	3	25	<20	0.28
125149		0.11	<10	1.60	1185	2	0.02	200	360	<2	0.15	<2	4	22	<20	0.35
125150		0.10	<10	1.66	1210	2	0.01	201	370	<2	0.14	<2	4	21	<20	0.34
125151		0.09	<10	1.38	1160	<1	0.01	204	290	<2	0.24	<2	3	21	<20	0.30
125152		0.02	<10	1.57	1245	<1	0.01	189	360	<2	0.18	<2	3	20	<20	0.34
125153		0.01	<10	1.49	1105	<1	0.01	199	280	<2	0.17	<2	3	19	<20	0.29
125154		0.01	<10	1.55	1090	<1	0.02	209	370	<2	0.16	<2	4	19	<20	0.31
125155		0.01	<10	1.85	1205	<1	0.02	236	330	<2	0.14	<2	4	17	<20	0.30
125156		0.05	<10	1.17	1230	<1	<0.01	162	260	<2	0.70	<2	3	20	<20	0.22
125157		0.12	<10	1.00	805	1	0.01	105	420	2	3.45	<2	3	11	<20	0.18
125158		0.04	<10	1.50	1095	<1	<0.01	202	280	<2	0.58	<2	3	14	<20	0.24
125159		0.13	<10	0.80	740	<1	<0.01	46	660	<2	1.93	<2	2	23	<20	0.24
125160		0.07	<10	1.19	588	<1	0.02	51	570	<2	0.29	<2	2	18	<20	0.27
125161		<0.01	<10	1.66	980	<1	0.02	176	160	<2	0.17	<2	4	14	<20	0.24
125162		<0.01	<10	1.71	1060	<1	0.01	176	160	<2	0.17	<2	4	17	<20	0.21
125163		0.01	<10	1.73	1135	<1	0.02	159	150	2	0.33	2	4	17	<20	0.21

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125124		<10	<10	80	<10	143
125125		<10	<10	91	<10	171
125126		<10	<10	119	<10	118
125127		<10	<10	109	<10	91
125128		<10	<10	95	<10	116
125129		<10	<10	99	<10	129
125130		<10	<10	95	<10	1530
125131		<10	<10	92	<10	115
125132		<10	<10	48	<10	71
125133		<10	<10	38	<10	83
125134		<10	<10	103	<10	121
125135		<10	<10	87	<10	114
125136		<10	<10	75	<10	105
125137		<10	<10	73	<10	111
125138		<10	<10	63	<10	100
125139		<10	<10	83	<10	139
125140		<10	<10	122	<10	132
125141		<10	<10	84	<10	108
125142		<10	<10	87	<10	130
125143		<10	<10	75	<10	124
125144		<10	<10	50	<10	98
125145		<10	<10	60	<10	96
125146		<10	<10	91	<10	164
125147		<10	<10	61	<10	136
125148		<10	<10	69	<10	119
125149		<10	<10	79	<10	126
125150		<10	<10	81	<10	131
125151		<10	<10	69	<10	129
125152		<10	<10	85	<10	171
125153		<10	<10	70	<10	122
125154		<10	<10	97	<10	119
125155		<10	<10	111	<10	127
125156		<10	<10	47	<10	74
125157		<10	<10	25	<10	74
125158		<10	<10	41	<10	96
125159		<10	<10	20	<10	99
125160		<10	<10	35	<10	125
125161		<10	<10	69	<10	170
125162		<10	<10	61	<10	127
125163		<10	<10	59	<10	431

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - A
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125164		<0.2	2.42	4	<10	<10	<0.5	<2	3.39	<0.5	63	159	91	3.92	<10	1
125165		<0.2	2.35	<2	<10	<10	<0.5	<2	5.36	0.6	62	151	117	4.05	<10	1
125166		<0.2	3.30	2	<10	<10	<0.5	<2	2.63	0.7	80	208	149	5.44	<10	1
125167		<0.2	1.81	15	<10	10	<0.5	<2	5.12	0.5	65	153	105	3.01	<10	<1
125168		<0.2	2.67	18	<10	10	<0.5	<2	3.22	0.5	73	180	96	4.12	<10	1
125169		<0.2	3.67	<2	<10	10	<0.5	<2	4.53	0.7	80	211	90	6.75	10	<1
125170		44.0	1.86	56	<10	150	<0.5	<2	1.06	15.1	11	21	113	3.97	10	1
125171		<0.2	2.74	<2	<10	10	<0.5	<2	5.89	0.6	69	172	75	5.11	10	<1
125172		<0.2	2.41	<2	<10	10	<0.5	<2	5.57	<0.5	68	148	71	4.37	<10	1
125173		<0.2	2.25	10	<10	10	<0.5	<2	6.09	0.5	78	192	69	4.14	<10	<1
125174		<0.2	2.56	5	<10	10	<0.5	<2	2.96	<0.5	70	179	75	4.48	<10	<1
125175		<0.2	2.28	10	<10	10	<0.5	<2	4.83	<0.5	65	168	65	3.65	<10	<1
125176		<0.2	2.63	9	<10	10	<0.5	<2	4.02	<0.5	73	217	95	4.46	<10	1
125177		<0.2	2.55	<2	<10	10	<0.5	<2	2.88	<0.5	68	209	72	4.25	<10	1
125178		<0.2	2.35	16	<10	10	<0.5	<2	3.22	<0.5	74	185	77	3.62	<10	1
125179		<0.2	2.54	9	<10	10	<0.5	<2	2.54	<0.5	80	202	102	3.97	<10	1
125180		<0.2	2.60	2	<10	10	<0.5	<2	2.26	<0.5	78	218	107	4.22	<10	<1
125181		<0.2	2.89	3	<10	<10	<0.5	<2	1.88	0.5	81	233	125	4.79	<10	1
125182		<0.2	2.35	10	<10	<10	<0.5	<2	3.85	<0.5	71	187	54	3.48	<10	1
125183		<0.2	3.15	2	<10	10	<0.5	<2	2.79	<0.5	82	220	108	5.35	<10	1
125184		<0.2	3.03	28	<10	20	<0.5	<2	2.96	<0.5	91	207	100	5.01	<10	<1
125185		<0.2	2.45	10	<10	30	<0.5	<2	1.27	<0.5	50	85	87	3.84	<10	1
125186		<0.2	1.70	<2	<10	30	<0.5	<2	0.89	<0.5	14	10	34	2.23	<10	<1
125187		<0.2	1.43	<2	<10	20	<0.5	<2	2.09	<0.5	14	11	29	2.23	<10	<1

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - B
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125164		0.01	<10	1.56	1010	<1	0.02	180	170	<2	0.14	<2	5	17	<20	0.22
125165		<0.01	<10	1.53	1200	<1	0.01	160	140	<2	0.25	<2	4	21	<20	0.21
125166		0.01	<10	2.45	1145	<1	0.02	192	140	<2	0.26	3	4	17	<20	0.22
125167		0.03	<10	1.23	843	1	0.03	159	120	<2	0.27	3	3	16	<20	0.17
125168		0.04	<10	1.88	949	<1	0.02	177	180	<2	0.10	<2	5	16	<20	0.22
125169		0.09	<10	2.18	1315	<1	0.01	181	240	<2	0.23	2	4	19	<20	0.11
125170		0.23	10	0.80	1075	6	0.21	16	570	7170	0.25	39	3	87	<20	0.16
125171		0.11	<10	1.56	1175	<1	0.01	190	340	3	0.22	<2	7	24	<20	0.09
125172		0.11	<10	1.39	1135	<1	0.01	184	330	<2	0.21	<2	2	23	<20	0.10
125173		0.10	<10	1.34	1195	<1	0.02	212	370	<2	0.21	3	4	23	<20	0.13
125174		0.06	<10	1.54	951	<1	0.02	188	250	<2	0.20	3	6	17	<20	0.27
125175		0.04	<10	1.31	994	<1	0.01	183	240	<2	0.17	5	7	21	<20	0.22
125176		0.03	<10	1.69	1155	1	0.02	193	250	<2	0.22	<2	6	20	<20	0.22
125177		0.03	<10	1.70	1020	<1	0.02	169	210	<2	0.18	2	5	16	<20	0.21
125178		0.03	<10	1.58	1025	<1	0.02	180	200	<2	0.13	<2	5	17	<20	0.20
125179		0.03	<10	1.80	966	<1	0.02	205	250	<2	0.20	<2	5	15	<20	0.22
125180		0.02	<10	1.91	1010	<1	0.02	186	230	<2	0.23	<2	4	15	<20	0.21
125181		0.01	<10	2.11	1050	<1	0.03	198	260	<2	0.26	2	5	14	<20	0.21
125182		0.01	<10	1.62	1280	<1	0.02	195	250	<2	0.11	<2	5	18	<20	0.20
125183		0.03	<10	2.24	1225	<1	0.02	188	240	<2	0.26	<2	5	17	<20	0.23
125184		0.04	<10	2.34	1100	<1	0.02	195	410	<2	0.44	2	5	22	<20	0.22
125185		0.06	<10	1.79	671	<1	0.02	93	510	2	0.37	2	3	27	<20	0.22
125186		0.08	<10	1.15	371	1	0.02	26	530	<2	0.16	<2	1	23	<20	0.14
125187		0.08	<10	0.88	528	1	0.02	26	540	<2	0.30	<2	1	29	<20	0.13

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 6 - C
 Total # Pages: 6 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125164		<10	<10	68	<10	108
125165		<10	<10	61	<10	200
125166		<10	<10	91	<10	209
125167		<10	<10	66	<10	121
125168		<10	<10	82	<10	154
125169		<10	<10	82	<10	174
125170		<10	<10	99	<10	1575
125171		<10	<10	75	<10	113
125172		<10	<10	45	<10	99
125173		<10	<10	55	<10	92
125174		<10	<10	68	<10	106
125175		<10	<10	71	<10	110
125176		<10	<10	80	<10	115
125177		<10	<10	69	<10	107
125178		<10	<10	67	<10	122
125179		<10	<10	75	<10	134
125180		<10	<10	74	<10	137
125181		<10	<10	79	<10	161
125182		<10	<10	67	<10	113
125183		<10	<10	83	<10	169
125184		<10	<10	71	<10	150
125185		<10	<10	37	<10	122
125186		<10	<10	13	<10	66
125187		<10	<10	13	<10	76

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-AUG-2017
Account: GNKCOZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17162547

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-ICP41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

CERTIFICATE VO17209457

Project: URBAN BARRY

This report is for 62 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-SEP-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: *Nacera Amara*
 Nacera Amara, Laboratory Manager, Val d'Or



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17209457

Sample Description	Method Analyte Units LOR	WEI-21	Au-AA24
		Recvd Wt. kg	Au ppm
		0.02	0.005
23101		1.66	<0.005
23102		1.38	<0.005
23103		1.82	<0.005
23104		2.18	<0.005
23105		2.42	0.005
23106		2.24	<0.005
23107		2.32	<0.005
23108		2.54	<0.005
23109		1.77	<0.005
23110		0.30	<0.005
23111		2.32	<0.005
23112		2.22	<0.005
23113		2.54	<0.005
23114		2.38	<0.005
23115		2.26	<0.005
23116		2.22	<0.005
23117		2.45	<0.005
23118		2.41	<0.005
23119		2.13	<0.005
23120		2.68	<0.005
23121		2.93	0.006
23122		2.57	<0.005
23123		2.28	<0.005
23124		2.11	<0.005
23125		3.05	<0.005
23126		2.45	<0.005
23127		2.73	<0.005
23128		3.03	<0.005
23129		1.67	<0.005
23130		1.69	0.013
23131		2.40	<0.005
23132		2.65	<0.005
23133		1.05	<0.005
125472		2.26	<0.005
125473		2.64	<0.005
125474		2.52	<0.005
125475		1.99	<0.005
125476		2.28	<0.005
125477		2.18	0.006
125478		1.65	<0.005



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17209457

Sample Description	Method Analyte Units LOR	WEI-21 Recvd Wt. kg	Au-AA24 Au ppm
		0.02	0.005
125479		2.82	0.005
125480		4.07	<0.005
125481		1.42	<0.005
125482		2.94	<0.005
125483		1.43	<0.005
125484		1.20	<0.005
125485		2.90	<0.005
125486		1.47	0.005
125487		2.40	<0.005
125488		1.41	0.005
125489		1.36	<0.005
125490		1.18	0.008
125491		2.13	<0.005
125492		2.71	<0.005
125493		1.26	<0.005
125494		2.65	<0.005
125495		2.56	0.008
125496		2.38	<0.005
125497		1.98	0.024
125498		3.99	0.011
125499		1.27	0.005
125500		1.31	<0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-OCT-2017
Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17209457

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.			
	Au-AA24	CRU-31	CRU-QC	LOG-22
	PUL-31	PUL-QC	SPL-21	WEI-21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: 1
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 16-OCT-2017
This copy reported on
17-OCT-2017
Account: GNKCQZ

CERTIFICATE VO17217048

Project: URBAN BARRY

This report is for 62 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-SEP-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
ATTN: REZA MOHAMMED
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
23101		<0.2	1.29	<2	<10	20	<0.5	<2	4.03	<0.5	9	8	29	2.64	<10	<1
23102		<0.2	1.27	3	<10	20	<0.5	<2	6.47	<0.5	14	7	46	2.64	<10	1
23103		<0.2	1.40	2	<10	20	<0.5	<2	4.42	<0.5	11	8	31	2.77	<10	1
23104		<0.2	2.01	<2	<10	20	<0.5	<2	2.21	<0.5	12	13	29	2.42	<10	<1
23105		<0.2	2.01	<2	<10	30	<0.5	<2	2.15	<0.5	12	14	34	2.42	<10	<1
23106		<0.2	2.07	2	<10	20	<0.5	<2	2.29	<0.5	14	14	41	2.51	<10	2
23107		<0.2	1.95	<2	<10	30	<0.5	<2	2.22	<0.5	13	12	41	2.44	<10	1
23108		<0.2	2.06	4	<10	20	<0.5	2	2.21	<0.5	14	15	33	2.54	<10	<1
23109		<0.2	2.06	2	<10	20	<0.5	<2	1.90	<0.5	14	15	43	2.58	<10	<1
23110		<0.2	0.04	2	10	20	<0.5	<2	19.7	<0.5	<1	1	2	0.18	<10	<1
23111		<0.2	1.91	3	<10	20	<0.5	<2	1.98	<0.5	14	16	51	2.37	<10	<1
23112		<0.2	1.89	3	<10	20	<0.5	<2	2.07	<0.5	12	14	22	2.23	<10	1
23113		<0.2	1.91	3	<10	20	<0.5	<2	2.34	<0.5	13	15	28	2.39	<10	<1
23114		<0.2	1.83	2	<10	30	<0.5	<2	1.92	<0.5	13	15	37	2.41	<10	1
23115		<0.2	1.81	<2	<10	30	<0.5	<2	2.21	<0.5	13	16	42	2.42	<10	<1
23116		<0.2	1.93	2	<10	20	<0.5	<2	2.59	<0.5	13	19	33	2.45	<10	1
23117		<0.2	1.90	3	<10	30	<0.5	2	1.44	<0.5	13	17	42	2.46	<10	<1
23118		<0.2	1.92	<2	<10	30	<0.5	<2	2.02	<0.5	14	14	41	2.41	<10	1
23119		<0.2	1.74	2	<10	30	<0.5	<2	1.18	<0.5	13	16	36	2.28	<10	<1
23120		<0.2	1.88	2	<10	40	<0.5	<2	1.16	<0.5	13	17	39	2.44	<10	<1
23121		<0.2	1.86	<2	<10	30	<0.5	<2	2.10	<0.5	12	17	30	2.29	<10	1
23122		<0.2	1.92	2	<10	30	<0.5	<2	1.91	<0.5	13	17	38	2.43	<10	1
23123		<0.2	1.90	<2	<10	30	<0.5	<2	1.94	<0.5	13	18	32	2.47	<10	<1
23124		<0.2	1.90	<2	<10	40	<0.5	<2	3.71	<0.5	13	12	50	2.75	<10	1
23125		<0.2	1.82	4	<10	30	<0.5	<2	3.47	<0.5	16	14	73	2.59	<10	<1
23126		<0.2	1.81	<2	<10	40	<0.5	<2	2.16	<0.5	12	14	29	2.27	<10	<1
23127		<0.2	1.86	2	<10	30	<0.5	<2	2.19	<0.5	12	15	31	2.29	<10	<1
23128		<0.2	1.94	<2	<10	30	<0.5	<2	1.40	<0.5	13	18	40	2.39	<10	<1
23129		<0.2	1.86	<2	<10	30	<0.5	<2	2.57	<0.5	12	19	31	2.26	<10	<1
23130		<0.2	1.92	<2	<10	30	<0.5	<2	1.87	<0.5	12	19	28	2.39	<10	<1
23131		<0.2	1.82	<2	<10	50	<0.5	<2	1.91	<0.5	11	16	43	2.42	<10	<1
23132		<0.2	2.29	3	<10	60	<0.5	<2	1.27	<0.5	22	21	71	3.26	<10	1
23133		<0.2	1.75	49	<10	60	<0.5	<2	4.74	<0.5	58	61	71	2.54	<10	<1
125472		<0.2	2.46	<2	<10	30	<0.5	<2	4.44	<0.5	29	7	147	7.08	10	<1
125473		<0.2	2.12	<2	<10	30	<0.5	<2	3.84	<0.5	24	7	135	6.29	10	<1
125474		<0.2	2.59	3	<10	30	<0.5	<2	3.19	<0.5	34	7	159	6.21	10	<1
125475		<0.2	2.52	7	<10	30	<0.5	<2	3.32	<0.5	44	7	145	6.24	10	1
125476		0.2	2.16	2	<10	30	<0.5	<2	3.80	<0.5	31	5	150	5.36	10	1
125477		0.2	0.73	87	<10	30	<0.5	<2	3.22	0.5	68	1	156	1.82	<10	<1
125478		<0.2	0.56	8	<10	20	<0.5	<2	5.23	<0.5	15	11	37	2.42	<10	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
23101		0.05	20	0.85	492	<1	0.11	21	660	3	0.04	3	2	31	<20	<0.01
23102		0.05	20	0.74	614	1	0.12	23	590	2	0.26	<2	2	43	<20	<0.01
23103		0.05	20	0.89	507	1	0.13	23	670	<2	0.05	3	2	35	<20	<0.01
23104		0.09	10	1.12	488	1	0.04	26	530	2	0.04	<2	2	32	<20	0.16
23105		0.11	10	1.06	466	<1	0.05	27	560	2	0.11	4	2	35	<20	0.17
23106		0.10	10	1.10	473	1	0.05	28	510	<2	0.13	3	2	38	<20	0.17
23107		0.13	10	1.05	459	1	0.04	27	590	2	0.14	4	2	33	<20	0.15
23108		0.10	10	1.14	484	1	0.04	28	580	2	0.08	5	2	37	<20	0.16
23109		0.10	10	1.16	480	1	0.05	30	580	2	0.12	3	2	37	<20	0.16
23110		0.02	10	11.85	384	<1	0.14	1	80	<2	0.04	4	<1	130	<20	<0.01
23111		0.07	10	1.09	451	1	0.05	28	520	2	0.12	<2	2	37	<20	0.16
23112		0.07	10	1.04	464	1	0.04	27	560	3	0.06	<2	2	39	<20	0.18
23113		0.07	10	1.12	507	1	0.04	29	550	2	0.10	3	2	36	<20	0.19
23114		0.09	10	1.06	452	1	0.04	31	560	3	0.18	2	2	31	<20	0.16
23115		0.09	10	1.00	475	1	0.04	29	550	2	0.21	4	2	34	<20	0.17
23116		0.07	10	1.08	524	1	0.04	30	570	2	0.12	2	2	38	<20	0.17
23117		0.10	10	1.07	415	1	0.04	30	550	<2	0.16	<2	2	34	<20	0.17
23118		0.11	10	1.02	445	1	0.04	29	570	2	0.18	2	2	40	<20	0.17
23119		0.09	10	0.99	361	1	0.04	29	590	<2	0.19	2	1	31	<20	0.14
23120		0.10	10	1.05	368	1	0.05	29	550	2	0.20	<2	2	34	<20	0.16
23121		0.10	10	1.02	435	1	0.05	29	640	2	0.12	2	2	38	<20	0.17
23122		0.10	10	1.09	427	1	0.05	31	580	<2	0.13	<2	2	35	<20	0.17
23123		0.11	10	1.10	429	1	0.04	30	580	<2	0.09	<2	2	34	<20	0.17
23124		0.16	10	1.09	581	1	0.03	32	620	2	0.17	2	2	33	<20	0.13
23125		0.15	10	1.05	546	1	0.03	33	610	2	0.16	<2	2	30	<20	0.13
23126		0.14	10	1.03	443	1	0.05	30	500	2	0.07	3	2	31	<20	0.15
23127		0.10	10	1.09	440	1	0.05	30	510	2	0.05	2	2	32	<20	0.17
23128		0.09	10	1.22	401	<1	0.04	32	550	2	0.09	<2	2	29	<20	0.17
23129		0.06	10	1.14	471	<1	0.04	30	560	2	0.05	<2	2	30	<20	0.16
23130		0.08	10	1.17	445	<1	0.04	31	550	2	0.06	<2	2	30	<20	0.17
23131		0.10	10	1.13	465	<1	0.03	30	500	3	0.12	<2	1	26	<20	0.14
23132		0.12	<10	1.51	521	1	0.03	43	540	<2	0.24	<2	2	28	<20	0.17
23133		0.10	<10	1.09	770	1	0.04	107	540	<2	0.26	<2	3	34	<20	0.18
125472		0.06	20	0.74	1690	1	0.07	23	1430	3	0.11	<2	11	56	<20	0.07
125473		0.07	20	0.75	1580	1	0.09	17	1430	2	0.04	<2	10	51	<20	0.06
125474		0.09	20	0.57	1065	1	0.10	26	1760	2	0.15	<2	13	48	<20	0.08
125475		0.08	20	0.54	1095	1	0.08	39	1800	<2	0.23	<2	10	45	<20	0.06
125476		0.09	20	0.57	1310	<1	0.11	25	1780	2	0.08	2	10	55	<20	0.08
125477		0.11	20	0.49	876	<1	0.15	51	1610	3	0.07	2	8	53	<20	0.02
125478		0.07	10	0.81	695	<1	0.08	34	540	<2	0.03	<2	3	94	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
23101		<10	<10	14	<10	66
23102		<10	<10	13	<10	63
23103		<10	<10	14	<10	71
23104		<10	<10	19	<10	80
23105		<10	<10	18	<10	60
23106		<10	<10	18	<10	83
23107		<10	<10	16	<10	79
23108		<10	<10	18	<10	90
23109		<10	<10	18	<10	70
23110		<10	<10	2	<10	33
23111		<10	<10	18	<10	87
23112		10	<10	18	<10	60
23113		<10	<10	19	<10	68
23114		<10	<10	17	<10	61
23115		<10	<10	18	<10	96
23116		<10	<10	21	<10	75
23117		<10	<10	18	<10	71
23118		<10	<10	17	<10	71
23119		<10	<10	16	<10	75
23120		<10	<10	17	<10	76
23121		<10	<10	18	<10	104
23122		<10	<10	20	<10	112
23123		<10	<10	18	<10	93
23124		<10	<10	16	<10	84
23125		<10	<10	16	<10	75
23126		<10	<10	16	<10	74
23127		<10	<10	18	<10	82
23128		<10	<10	19	<10	69
23129		<10	<10	20	<10	60
23130		<10	<10	20	<10	72
23131		<10	<10	16	<10	113
23132		<10	<10	23	<10	143
23133		<10	<10	28	<10	128
125472		<10	<10	116	<10	80
125473		<10	<10	89	<10	71
125474		<10	<10	104	<10	69
125475		<10	<10	94	<10	68
125476		<10	<10	85	<10	59
125477		<10	<10	30	<10	213
125478		<10	<10	9	<10	102



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
125479		<0.2	0.90	9	<10	20	<0.5	<2	3.51	<0.5	21	20	45	2.60	<10	1
125480		<0.2	1.40	<2	<10	20	<0.5	<2	3.84	<0.5	16	32	37	3.49	<10	<1
125481		<0.2	1.21	<2	<10	20	<0.5	<2	3.61	<0.5	16	28	96	3.32	<10	<1
125482		<0.2	1.21	<2	<10	20	<0.5	<2	3.84	<0.5	13	27	43	3.27	<10	<1
125483		<0.2	0.76	<2	<10	20	<0.5	<2	6.19	<0.5	14	15	40	2.49	<10	<1
125484		<0.2	1.11	5	<10	10	<0.5	<2	6.24	<0.5	22	25	57	3.43	<10	<1
125485		<0.2	1.06	4	<10	20	<0.5	<2	4.32	<0.5	24	24	49	3.27	<10	<1
125486		<0.2	1.81	2	<10	20	<0.5	<2	3.28	<0.5	20	53	36	3.78	10	<1
125487		<0.2	2.00	29	<10	20	<0.5	<2	2.84	0.6	42	78	51	5.14	10	<1
125488		<0.2	1.45	68	<10	40	<0.5	<2	3.83	1.7	119	133	103	3.41	<10	<1
125489		<0.2	1.76	43	<10	20	<0.5	<2	5.48	0.8	90	176	98	4.08	10	1
125490		<0.2	1.62	42	<10	20	<0.5	<2	6.04	0.7	86	167	96	3.95	10	<1
125491		<0.2	1.69	60	<10	30	<0.5	<2	4.79	1.0	103	175	99	3.66	10	<1
125492		<0.2	1.90	52	<10	20	<0.5	<2	5.28	0.7	106	183	97	4.24	10	<1
125493		<0.2	1.70	52	<10	20	<0.5	<2	5.13	<0.5	70	165	98	4.20	10	<1
125494		<0.2	1.80	62	<10	20	<0.5	<2	7.1	0.6	80	125	87	4.14	10	<1
125495		<0.2	1.27	86	<10	20	<0.5	<2	4.89	0.5	97	97	91	3.97	<10	<1
125496		<0.2	1.17	102	<10	20	<0.5	<2	4.94	0.5	98	88	83	4.29	<10	<1
125497		0.2	1.07	66	<10	20	<0.5	<2	7.5	0.5	83	53	108	5.38	<10	<1
125498		<0.2	1.17	50	<10	20	<0.5	<2	5.60	<0.5	57	42	67	4.10	<10	<1
125499		<0.2	1.08	7	<10	10	<0.5	<2	6.57	<0.5	13	8	30	2.25	<10	<1
125500		<0.2	1.51	4	<10	20	<0.5	<2	4.78	<0.5	12	8	28	2.91	<10	<1



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
125479		0.08	10	1.28	465	6	0.12	42	580	<2	0.02	<2	2	52	<20	<0.01
125480		0.08	10	1.92	387	<1	0.13	36	580	<2	0.01	<2	3	52	<20	<0.01
125481		0.06	10	1.79	408	<1	0.09	39	540	<2	0.02	<2	3	46	<20	<0.01
125482		0.08	10	1.56	497	<1	0.12	28	550	<2	0.02	<2	3	49	<20	<0.01
125483		0.07	10	0.76	735	<1	0.11	53	570	2	0.20	<2	2	53	<20	<0.01
125484		0.06	10	0.98	720	<1	0.09	52	530	2	0.26	<2	3	72	<20	<0.01
125485		0.07	10	1.15	590	1	0.11	59	620	<2	0.25	<2	3	45	<20	<0.01
125486		0.09	10	2.04	731	<1	0.10	64	560	<2	0.06	<2	5	41	<20	<0.01
125487		0.09	10	1.50	618	2	0.09	108	490	4	1.23	<2	6	35	<20	<0.01
125488		0.14	10	0.80	913	<1	0.11	285	710	2	0.48	<2	9	46	<20	<0.01
125489		0.09	10	1.24	1215	<1	0.10	225	840	<2	0.29	<2	13	58	<20	<0.01
125490		0.08	10	1.21	1300	<1	0.08	207	880	2	0.28	<2	12	59	<20	<0.01
125491		0.10	10	1.14	1010	<1	0.09	222	770	2	0.28	<2	12	52	<20	<0.01
125492		0.08	10	1.31	1065	<1	0.08	224	770	<2	0.35	<2	13	52	<20	<0.01
125493		0.06	10	1.71	1135	<1	0.07	177	220	<2	0.07	<2	12	39	<20	<0.01
125494		0.07	10	1.46	1160	2	0.10	185	650	<2	0.13	<2	11	58	<20	<0.01
125495		0.08	10	1.98	976	<1	0.13	211	700	2	0.26	<2	9	50	<20	<0.01
125496		0.06	10	2.08	938	<1	0.11	223	660	<2	0.20	2	9	48	<20	<0.01
125497		0.07	10	1.40	968	<1	0.09	155	210	5	2.18	2	7	57	<20	<0.01
125498		0.07	10	1.35	870	1	0.12	102	330	4	0.98	<2	5	51	<20	<0.01
125499		0.04	10	0.61	526	2	0.08	22	450	<2	0.21	<2	2	50	<20	<0.01
125500		0.06	20	0.85	510	<1	0.12	23	650	<2	0.20	<2	2	41	<20	<0.01



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
125479		<10	<10	13	<10	191
125480		<10	<10	23	<10	95
125481		<10	<10	22	<10	81
125482		<10	<10	20	<10	88
125483		<10	<10	11	<10	66
125484		<10	<10	17	<10	95
125485		<10	<10	16	<10	69
125486		<10	<10	35	<10	139
125487		<10	<10	42	<10	231
125488		<10	<10	61	<10	589
125489		<10	<10	85	<10	278
125490		<10	<10	80	<10	273
125491		<10	<10	88	<10	322
125492		<10	<10	98	<10	292
125493		<10	<10	85	<10	189
125494		<10	<10	73	<10	208
125495		<10	<10	48	<10	239
125496		<10	<10	47	<10	262
125497		<10	<10	34	<10	174
125498		<10	<10	30	<10	141
125499		<10	<10	17	<10	63
125500		<10	<10	17	<10	82



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-OCT-2017
Account: GNKCQZ

Project: URBAN BARRY

CERTIFICATE OF ANALYSIS VO17217048

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.
FND-02

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-ICP41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 This copy reported on
 11-JUN-2018
 Account: GNKCQZ

QC CERTIFICATE VO17136550

Project: URBAN BARRY

This report is for 187 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 29-JUN-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-23	Pulp Login - Rcvd with Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOD	Au-AA24 Au ppm 0.005
STANDARDS		
G912-1		7.50
G912-1		7.53
G912-1		7.19
Target Range - Lower Bound		6.85
Upper Bound		7.73
LEA-16		0.511
LEA-16		0.499
LEA-16		0.499
Target Range - Lower Bound		0.466
Upper Bound		0.536
OREAS 200		0.348
OREAS 200		0.343
OREAS 200		0.334
OREAS 200		0.346
Target Range - Lower Bound		0.315
Upper Bound		0.365
OxJ120		2.42
OxJ120		2.37
OxJ120		2.33
Target Range - Lower Bound		2.22
Upper Bound		2.51
BLANKS		
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
BLANK		<0.005
Target Range - Lower Bound		<0.005
Upper Bound		0.010



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOD	Au-AA24 Au ppm 0.005
DUPLICATES		
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.058 0.061 0.052 0.067
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.013 0.011 0.006 0.018
ORIGINAL DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.015 0.015 0.009 0.021
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.005 0.006 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.014 0.015 0.009 0.020



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOD	Au-AA24 Au ppm 0.005
DUPLICATES		
ORIGINAL DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		<0.005 0.005 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.342 0.261 0.281 0.322
125041 DUP Target Range - Lower Bound Upper Bound		0.005 0.005 <0.005 0.010
125061 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
125097 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
125117 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010
125137 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 5 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 16-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17136550

Sample Description	Method Analyte Units LOD	Au-AA24 Au ppm 0.005	
DUPLICATES			
125175		<0.005	
DUP		0.027	
Target Range - Lower Bound		0.010	
Upper Bound		0.022	
ORIGINAL		0.014	
DUP		0.015	
Target Range - Lower Bound		0.009	
Upper Bound		0.020	
ORIGINAL		0.009	
DUP		0.010	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
PREP DUPLICATES			
125055		<0.005	
125055 PREP DUP		<0.005	
125106		<0.005	
125106 PREP DUP		<0.005	
125157		<0.005	
125157 PREP DUP		<0.005	



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-AUG-2017
Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17136550

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Thunder Bay located at 645 Norah Crescent, Thunder Bay, ON, Canada		
	CRU-31	CRU-QC	LOG-22
	PUL-31	PUL-QC	SPL-21
			LOG-23
			WEI-21
Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.		
	Au-AA24		



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 4 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 This copy reported on
 1-SEP-2017
 Account: GNKCQZ

QC CERTIFICATE VO17137903

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 4 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
STANDARDS			
LEA-16		0.499	
LEA-16		0.520	
LEA-16		0.498	
Target Range - Lower Bound		0.466	
Upper Bound		0.536	
OREAS 200		0.351	
Target Range - Lower Bound		0.315	
Upper Bound		0.365	
OREAS 217		0.340	
Target Range - Lower Bound		0.313	
Upper Bound		0.363	
OxJ120		2.42	
OxJ120		2.38	
OxJ120		2.32	
Target Range - Lower Bound		2.22	
Upper Bound		2.51	
BLANKS			
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
DUPLICATES			
ORIGINAL		0.035	
DUP		0.039	
Target Range - Lower Bound		0.030	
Upper Bound		0.044	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 4 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
DUPLICATES			
ORIGINAL		0.193	
DUP		0.206	
Target Range - Lower Bound		0.185	
Upper Bound		0.214	
ORIGINAL		0.006	
DUP		0.008	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.006	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.142	
DUP		0.136	
Target Range - Lower Bound		0.127	
Upper Bound		0.151	
125203		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 4 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17137903

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
DUPLICATES			
125241 DUP Target Range - Lower Bound Upper Bound		<0.005 0.006 <0.005 0.010	
125261 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010	
125281 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010	
125319 DUP Target Range - Lower Bound Upper Bound		<0.005 <0.005 <0.005 0.010	
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.429 0.420 0.398 0.451	
PREP DUPLICATES			
125239 125239 PREP DUP		<0.005 <0.005	
125291 125291 PREP DUP		<0.005 <0.005	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2017
Account: GNKCOZ

QC CERTIFICATE OF ANALYSIS VO17137903

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.			
	Au-AA24	CRU-31	CRU-QC	LOG-22
	LOG-24	PUL-31	PUL-QC	SPL-21
	WEI-21			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 This copy reported on
 1-SEP-2017
 Account: GNKCQZ

QC CERTIFICATE VO17137909

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCOZ

QC CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
STANDARDS			
LEA-16		0.528	
LEA-16		0.507	
LEA-16		0.492	
LEA-16		0.516	
Target Range - Lower Bound		0.466	
Upper Bound		0.536	
OREAS 200		0.349	
Target Range - Lower Bound		0.315	
Upper Bound		0.365	
OREAS 217		0.340	
Target Range - Lower Bound		0.313	
Upper Bound		0.363	
OxJ120		2.41	
OxJ120		2.37	
OxJ120		2.33	
OxJ120		2.35	
Target Range - Lower Bound		2.22	
Upper Bound		2.51	
BLANKS			
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
BLANK		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
DUPLICATES			
ORIGINAL		0.048	
DUP		0.049	
Target Range - Lower Bound		0.041	
Upper Bound		0.056	
ORIGINAL		0.019	
DUP		0.031	
Target Range - Lower Bound		0.019	
Upper Bound		0.031	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.006	
DUP		0.008	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		0.006	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
ORIGINAL		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 4 - A
 Total # Pages: 5 (A)
 Plus Appendix Pages
 Finalized Date: 18-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
DUPLICATES			
ORIGINAL		0.142	
DUP		0.136	
Target Range - Lower Bound		0.127	
Upper Bound		0.151	
125335		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
125381		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
125401		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
125439		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
125451		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
125471		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: 5 - A
Total # Pages: 5 (A)
Plus Appendix Pages
Finalized Date: 18-AUG-2017
Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17137909

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005
		PREP DUPLICATES
125382 125382 PREP DUP		<0.005 <0.005
125434 125434 PREP DUP		<0.005 0.005

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 18-AUG-2017
Account: GNKCOZ

QC CERTIFICATE OF ANALYSIS VO17137909

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:	Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.			
	Au-AA24	CRU-31	CRU-QC	LOG-22
	LOG-24	PUL-31	PUL-QC	SPL-21
	WEI-21			



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE VO17159601

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
STANDARDS																
MRGeo08		4.1	2.51	32	<10	420	0.7	3	1.04	1.9	18	86	600	3.48	10	1
MRGeo08		4.5	2.62	34	<10	450	0.7	2	1.11	2.3	19	94	649	3.64	10	<1
Target Range - Lower Bound		3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10	<1
Upper Bound		5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30	2
OGGeo08		18.8	2.18	116	<10	60	0.7	12	0.87	17.4	93	77	8300	5.02	10	1
OGGeo08		18.5	2.13	114	<10	70	0.6	10	0.86	17.2	93	77	8300	4.98	10	1
OGGeo08		18.9	2.09	116	<10	110	0.6	15	0.85	17.8	93	77	8300	4.95	10	<1
OGGeo08		20.5	2.21	120	<10	110	0.7	14	0.90	18.5	97	82	8430	5.08	10	<1
Target Range - Lower Bound		18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51	<10	<1
Upper Bound		22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53	30	3
OREAS 602		>100	0.62	647	<10	30	<0.5	57	0.50	23.8	9	33	5060	1.95	<10	1
OREAS 602		>100	0.65	694	<10	30	<0.5	61	0.54	26.1	10	33	5300	2.05	<10	1
Target Range - Lower Bound		106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10	<1
Upper Bound		100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30	3
OREAS-45b		0.2	4.35	3	<10	150	0.6	<2	0.29	<0.5	75	630	462	15.60	20	1
OREAS-45b		0.2	4.10	3	<10	140	0.6	<2	0.29	<0.5	72	612	447	15.00	20	<1
OREAS-45b		0.2	3.78	5	<10	140	0.6	3	0.28	<0.5	71	600	430	14.45	20	<1
OREAS-45b		0.3	4.50	5	10	160	0.7	<2	0.31	<0.5	78	675	479	15.65	20	<1
Target Range - Lower Bound		<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.60	<10	<1
Upper Bound		0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.60	40	2
BLANKS																
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Target Range - Lower Bound		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Upper Bound		0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
STANDARDS																
MRGeo08		1.22	30	1.10	396	13	0.32	684	970	1030	0.29	3	7	78	20	0.37
MRGeo08		1.29	30	1.17	431	14	0.33	719	1040	1095	0.32	4	7	82	20	0.39
Target Range - Lower Bound		1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20	0.33
Upper Bound		1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60	0.43
OGGeo08		1.05	30	0.92	374	840	0.30	8760	770	6950	2.66	19	6	66	<20	0.30
OGGeo08		1.04	30	0.91	374	841	0.29	8690	770	6920	2.64	20	6	64	<20	0.30
OGGeo08		1.03	30	0.92	372	847	0.29	8620	770	7030	2.68	21	5	63	<20	0.30
OGGeo08		1.07	30	0.96	390	892	0.29	8850	790	7260	2.73	20	6	66	20	0.31
Target Range - Lower Bound		0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59	<20	0.27
Upper Bound		1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74	60	0.36
OREAS 602		0.09	10	0.10	204	4	0.02	60	220	815	1.93	62	1	48	<20	0.01
OREAS 602		0.09	10	0.11	217	4	0.03	63	240	860	2.03	65	1	50	<20	0.01
Target Range - Lower Bound		0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20	<0.01
Upper Bound		0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40	0.03
OREAS-45b		0.07	20	0.13	769	1	0.02	229	450	25	0.03	<2	41	17	<20	0.23
OREAS-45b		0.07	20	0.12	755	1	0.01	218	430	22	0.03	<2	40	16	<20	0.23
OREAS-45b		0.07	20	0.11	731	1	0.02	204	430	20	0.05	2	38	16	<20	0.20
OREAS-45b		0.08	20	0.13	801	1	0.02	231	460	22	0.03	<2	43	18	<20	0.23
Target Range - Lower Bound		0.05	<10	0.09	727	<1	<0.01	188		16	<0.01	<2	37	14	<20	0.19
Upper Bound		0.09	40	0.15	899	3	0.04	232		26	0.06	4	47	20	50	0.25
BLANKS																
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Target Range - Lower Bound		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Upper Bound		0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40	0.02



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
		Tl	U	V	W	Zn
		ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2
STANDARDS						
MRGeo08		<10	<10	95	<10	759
MRGeo08		<10	<10	103	<10	812
Target Range - Lower Bound		<10	<10	90	<10	708
Upper Bound		20	30	112	20	870
OGGeo08		<10	<10	76	<10	6940
OGGeo08		<10	<10	75	<10	6900
OGGeo08		<10	<10	76	<10	6860
OGGeo08		<10	<10	80	<10	7180
Target Range - Lower Bound		<10	<10	70	<10	6500
Upper Bound		20	30	88	20	7950
OREAS 602		<10	<10	10	<10	3970
OREAS 602		<10	<10	11	<10	4180
Target Range - Lower Bound		<10	<10	8	<10	3680
Upper Bound		20	20	14	20	4500
OREAS-45b		<10	<10	210	<10	166
OREAS-45b		<10	<10	206	<10	160
OREAS-45b		<10	<10	202	<10	158
OREAS-45b		<10	<10	224	<10	178
Target Range - Lower Bound		<10	<10	198	<10	154
Upper Bound		20	20	244	20	192
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
DUPLICATES																
ORIGINAL		<0.2	0.44	6	<10	810	<0.5	<2	0.85	<0.5	2	14	6	1.06	<10	<1
DUP		<0.2	0.45	6	<10	820	<0.5	<2	0.86	<0.5	2	15	6	1.08	<10	<1
Target Range - Lower Bound		<0.2	0.41	4	<10	740	<0.5	<2	0.80	<0.5	<1	13	5	1.01	<10	<1
Upper Bound		0.4	0.48	8	20	890	1.0	4	0.91	1.0	3	16	7	1.13	20	2
ORIGINAL		<0.2	1.65	<2	<10	20	<0.5	<2	0.79	<0.5	11	59	196	3.30	10	1
DUP		<0.2	1.66	<2	<10	20	<0.5	<2	0.79	<0.5	12	59	199	3.31	10	<1
Target Range - Lower Bound		<0.2	1.56	<2	<10	<10	<0.5	<2	0.74	<0.5	10	55	190	3.13	<10	<1
Upper Bound		0.4	1.75	4	20	30	1.0	4	0.84	1.0	13	63	205	3.48	20	2
125217		<0.2	3.27	6	<10	20	<0.5	<2	2.02	<0.5	76	177	91	6.01	10	1
DUP		<0.2	3.29	5	<10	20	<0.5	<2	2.01	<0.5	76	173	91	5.96	10	<1
Target Range - Lower Bound		<0.2	3.11	3	<10	<10	<0.5	<2	1.90	<0.5	71	165	87	5.68	<10	<1
Upper Bound		0.4	3.45	8	20	30	1.0	4	2.13	1.0	81	185	95	6.29	20	2
125253		<0.2	1.92	2	<10	40	<0.5	<2	2.04	<0.5	20	38	31	3.02	<10	<1
DUP		<0.2	1.97	<2	<10	40	<0.5	<2	2.08	<0.5	20	38	33	3.09	<10	<1
Target Range - Lower Bound		<0.2	1.84	<2	<10	30	<0.5	<2	1.95	<0.5	18	35	30	2.89	<10	<1
Upper Bound		0.4	2.05	4	20	50	1.0	4	2.17	1.0	22	41	34	3.22	20	2
125292		<0.2	1.84	9	<10	30	<0.5	<2	4.15	<0.5	13	11	28	2.69	10	<1
DUP		<0.2	1.89	8	<10	30	<0.5	<2	4.30	<0.5	12	11	28	2.76	10	<1
Target Range - Lower Bound		<0.2	1.76	6	<10	20	<0.5	<2	4.00	<0.5	11	9	26	2.58	<10	<1
Upper Bound		0.4	1.97	11	20	40	1.0	4	4.45	1.0	14	13	30	2.87	20	2
125328		<0.2	1.34	2	<10	40	<0.5	<2	2.80	<0.5	10	5	35	1.76	<10	<1
DUP		<0.2	1.39	5	<10	40	<0.5	<2	2.86	<0.5	11	5	36	1.82	<10	<1
Target Range - Lower Bound		<0.2	1.29	<2	<10	30	<0.5	<2	2.68	<0.5	9	4	33	1.69	<10	<1
Upper Bound		0.4	1.44	4	20	50	1.0	4	2.98	1.0	12	6	38	1.89	20	2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
DUPLICATES																
ORIGINAL		0.32	30	0.25	215	<1	0.04	2	140	12	0.04	<2	1	87	30	0.04
DUP		0.33	30	0.25	219	<1	0.04	2	130	10	0.04	<2	1	90	30	0.04
Target Range - Lower Bound		0.30	20	0.23	201	<1	0.03	<1	120	8	0.03	<2	<1	83	<20	0.03
Upper Bound		0.35	40	0.27	233	2	0.05	3	150	14	0.05	4	2	94	40	0.05
ORIGINAL		0.06	10	1.10	467	1	0.06	90	630	14	0.11	<2	2	48	<20	0.15
DUP		0.06	10	1.11	470	1	0.06	88	640	13	0.11	<2	2	48	<20	0.15
Target Range - Lower Bound		0.05	<10	1.04	440	<1	0.05	84	590	11	0.09	<2	<1	45	<20	0.13
Upper Bound		0.07	20	1.17	497	2	0.07	94	680	16	0.13	4	3	51	40	0.17
125217		0.03	<10	3.00	870	<1	0.01	155	570	2	1.45	<2	4	21	<20	0.19
DUP		0.03	<10	2.97	856	<1	0.01	155	570	3	1.41	<2	4	23	<20	0.20
Target Range - Lower Bound		0.02	<10	2.83	815	<1	<0.01	146	530	<2	1.35	<2	3	20	<20	0.18
Upper Bound		0.04	20	3.14	911	2	0.02	164	610	4	1.51	4	5	24	40	0.21
125253		0.20	<10	1.17	490	1	0.03	51	390	2	0.38	<2	2	29	<20	0.11
DUP		0.21	<10	1.19	500	1	0.03	53	390	2	0.38	<2	2	29	<20	0.11
Target Range - Lower Bound		0.18	<10	1.11	465	<1	0.02	48	360	<2	0.35	<2	<1	27	<20	0.09
Upper Bound		0.23	20	1.25	525	2	0.04	56	420	4	0.41	4	3	31	40	0.13
125292		0.11	20	1.22	915	1	0.03	22	510	2	0.01	<2	2	59	<20	0.10
DUP		0.12	20	1.25	941	1	0.04	23	530	3	0.01	<2	2	61	<20	0.11
Target Range - Lower Bound		0.10	<10	1.16	877	<1	0.02	20	480	<2	<0.01	<2	<1	56	<20	0.09
Upper Bound		0.13	30	1.31	979	2	0.05	25	560	4	0.02	4	3	64	40	0.12
125328		0.23	10	0.71	387	1	0.02	19	500	2	0.03	<2	2	34	<20	0.09
DUP		0.24	10	0.73	392	1	0.02	20	520	2	0.03	<2	2	35	<20	0.09
Target Range - Lower Bound		0.21	<10	0.67	365	<1	<0.01	18	470	<2	0.02	<2	<1	32	<20	0.08
Upper Bound		0.26	20	0.77	414	2	0.03	21	550	4	0.04	4	3	37	40	0.10



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159601

Sample Description	Method Analyte Units LOR	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		10	10	1	10	2
DUPLICATES						
ORIGINAL		<10	<10	8	<10	15
DUP		<10	<10	8	<10	15
Target Range - Lower Bound		<10	<10	7	<10	12
Upper Bound		20	20	9	20	18
ORIGINAL		<10	<10	54	<10	101
DUP		<10	<10	54	<10	101
Target Range - Lower Bound		<10	<10	50	<10	94
Upper Bound		20	20	58	20	108
125217		<10	<10	74	<10	287
DUP		<10	<10	74	<10	284
Target Range - Lower Bound		<10	<10	69	<10	269
Upper Bound		20	20	79	20	302
125253		<10	<10	24	<10	127
DUP		<10	<10	25	<10	128
Target Range - Lower Bound		<10	<10	22	<10	119
Upper Bound		20	20	27	20	136
125292		<10	<10	19	<10	63
DUP		<10	<10	20	<10	64
Target Range - Lower Bound		<10	<10	18	<10	58
Upper Bound		20	20	21	20	69
125328		<10	<10	9	<10	51
DUP		<10	<10	10	<10	52
Target Range - Lower Bound		<10	<10	8	<10	47
Upper Bound		20	20	11	20	56

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 11-AUG-2017
Account: GNKCOZ

QC CERTIFICATE OF ANALYSIS VO17159601

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-ICP41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 This copy reported on
 11-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE VO17159607

This report is for 142 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 6-JUL-2017.
 The following have access to data associated with this certificate:
 REZA MOHAMMED

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
STANDARDS																
MRGeo08		4.4	2.60	33	<10	440	0.7	2	1.05	2.2	19	92	643	3.63	10	<1
MRGeo08		4.2	2.50	30	<10	420	0.7	2	1.04	2.0	18	88	602	3.51	10	<1
MRGeo08		4.4	2.54	31	<10	440	0.7	3	1.07	2.0	18	91	624	3.61	10	1
Target Range - Lower Bound		3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10	<1
Upper Bound		5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30	2
OGGeo08		19.4	2.13	117	<10	70	0.7	12	0.89	18.5	96	81	8440	5.07	10	1
OGGeo08		19.9	2.14	119	<10	90	0.6	12	0.88	18.5	96	82	8450	5.13	10	1
Target Range - Lower Bound		18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51	<10	<1
Upper Bound		22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53	30	3
OREAS 602		>100	0.60	675	<10	30	<0.5	61	0.54	25.3	10	31	5310	2.09	<10	1
OREAS 602		>100	0.60	678	<10	30	<0.5	61	0.53	25.4	9	31	5200	2.04	<10	1
OREAS 602		>100	0.62	681	<10	30	<0.5	61	0.54	25.7	10	32	5250	2.05	10	1
Target Range - Lower Bound		106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10	<1
Upper Bound		100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30	3
OREAS-45b		0.2	4.11	<2	<10	150	0.6	<2	0.30	<0.5	73	638	446	15.10	20	1
OREAS-45b		0.2	4.04	<2	<10	150	0.6	2	0.30	<0.5	74	641	448	15.25	20	1
Target Range - Lower Bound		<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.60	<10	<1
Upper Bound		0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.60	40	2
BLANKS																
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Target Range - Lower Bound		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Upper Bound		0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20	2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
STANDARDS																
MRGeo08		1.29	30	1.16	413	14	0.31	717	1030	1090	0.32	<2	7	75	20	0.38
MRGeo08		1.22	30	1.11	409	13	0.32	690	980	1045	0.30	<2	7	77	20	0.37
MRGeo08		1.25	30	1.15	426	14	0.32	714	1010	1080	0.31	2	7	78	20	0.38
Target Range - Lower Bound		1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20	0.33
Upper Bound		1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60	0.43
OGGeo08		1.03	30	0.94	391	881	0.28	8890	790	7210	2.73	20	6	62	20	0.31
OGGeo08		1.04	30	0.95	402	888	0.28	8990	810	7220	2.77	20	6	63	20	0.31
Target Range - Lower Bound		0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59	<20	0.27
Upper Bound		1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74	60	0.36
OREAS 602		0.09	10	0.10	212	4	0.04	62	230	863	2.02	65	1	48	<20	0.01
OREAS 602		0.09	10	0.10	217	4	0.02	62	230	853	2.02	68	1	47	<20	0.01
OREAS 602		0.09	10	0.10	219	4	0.02	63	240	860	2.03	69	1	48	<20	0.01
Target Range - Lower Bound		0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20	<0.01
Upper Bound		0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40	0.03
OREAS-45b		0.07	20	0.12	805	1	0.01	221	460	19	0.03	<2	40	16	<20	0.22
OREAS-45b		0.07	20	0.12	808	2	0.01	221	440	19	0.04	<2	41	17	<20	0.22
Target Range - Lower Bound		0.05	<10	0.09	727	<1	<0.01	188		16	<0.01	<2	37	14	<20	0.19
Upper Bound		0.09	40	0.15	899	3	0.04	232		26	0.06	4	47	20	50	0.25
BLANKS																
BLANK		<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<2	<1	1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Target Range - Lower Bound		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Upper Bound		0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40	0.02

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		10	10	1	10	2
STANDARDS						
MGeo08		<10	<10	101	<10	828
MGeo08		<10	<10	97	<10	756
MGeo08		<10	<10	100	<10	787
Target Range - Lower Bound		<10	<10	90	<10	708
Upper Bound		20	30	112	20	870
OGGeo08		<10	<10	79	10	6990
OGGeo08		<10	<10	80	10	7070
Target Range - Lower Bound		<10	<10	70	<10	6500
Upper Bound		20	30	88	20	7950
OREAS 602		<10	<10	10	<10	4170
OREAS 602		<10	<10	10	10	4070
OREAS 602		<10	<10	10	10	4060
Target Range - Lower Bound		<10	<10	8	<10	3680
Upper Bound		20	20	14	20	4500
OREAS-45b		<10	<10	213	<10	168
OREAS-45b		<10	<10	215	<10	168
Target Range - Lower Bound		<10	<10	198	<10	154
Upper Bound		20	20	244	20	192
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
DUPLICATES																
ORIGINAL		0.3	1.92	46	10	30	<0.5	<2	2.48	<0.5	27	3	5	5.00	10	<1
DUP		0.3	1.95	48	10	30	<0.5	2	2.50	<0.5	27	3	5	5.05	10	<1
Target Range - Lower Bound		<0.2	1.83	43	<10	20	<0.5	<2	2.36	<0.5	25	2	4	4.76	<10	<1
Upper Bound		0.4	2.04	51	20	40	1.0	4	2.62	1.0	29	4	6	5.29	20	2
125361		<0.2	1.95	5	<10	20	<0.5	<2	6.38	<0.5	54	116	104	3.25	10	1
DUP		<0.2	2.04	6	<10	20	<0.5	<2	6.58	<0.5	55	121	109	3.37	10	1
Target Range - Lower Bound		<0.2	1.89	3	<10	<10	<0.5	<2	6.15	<0.5	51	112	102	3.13	<10	<1
Upper Bound		0.4	2.10	8	20	30	1.0	4	6.81	1.0	58	125	111	3.49	20	2
125397		<0.2	3.19	26	<10	10	<0.5	3	4.38	<0.5	48	216	84	5.21	10	1
DUP		<0.2	3.11	28	<10	10	<0.5	<2	4.32	<0.5	45	211	81	5.07	10	1
Target Range - Lower Bound		<0.2	2.98	24	<10	<10	<0.5	<2	4.12	<0.5	43	202	79	4.87	<10	<1
Upper Bound		0.4	3.32	30	20	20	1.0	4	4.58	1.0	50	225	86	5.41	20	2
125433		<0.2	1.77	24	<10	10	<0.5	<2	7.0	<0.5	58	169	134	4.97	10	1
DUP		<0.2	1.82	23	<10	10	<0.5	<2	7.20	<0.5	61	174	136	5.11	10	<1
Target Range - Lower Bound		<0.2	1.70	20	<10	<10	<0.5	<2	6.74	<0.5	56	162	129	4.78	<10	<1
Upper Bound		0.4	1.89	27	20	20	1.0	4	7.47	1.0	63	181	141	5.30	20	2
125469		<0.2	2.61	<2	<10	30	<0.5	2	5.15	<0.5	29	7	141	8.77	10	<1
DUP		0.2	2.64	<2	<10	30	<0.5	<2	5.27	<0.5	29	7	143	8.87	10	<1
Target Range - Lower Bound		<0.2	2.48	<2	<10	20	<0.5	<2	4.94	<0.5	27	6	136	8.37	<10	<1
Upper Bound		0.4	2.77	4	20	40	1.0	4	5.48	1.0	31	8	148	9.27	20	2

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
		DUPLICATES														
ORIGINAL		0.09	10	1.34	1060	<1	0.07	3	540	11	0.65	2	4	21	<20	0.01
DUP		0.10	10	1.36	1075	<1	0.08	3	540	11	0.67	3	4	21	<20	0.01
Target Range - Lower Bound		0.08	<10	1.27	1010	<1	0.06	2	500	8	0.62	<2	3	19	<20	<0.01
Upper Bound		0.11	20	1.43	1125	2	0.09	4	580	14	0.70	4	5	23	40	0.02
125361		0.04	<10	1.04	913	<1	0.10	156	180	<2	0.31	<2	14	25	<20	<0.01
DUP		0.05	<10	1.08	940	<1	0.10	162	180	<2	0.33	<2	14	26	<20	<0.01
Target Range - Lower Bound		0.03	<10	1.00	875	<1	0.09	150	160	<2	0.29	<2	12	23	<20	<0.01
Upper Bound		0.06	20	1.12	978	2	0.12	168	200	4	0.35	4	16	28	40	0.02
125397		0.03	<10	2.25	867	<1	0.06	200	130	<2	0.63	<2	23	15	<20	<0.01
DUP		0.03	<10	2.20	845	1	0.06	195	130	<2	0.59	<2	22	15	<20	<0.01
Target Range - Lower Bound		0.02	<10	2.10	808	<1	0.05	187	110	<2	0.57	<2	20	13	<20	<0.01
Upper Bound		0.04	20	2.35	904	2	0.07	208	150	4	0.65	4	25	17	40	0.02
125433		0.02	<10	1.85	916	<1	0.10	197	130	<2	0.42	<2	17	17	<20	<0.01
DUP		0.02	<10	1.91	950	<1	0.10	204	150	<2	0.43	<2	18	17	<20	<0.01
Target Range - Lower Bound		<0.01	<10	1.78	881	<1	0.09	189	120	<2	0.39	<2	16	15	<20	<0.01
Upper Bound		0.03	20	1.98	985	2	0.12	212	160	4	0.46	4	19	19	40	0.02
125469		0.06	20	1.10	2290	1	0.06	21	1260	2	0.03	<2	12	66	<20	0.04
DUP		0.06	20	1.12	2360	<1	0.06	21	1280	14	0.03	<2	12	67	<20	0.04
Target Range - Lower Bound		0.05	<10	1.04	2200	<1	0.05	19	1200	6	0.02	<2	10	62	<20	0.03
Upper Bound		0.07	30	1.18	2450	2	0.07	23	1340	10	0.04	4	14	71	40	0.05

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 10-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE OF ANALYSIS VO17159607

Sample Description	Method Analyte Units LOR	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		10	10	1	10	2
DUPLICATES						
ORIGINAL		<10	<10	67	<10	119
DUP		<10	<10	68	<10	122
Target Range - Lower Bound		<10	<10	63	<10	112
Upper Bound		20	20	72	20	129
125361		<10	<10	80	<10	77
DUP		<10	<10	83	<10	80
Target Range - Lower Bound		<10	<10	76	<10	73
Upper Bound		20	20	87	20	84
125397		<10	<10	143	<10	112
DUP		<10	<10	142	<10	110
Target Range - Lower Bound		<10	<10	134	<10	103
Upper Bound		20	20	151	20	119
125433		<10	<10	92	<10	120
DUP		<10	<10	95	<10	123
Target Range - Lower Bound		<10	<10	88	<10	113
Upper Bound		20	20	99	20	130
125469		<10	<10	130	<10	125
DUP		<10	<10	132	<10	132
Target Range - Lower Bound		<10	<10	123	<10	120
Upper Bound		20	20	139	20	137

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 10-AUG-2017
Account: GNKCOZ

QC CERTIFICATE OF ANALYSIS VO17159607

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
FND-02 ME-ICP41



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 1
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

QC CERTIFICATE VO17162547

Project: URBAN BARRY

This report is for 184 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 29-JUN-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED		
---------------	--	--

SAMPLE PREPARATION	
ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES		
ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
 ATTN: REZA MOHAMMED
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Comments: Samples originally form VO17136550

Signature: 
 Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
STANDARDS																
MRGeo08		4.2	2.51	33	<10	430	0.7	3	1.02	2.0	18	87	604	3.39	10	<1
MRGeo08		4.4	2.64	33	<10	450	0.7	<2	1.07	2.2	19	91	630	3.54	10	<1
MRGeo08		4.6	2.59	33	<10	440	0.7	2	1.06	2.4	19	92	623	3.59	10	<1
Target Range - Lower Bound		3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10	<1
Upper Bound		5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30	2
OGGeo08		20.0	2.25	121	<10	100	0.7	12	0.90	18.7	99	81	8530	5.05	10	<1
OGGeo08		19.4	2.19	118	<10	120	0.7	9	0.89	18.3	96	80	8220	4.88	10	1
OGGeo08		20.2	2.18	122	<10	90	0.7	13	0.89	19.3	98	83	8620	5.10	10	1
OGGeo08		20.5	2.22	122	<10	70	0.7	14	0.90	19.6	99	83	8910	5.13	10	1
Target Range - Lower Bound		18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51	<10	<1
Upper Bound		22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53	30	3
OREAS 602		>100	0.62	667	<10	30	<0.5	58	0.52	25.0	10	32	5130	2.02	<10	1
OREAS 602		>100	0.63	672	<10	30	<0.5	58	0.52	25.1	10	31	5120	2.03	<10	1
OREAS 602		>100	0.61	665	<10	30	<0.5	60	0.50	24.9	10	31	4930	1.99	<10	1
Target Range - Lower Bound		106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10	<1
Upper Bound		100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30	3
OREAS-45b		0.2	4.39	3	<10	150	0.7	<2	0.30	<0.5	76	645	455	15.10	20	<1
OREAS-45b		<0.2	4.31	4	<10	150	0.6	<2	0.29	<0.5	74	629	448	14.55	20	<1
OREAS-45b		0.2	4.43	3	10	160	0.7	<2	0.30	<0.5	80	685	482	16.40	20	1
OREAS-45b		<0.2	3.94	2	10	140	0.6	5	0.28	<0.5	73	631	453	15.10	20	1
Target Range - Lower Bound		<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.60	<10	<1
Upper Bound		0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.60	40	2
BLANKS																
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Target Range - Lower Bound		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Upper Bound		0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20	2

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
	Analyte	K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
Units		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
LOR		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
STANDARDS																
MRGeo08		1.19	30	1.07	398	13	0.31	679	1010	1040	0.28	2	7	76	20	0.36
MRGeo08		1.25	30	1.13	412	14	0.33	714	1050	1090	0.31	3	7	81	20	0.37
MRGeo08		1.24	30	1.13	419	14	0.32	719	1050	1115	0.31	5	7	81	20	0.39
Target Range - Lower Bound		1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20	0.33
Upper Bound		1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60	0.43
OGGeo08		1.05	30	0.94	388	875	0.30	9060	840	7320	2.75	19	6	68	20	0.30
OGGeo08		1.02	30	0.91	380	860	0.29	8750	810	7140	2.69	20	6	67	<20	0.30
OGGeo08		1.03	30	0.93	398	898	0.29	9050	840	7530	2.83	20	6	66	20	0.32
OGGeo08		1.05	30	0.94	400	908	0.30	9330	850	7560	2.85	23	6	66	20	0.32
Target Range - Lower Bound		0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59	<20	0.27
Upper Bound		1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74	60	0.36
OREAS 602		0.08	10	0.10	210	4	0.03	62	230	848	1.96	61	1	49	<20	0.01
OREAS 602		0.09	10	0.10	211	4	0.03	61	240	836	1.97	60	1	49	<20	0.01
OREAS 602		0.09	10	0.10	207	4	0.02	59	230	831	1.97	53	1	47	<20	0.01
Target Range - Lower Bound		0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20	<0.01
Upper Bound		0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40	0.03
OREAS-45b		0.07	20	0.12	777	1	0.02	226	470	22	0.03	<2	42	18	<20	0.22
OREAS-45b		0.07	20	0.12	770	1	0.02	219	460	20	0.04	<2	40	17	<20	0.22
OREAS-45b		0.08	20	0.12	840	2	0.02	240	480	23	0.05	2	43	17	<20	0.24
OREAS-45b		0.07	20	0.11	783	1	0.02	223	460	22	0.03	<2	40	16	<20	0.21
Target Range - Lower Bound		0.05	<10	0.09	727	<1	<0.01	188		16	<0.01	<2	37	14	<20	0.19
Upper Bound		0.09	40	0.15	899	3	0.04	232		26	0.06	4	47	20	50	0.25
BLANKS																
BLANK		<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	0.01	<2	<1	<1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Target Range - Lower Bound		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Upper Bound		0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40	0.02

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41 TI ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		10	10	1	10	2
STANDARDS						
MRGeo08		<10	<10	97	<10	770
MRGeo08		<10	<10	101	<10	799
MRGeo08		<10	<10	100	<10	796
Target Range - Lower Bound		<10	<10	90	<10	708
Upper Bound		20	30	112	20	870
OGGeo08		<10	<10	80	<10	7180
OGGeo08		<10	<10	79	<10	6980
OGGeo08		<10	<10	80	<10	7200
OGGeo08		<10	<10	80	<10	7290
Target Range - Lower Bound		<10	<10	70	<10	6500
Upper Bound		20	30	88	20	7950
OREAS 602		<10	<10	10	<10	4060
OREAS 602		<10	<10	10	<10	4050
OREAS 602		<10	<10	10	<10	4040
Target Range - Lower Bound		<10	<10	8	<10	3680
Upper Bound		20	20	14	20	4500
OREAS-45b		<10	<10	215	<10	170
OREAS-45b		<10	<10	209	<10	170
OREAS-45b		<10	<10	226	<10	184
OREAS-45b		<10	<10	208	<10	165
Target Range - Lower Bound		<10	<10	198	<10	154
Upper Bound		20	20	244	20	192
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

Method Analyte Units LOR	ME-ICP41 Ag ppm	ME-ICP41 Al %	ME-ICP41 As ppm	ME-ICP41 B ppm	ME-ICP41 Ba ppm	ME-ICP41 Be ppm	ME-ICP41 Bi ppm	ME-ICP41 Ca %	ME-ICP41 Cd ppm	ME-ICP41 Co ppm	ME-ICP41 Cr ppm	ME-ICP41 Cu ppm	ME-ICP41 Fe %	ME-ICP41 Ga ppm	ME-ICP41 Hg ppm
Sample Description	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
DUPLICATES															
ORIGINAL	>100	1.43	256	10	110	2.5	<2	0.88	156.0	5	35	541	3.61	10	9
DUP	>100	1.54	260	10	120	2.5	<2	0.88	157.0	5	37	579	3.71	10	10
Target Range - Lower Bound	94.8	1.40	243	<10	100	1.9	<2	0.83	148.0	4	33	539	3.47	<10	8
Upper Bound	100.0	1.57	273	20	130	3.1	4	0.93	165.0	6	39	581	3.85	20	11
ORIGINAL	<0.2	0.69	6	<10	1130	<0.5	<2	1.61	<0.5	4	5	1	1.87	<10	<1
DUP	<0.2	0.70	6	10	1130	<0.5	<2	1.61	<0.5	5	4	1	1.88	<10	<1
Target Range - Lower Bound	<0.2	0.65	4	<10	1040	<0.5	<2	1.52	<0.5	3	3	<1	1.77	<10	<1
Upper Bound	0.4	0.74	8	20	1220	1.0	4	1.70	1.0	6	6	2	1.98	20	2
125028	<0.2	2.74	<2	<10	20	<0.5	<2	5.35	<0.5	36	9	149	9.04	10	1
DUP	0.2	2.69	<2	<10	20	<0.5	<2	5.21	<0.5	35	9	147	8.85	10	<1
Target Range - Lower Bound	<0.2	2.57	<2	<10	<10	<0.5	<2	5.01	<0.5	33	8	142	8.49	<10	<1
Upper Bound	0.4	2.86	4	20	30	1.0	4	5.55	1.0	38	10	154	9.40	20	2
125064	<0.2	4.24	3	<10	10	<0.5	<2	3.95	<0.5	56	13	268	12.65	20	<1
DUP	<0.2	4.33	4	<10	10	<0.5	2	3.96	<0.5	57	13	271	12.85	20	<1
Target Range - Lower Bound	<0.2	4.06	<2	<10	<10	<0.5	<2	3.75	<0.5	53	11	259	12.10	<10	<1
Upper Bound	0.4	4.51	4	20	20	1.0	4	4.16	1.0	60	15	280	13.40	30	2
125100	<0.2	1.61	6	<10	10	<0.5	<2	4.19	<0.5	48	7	133	7.53	10	<1
DUP	<0.2	1.64	5	<10	10	<0.5	<2	4.26	<0.5	48	7	131	7.66	10	1
Target Range - Lower Bound	<0.2	1.53	3	<10	<10	<0.5	<2	4.00	<0.5	45	6	126	7.21	<10	<1
Upper Bound	0.4	1.72	8	20	20	1.0	4	4.45	1.0	51	8	138	7.98	20	2
125136	<0.2	2.82	10	<10	140	<0.5	<2	2.39	0.6	56	162	130	4.99	<10	<1
DUP	<0.2	2.94	12	<10	140	<0.5	<2	2.49	0.5	59	169	136	5.19	<10	<1
Target Range - Lower Bound	<0.2	2.73	8	<10	120	<0.5	<2	2.31	<0.5	54	156	127	4.83	<10	<1
Upper Bound	0.4	3.03	14	20	160	1.0	4	2.57	1.0	61	175	139	5.35	20	2
125172	<0.2	2.41	<2	<10	10	<0.5	<2	5.57	<0.5	68	148	71	4.37	<10	1
DUP	<0.2	2.44	<2	<10	10	<0.5	<2	5.60	0.6	67	149	73	4.40	<10	2
Target Range - Lower Bound	<0.2	2.29	<2	<10	<10	<0.5	<2	5.30	<0.5	63	140	68	4.16	<10	<1
Upper Bound	0.4	2.56	4	20	20	1.0	4	5.87	1.0	72	157	76	4.61	20	2

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - B
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41 K %	ME-ICP41 La ppm	ME-ICP41 Mg %	ME-ICP41 Mn ppm	ME-ICP41 Mo ppm	ME-ICP41 Na %	ME-ICP41 Ni ppm	ME-ICP41 P ppm	ME-ICP41 Pb ppm	ME-ICP41 S %	ME-ICP41 Sb ppm	ME-ICP41 Sc ppm	ME-ICP41 Sr ppm	ME-ICP41 Th ppm	ME-ICP41 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
DUPLICATES																
ORIGINAL		0.40	10	0.52	2200	1	0.02	23	430	7370	0.55	127	2	8	<20	0.01
DUP		0.44	10	0.53	2210	1	0.02	24	440	7320	0.56	129	2	9	<20	0.01
Target Range - Lower Bound		0.39	<10	0.49	2090	<1	<0.01	21	400	6980	0.52	116	<1	7	<20	<0.01
Upper Bound		0.45	20	0.56	2320	2	0.03	26	470	7710	0.59	140	3	10	40	0.02
ORIGINAL		0.21	20	0.23	847	1	0.03	<1	240	3	0.03	2	1	45	<20	0.01
DUP		0.21	20	0.23	851	<1	0.04	2	230	5	0.03	5	1	45	<20	0.01
Target Range - Lower Bound		0.19	<10	0.21	802	<1	0.02	<1	210	<2	0.02	<2	<1	42	<20	<0.01
Upper Bound		0.23	30	0.25	896	2	0.05	2	260	6	0.04	4	2	48	40	0.02
125028		0.05	10	1.40	2320	<1	0.05	28	1710	3	0.08	<2	9	74	<20	0.01
DUP		0.05	10	1.37	2280	<1	0.05	27	1680	2	0.08	3	9	72	<20	0.01
Target Range - Lower Bound		0.04	<10	1.31	2180	<1	0.04	25	1600	<2	0.07	<2	8	68	<20	<0.01
Upper Bound		0.06	20	1.46	2420	2	0.06	30	1790	4	0.09	4	10	78	40	0.02
125064		0.02	20	1.56	2480	<1	0.03	44	1730	<2	1.38	<2	16	59	<20	0.02
DUP		0.02	20	1.59	2500	1	0.03	44	1760	9	1.41	<2	16	60	<20	0.02
Target Range - Lower Bound		<0.01	<10	1.49	2360	<1	0.02	41	1650	3	1.32	<2	14	56	<20	<0.01
Upper Bound		0.03	30	1.66	2620	2	0.04	47	1840	8	1.47	4	18	63	40	0.03
125100		0.03	10	0.76	1075	<1	0.07	35	1210	2	3.78	<2	7	45	<20	0.03
DUP		0.03	10	0.78	1105	1	0.07	37	1240	4	3.85	<2	7	46	<20	0.03
Target Range - Lower Bound		0.02	<10	0.72	1030	<1	0.06	33	1150	<2	3.61	<2	6	42	<20	0.02
Upper Bound		0.04	20	0.82	1150	2	0.08	39	1300	4	4.02	4	8	49	40	0.04
125136		0.43	<10	2.11	1010	<1	0.01	160	270	<2	0.19	2	3	25	<20	0.29
DUP		0.45	<10	2.19	1050	<1	0.01	165	270	<2	0.20	<2	4	27	<20	0.31
Target Range - Lower Bound		0.41	<10	2.03	974	<1	<0.01	153	250	<2	0.18	<2	2	24	<20	0.28
Upper Bound		0.47	20	2.27	1085	2	0.02	172	290	4	0.21	4	5	28	40	0.33
125172		0.11	<10	1.39	1135	<1	0.01	184	330	<2	0.21	<2	2	23	<20	0.10
DUP		0.12	<10	1.40	1140	<1	0.01	181	330	<2	0.21	<2	3	23	<20	0.11
Target Range - Lower Bound		0.10	<10	1.32	1075	<1	<0.01	172	300	<2	0.19	<2	<1	21	<20	0.09
Upper Bound		0.13	20	1.47	1200	2	0.02	193	360	4	0.23	4	4	25	40	0.12

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - C
 Total # Pages: 3 (A - C)
 Plus Appendix Pages
 Finalized Date: 14-AUG-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

Sample Description	Method Analyte Units LOR	ME-ICP41 TI ppm 10	ME-ICP41 U ppm 10	ME-ICP41 V ppm 1	ME-ICP41 W ppm 10	ME-ICP41 Zn ppm 2
DUPLICATES						
ORIGINAL		<10	<10	196	100	>10000
DUP		<10	<10	199	100	>10000
Target Range - Lower Bound		<10	<10	187	80	9500
Upper Bound		20	20	208	120	>10000
ORIGINAL		<10	<10	10	<10	37
DUP		<10	<10	10	<10	37
Target Range - Lower Bound		<10	<10	9	<10	33
Upper Bound		20	20	12	20	41
125028		<10	<10	88	<10	167
DUP		<10	<10	86	<10	164
Target Range - Lower Bound		<10	<10	82	<10	155
Upper Bound		20	20	92	20	176
125064		<10	<10	131	<10	264
DUP		<10	<10	133	<10	269
Target Range - Lower Bound		<10	<10	124	<10	251
Upper Bound		20	20	140	20	282
125100		<10	<10	52	<10	105
DUP		<10	<10	53	<10	107
Target Range - Lower Bound		<10	<10	49	<10	99
Upper Bound		20	20	56	20	113
125136		<10	<10	75	<10	105
DUP		<10	<10	78	<10	109
Target Range - Lower Bound		<10	<10	72	<10	100
Upper Bound		20	20	81	20	114
125172		<10	<10	45	<10	99
DUP		<10	<10	46	<10	102
Target Range - Lower Bound		<10	<10	42	<10	93
Upper Bound		20	20	49	20	108

Comments: Samples originally form VO17136550

***** See Appendix Page for comments regarding this certificate *****



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 14-AUG-2017
Account: GNKCOZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17162547

CERTIFICATE COMMENTS	
Applies to Method:	<p style="text-align: center;">LABORATORY ADDRESSES</p> <p>Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada. FND-02 ME-ICP41</p>



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: 1
Total # Pages: 3 (A)
Plus Appendix Pages
Finalized Date: 16-OCT-2017
Account: GNKCQZ

QC CERTIFICATE VO17209457

Project: URBAN BARRY

This report is for 62 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-SEP-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LOG-22	Sample login - Rcd w/o BarCode
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
CRU-31	Fine crushing - 70% <2mm
SPL-21	Split sample - riffle splitter
PUL-31	Pulverize split to 85% <75 um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA24	Au 50g FA AA finish	AAS

To: CANEXPLOR MANAGEMENT LTD
ATTN: REZA MOHAMMED
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature: *Nacera Amara*
Nacera Amara, Laboratory Manager, Val d'Or



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17209457

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005	
STANDARDS			
G912-1		7.33	
G912-1		7.41	
Target Range - Lower Bound		6.85	
Upper Bound		7.73	
LEA-16		0.516	
LEA-16		0.496	
Target Range - Lower Bound		0.466	
Upper Bound		0.536	
BLANKS			
BLANK		<0.005	
BLANK		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
DUPLICATES			
ORIGINAL		0.028	
DUP		0.041	
Target Range - Lower Bound		0.028	
Upper Bound		0.041	
23104		<0.005	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	
23121		0.006	
DUP		<0.005	
Target Range - Lower Bound		<0.005	
Upper Bound		0.010	



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 3 - A
 Total # Pages: 3 (A)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17209457

Sample Description	Method Analyte Units LOR	Au-AA24 Au ppm 0.005
DUPLICATES		
125479 DUP Target Range - Lower Bound Upper Bound		0.005 <0.005 <0.005 0.010
ORIGINAL DUP Target Range - Lower Bound Upper Bound		0.015 0.015 0.009 0.021
PREP DUPLICATES		
125490 125490 PREP DUP		0.008 <0.005



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-OCT-2017
Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17209457

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.

Au-AA24

CRU-31

CRU-QC

LOG-22

PUL-31

PUL-QC

SPL-21

WEI-21



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: 1
Total # Pages: 2 (A - C)
Plus Appendix Pages
Finalized Date: 16-OCT-2017
This copy reported on
17-OCT-2017
Account: GNKCQZ

QC CERTIFICATE VO17217048

Project: URBAN BARRY

This report is for 62 Drill Core samples submitted to our lab in Val d'Or, QC, Canada on 28-SEP-2017.

The following have access to data associated with this certificate:

REZA MOHAMMED

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
FND-02	Find Sample for Addn Analysis

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES

To: CANEXPLOR MANAGEMENT LTD
ATTN: REZA MOHAMMED
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Colin Ramshaw, Vancouver Laboratory Manager



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - A
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		Ag ppm	Al %	As ppm	B ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Co ppm	Cr ppm	Cu ppm	Fe %	Ga ppm	Hg ppm
		0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10	1
STANDARDS																
MGeo08		4.3	2.56	32	<10	430	0.7	<2	1.05	2.2	18	90	612	3.55	10	1
Target Range - Lower Bound		3.8	2.44	27	<10	370	<0.5	<2	1.00	1.1	16	81	586	3.22	<10	<1
Upper Bound		5.1	3.00	39	20	530	1.9	5	1.24	3.4	22	102	676	3.96	30	2
OGGeo08		21.4	2.37	124	<10	70	0.7	11	0.95	19.6	101	85	8880	5.44	10	1
Target Range - Lower Bound		18.0	2.05	105	<10	60	<0.5	6	0.82	16.2	86	75	7800	4.51	<10	<1
Upper Bound		22.4	2.53	133	30	110	1.8	15	1.02	21.0	108	93	8980	5.53	30	3
OREAS 602		>100	0.62	672	<10	30	<0.5	60	0.52	25.4	9	31	5110	2.00	<10	<1
Target Range - Lower Bound		106.0	0.57	577	<10	<10	<0.5	50	0.46	22.2	7	26	4810	1.94	<10	<1
Upper Bound		100.0	0.71	709	20	50	1.3	66	0.59	28.2	12	34	5530	2.40	30	3
OREAS-45b		<0.2	4.05	4	<10	150	0.7	3	0.29	<0.5	73	631	434	14.95	20	2
Target Range - Lower Bound		<0.2	3.73	<2	<10	120	<0.5	<2	0.25	<0.5	65	599	417	13.60	<10	<1
Upper Bound		0.6	4.58	7	20	190	1.8	4	0.33	1.1	82	735	481	16.60	40	2
BLANKS																
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
BLANK		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Target Range - Lower Bound		<0.2	<0.01	<2	<10	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<1
Upper Bound		0.4	0.02	4	20	20	1.0	4	0.02	1.0	2	2	2	0.02	20	2
DUPLICATES																
23101		<0.2	1.29	<2	<10	20	<0.5	<2	4.03	<0.5	9	8	29	2.64	<10	<1
DUP		<0.2	1.36	3	<10	20	<0.5	<2	4.25	<0.5	10	8	27	2.75	<10	1
Target Range - Lower Bound		<0.2	1.25	<2	<10	<10	<0.5	<2	3.92	<0.5	8	7	26	2.55	<10	<1
Upper Bound		0.4	1.40	4	20	30	1.0	4	4.36	1.0	11	9	30	2.84	20	2
125475		<0.2	2.52	7	<10	30	<0.5	<2	3.32	<0.5	44	7	145	6.24	10	1
DUP		<0.2	2.49	7	<10	30	<0.5	<2	3.29	<0.5	43	7	141	6.12	10	<1
Target Range - Lower Bound		<0.2	2.37	5	<10	20	<0.5	<2	3.13	<0.5	40	6	137	5.86	<10	<1
Upper Bound		0.4	2.64	9	20	40	1.0	4	3.48	1.0	47	8	149	6.50	20	2



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - B
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	
		K %	La ppm	Mg %	Mn ppm	Mo ppm	Na %	Ni ppm	P ppm	Pb ppm	S %	Sb ppm	Sc ppm	Sr ppm	Th ppm	Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1	20	0.01
STANDARDS																
MGeo08		1.24	30	1.13	400	13	0.32	695	1020	1050	0.30	2	7	80	20	0.37
Target Range - Lower Bound		1.12	20	1.03	378	12	0.30	621	900	957	0.27	<2	5	71	<20	0.33
Upper Bound		1.40	60	1.29	473	17	0.39	761	1130	1175	0.35	8	10	89	60	0.43
OGGeo08		1.11	30	1.01	410	933	0.32	9400	870	7670	2.90	19	6	72	20	0.33
Target Range - Lower Bound		0.94	<10	0.84	350	810	0.26	7760	700	6510	2.51	15	4	59	<20	0.27
Upper Bound		1.18	50	1.05	438	992	0.34	9480	880	7970	3.09	27	9	74	60	0.36
OREAS 602		0.09	10	0.10	208	3	0.02	59	230	832	1.96	57	1	50	<20	0.01
Target Range - Lower Bound		0.07	<10	0.08	193	2	<0.01	54	210	768	1.81	46	<1	44	<20	<0.01
Upper Bound		0.12	30	0.13	247	7	0.05	68	280	944	2.23	68	3	56	40	0.03
OREAS-45b		0.07	20	0.12	780	1	0.02	214	450	24	0.02	<2	40	17	<20	0.22
Target Range - Lower Bound		0.05	<10	0.09	727	<1	<0.01	188		16	<0.01	<2	37	14	<20	0.19
Upper Bound		0.09	40	0.15	899	3	0.04	232		26	0.06	4	47	20	50	0.25
BLANKS																
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	1	<20	<0.01
BLANK		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Target Range - Lower Bound		<0.01	<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<2	<1	<1	<20	<0.01
Upper Bound		0.02	20	0.02	10	2	0.02	2	20	4	0.02	4	2	2	40	0.02
DUPLICATES																
23101		0.05	20	0.85	492	<1	0.11	21	660	3	0.04	3	2	31	<20	<0.01
DUP		0.05	20	0.89	513	1	0.11	23	690	<2	0.04	3	3	32	<20	<0.01
Target Range - Lower Bound		0.04	<10	0.82	472	<1	0.09	20	630	<2	0.03	<2	<1	29	<20	<0.01
Upper Bound		0.06	30	0.92	533	2	0.13	24	720	4	0.05	4	4	34	40	0.02
125475		0.08	20	0.54	1095	1	0.08	39	1800	<2	0.23	<2	10	45	<20	0.06
DUP		0.07	20	0.53	1075	1	0.08	38	1760	2	0.22	<2	10	45	<20	0.06
Target Range - Lower Bound		0.06	<10	0.50	1025	<1	0.07	36	1680	<2	0.20	<2	9	42	<20	0.05
Upper Bound		0.09	30	0.57	1145	2	0.09	41	1880	4	0.25	4	12	48	40	0.07



ALS Canada Ltd.
 2103 Dollarton Hwy
 North Vancouver BC V7H 0A7
 Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
 www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
 222-515 WEST PENDER STREET
 VANCOUVER BC V6B 6H5

Page: 2 - C
 Total # Pages: 2 (A - C)
 Plus Appendix Pages
 Finalized Date: 16-OCT-2017
 Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17217048

Sample Description	Method Analyte Units LOR	ME-ICP41 Tl ppm	ME-ICP41 U ppm	ME-ICP41 V ppm	ME-ICP41 W ppm	ME-ICP41 Zn ppm
		10	10	1	10	2
STANDARDS						
MGeo08		<10	<10	100	<10	755
Target Range - Lower Bound		<10	<10	90	<10	708
Upper Bound		20	30	112	20	870
OGGeo08		<10	<10	84	<10	7470
Target Range - Lower Bound		<10	<10	70	<10	6500
Upper Bound		20	30	88	20	7950
OREAS 602		<10	<10	10	<10	4010
Target Range - Lower Bound		<10	<10	8	<10	3680
Upper Bound		20	20	14	20	4500
OREAS-45b		<10	<10	214	<10	167
Target Range - Lower Bound		<10	<10	198	<10	154
Upper Bound		20	20	244	20	192
BLANKS						
BLANK		<10	<10	<1	<10	<2
BLANK		<10	<10	<1	<10	<2
Target Range - Lower Bound		<10	<10	<1	<10	<2
Upper Bound		20	20	2	20	4
DUPLICATES						
23101		<10	<10	14	<10	66
DUP		<10	<10	14	<10	69
Target Range - Lower Bound		<10	<10	12	<10	62
Upper Bound		20	20	16	20	73
125475		<10	<10	94	<10	68
DUP		<10	<10	92	<10	67
Target Range - Lower Bound		<10	<10	87	<10	62
Upper Bound		20	20	99	20	73



ALS Canada Ltd.
2103 Dollarton Hwy
North Vancouver BC V7H 0A7
Phone: +1 (604) 984 0221 Fax: +1 (604) 984 0218
www.alsglobal.com/geochemistry

To: CANEXPLOR MANAGEMENT LTD
222-515 WEST PENDER STREET
VANCOUVER BC V6B 6H5

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 16-OCT-2017
Account: GNKCQZ

Project: URBAN BARRY

QC CERTIFICATE OF ANALYSIS VO17217048

CERTIFICATE COMMENTS

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Val d'Or located at 1324 Rue Turcotte, Val d'Or, QC, Canada.
FND-02

Applies to Method: Processed at ALS Vancouver located at 2103 Dollarton Hwy, North Vancouver, BC, Canada.
ME-ICP41



Date Submitted: 15-Feb-18
Invoice No.: A18-01803
Invoice Date: 01-Mar-18
Your Reference: URBAN BARRY

CANEXPLOR MANAGEMENT
222-515 w Pender St
Vancouver BC V6B 6H5
Canada

ATTN: Reza Mohammed

CERTIFICATE OF ANALYSIS

4 Rock samples were submitted for analysis.

The following analytical package(s) were requested: Code 1D INAA(INAAGEO)

REPORT **A18-01803**

This report may be reproduced without our consent. If only selected portions of the report are reproduced, permission must be obtained. If no instructions were given at time of sample submittal regarding excess material, it will be discarded within 90 days of this report. Our liability is limited solely to the analytical cost of these analyses. Test results are representative only of material submitted for analysis.

Notes:

For values exceeding the upper limits we recommend assays.

CERTIFIED BY:

A handwritten signature in black ink, appearing to be "Emmanuel Esemé". The signature is written in a cursive style with some loops and flourishes.

Emmanuel Esemé , Ph.D.
Quality Control

ACTIVATION LABORATORIES LTD.
41 Bittern Street, Ancaster, Ontario, Canada, L9G 4V5
TELEPHONE +905 648-9611 or +1.888.228.5227 FAX +1.905.648.9613
E-MAIL Ancaster@actlabs.com ACTLABS GROUP WEBSITE www.actlabs.com

Results

Activation Laboratories Ltd.

Report: A18-01803

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Lower Limit	5	5	2	100	1	1	5	10	2	0.02	1	1	5	5	0.05	50	30	0.2	0.1	5	0.05	0.1	1
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
W107305	< 5	< 5	35	600	< 1	4	34	40	2	2.30	5	< 1	< 5	< 5	1.48	< 50	50	< 0.2	22.4	< 5	< 0.05	< 0.1	< 1
W107306	< 5	< 5	66	200	< 1	3	59	20	< 2	2.07	5	< 1	< 5	< 5	1.63	280	40	< 0.2	27.3	< 5	< 0.05	< 0.1	< 1
W107307	10	< 5	24	< 100	< 1	5	31	20	< 2	4.85	4	< 1	< 5	< 5	1.37	< 50	< 30	0.2	20.6	< 5	< 0.05	< 0.1	< 1
W107308	< 5	< 5	3	< 100	< 1	4	35	20	< 2	6.94	5	< 1	< 5	< 5	1.23	< 50	40	0.3	21.9	< 5	< 0.05	< 0.1	< 1

Results

Activation Laboratories Ltd.

Report: A18-01803

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g
Lower Limit	0.5	0.5	4	50	1	3	5	0.1	0.2	0.5	0.2	0.05	
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
W107305	3.2	1.2	< 4	550	22	57	17	5.8	1.2	< 0.5	3.1	0.16	27.5
W107306	2.6	< 0.5	< 4	340	22	63	20	6.5	1.5	0.7	3.5	0.15	29.0
W107307	2.5	< 0.5	< 4	80	18	53	15	5.4	1.4	0.5	3.3	0.15	29.4
W107308	2.1	< 0.5	< 4	150	18	58	22	5.6	1.4	< 0.5	3.7	0.19	32.0

Analyte Symbol	Au	Ag	As	Ba	Br	Ca	Co	Cr	Cs	Fe	Hf	Hg	Ir	Mo	Na	Ni	Rb	Sb	Sc	Se	Sn	Sr	Ta
Unit Symbol	ppb	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppb	ppm	%	ppm	ppm	ppm	ppm	ppm	%	%	ppm
Lower Limit	5	5	2	100	1	1	5	10	2	0.02	1	1	5	5	0.05	50	30	0.2	0.1	5	0.05	0.1	1
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
DMMAS 121 Meas	672		1530	1000			41	130		3.23					1.92			7.4	5.5				
DMMAS 121 Cert	726		1670	1180			45.2	142		3.45					2.16			7.60	6.10				
Method Blank	< 5	< 5	< 2	< 100	< 1	< 1	< 5	< 10	< 2	< 0.02	< 1	< 1	< 5	< 5	< 0.05	< 50	< 30	< 0.2	< 0.1	< 5	< 0.05	< 0.1	< 1

Analyte Symbol	Th	U	W	Zn	La	Ce	Nd	Sm	Eu	Tb	Yb	Lu	Mass
Unit Symbol	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	g
Lower Limit	0.5	0.5	4	50	1	3	5	0.1	0.2	0.5	0.2	0.05	
Method Code	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA	INAA
DMMAS 121 Meas		10.6			14	31		2.2					
DMMAS 121 Cert		11.5			16.6	29.8		2.20					
Method Blank	< 0.5	< 0.5	< 4	< 50	< 1	< 3	< 5	< 0.1	< 0.2	< 0.5	< 0.2	< 0.05	30.0

TARGET: Charge-Resist anomaly

HOLE NUMBER: **UB17-001**

GRID LOCATION: line 600

SURVEY LOCATION (UTM): **467774E 5436994N** NAD 83

CORE SIZE: NQ2

BEARING / DIP: **90/ -55**

START: 22-Jun-17

DRILLING CONTRACTOR: Forages Rouillier

LOGGED BY: J. Rensby

CLAIM NUMBER:

ELEVATION:

LENGTH: 310m

FINISH: 24-Jun-17

DRILL:

LOG COMPLETED: 25-Jun-17



SUMMARY

0.00-19.91m: Overburden.

19.91-194.54m: Mafic volcanics, light greenish-grey in color. Minors of greywacke/sandstone and rhyolite dykes. Locally amygdaloidal.

194.54-198.15m: Rhyolite dyke, tan with black spots.

198.15-310.00m: Mafic volcanics, 3% disseminated Pyrite increasing with depth.

310.00m EOH

DDH #: UB17-001
 Logger: J. Rensby

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
0.00	19.91			OVB	
19.91	34.36			RDK	Light grey with minor black spots, vfg-mg rhyolite dyke. Minor local rubble, mostly angular. Locally oxidized due to surface proximity. Foliation (S1) at 25-30 TCA locally. LCT at 30 TCA. Chl 1% weak and patchy. Qz 5% weakly pervasive. Tm 1% as local spotting and fracture fill/ annealer. Veining <1% as Qz veins at low angles TCA (15-25) with minor Ser 1% halos. Py 1% as local patchy blebs. Sph 0.1%, (Cpy) as Py associated blebs.
34.36	194.54			MV	Light green-grey to locally light grey or darker green, vfg- minor mg mafic volcanics with minor GWY- dirty SST or RDK interludes uphole in unit. Unit is mostly competent with minor angular rubble. Minor oxidation due to surface proximity uphole in unit. S1 at 25-30 TCA. Weak pervasive Ser 5%- Qz 10% with (Chl) alteration patchily distributed. Minor amygdules/ inclusions locally with Qz-Ank 0.5%-Py replacement/ fill. Veining >1% is a local mix of Qz+/-Cal+/-Ank+/-Tm+/-Chl+/-Ser with varying ingredients in different veins. Ser halos to 2mm are common as is a weak Py-(Sph-Cpy-Po) association with veining. Veining is occasionally sheared into segments. Py 1%- (Sph-Cpy-Po) as fg xtal to cg xtal and as minor bleb. (Cpy) seen as a replacement of Py xtals.
		34.36	36.02	MV	contact zone between dyke and volcanics with a mix of both. Py 2%- Sph 0.5% in this interval.
		36.02	38.38	GWY	Gradational contact into a coarser grained, light grey GWY/ dirty sandstone interbed.
		37.40	37.44	Vein	2cm smoky Qz vein at 25 TCA (foliation subparallel) with Tm-Py halo/ margins.
		38.94	38.97	Vein	20mm smoky Qz vein with a 1cm Py disseminated specks halo.
		46.20	48.46	GWY	Nondescript, weakly Qz-Ser altered fg-mg GWY/ dirty SST bed. LCT at 20 TCA.
		62.62	62.80	Vein	9cm Qz-Tm vein at 35 TCA with a Qz halo and Qz-Tm within. (Py) in halo with Ser and Qz.
		67.90	69.00	MV	Abundant Qz inclusions/ amygdules through this interval. Inclusions have Ank rims and (Sph) with Ank. Other inclusions are Qz with vfg Py rims.
		85.45	85.80	Vein	Ladder-style Qz-Cb-Tm 2cm vein at 15 TCA. Vein contains minor Py.
		93.26	96.65	MV	interval with series of 2 offset (by 2cm)/ sheared Qz-Chl-Ser veins with associated Py both in vein and in halo. Py is cg and Ser halo is 2cm.
		110.20	112.90	MV	interval with abundant amygdules/ phenocrysts. Appear to be Qz-Sph 1% rimmed.
		140.73	141.30	RDK	30cm of strong potassic alteration followed downhole by 30cm of Qz-Ank-Chl veining with coarse Py strong in vein and in wall rock. All in a small Rhyolite dyke interval with contacts at 10-15 TCA.
		144.60	145.00	MV	Qz-annealed fault zone with fault originally at 45 TCA (S1 subparallel)
		157.03	157.77	MV	Faulted and clay 5% altered. S1 at 10 TCA in one orientation and fault at 15 in reverse orientation.
		178.76	178.80	Vein	3cm Qz-Ank vein at 60 TCA with Cpy 2% as blebs within vein.
		179.15	179.62	MV	Light grey/ bleached zone with strong Qz-Tm. S1 at 20 TCA locally.
		180.34	180.90	MV	Weak fault zone with very weak clay 1% and local rubble.
		183.18	183.45	Vein	Segment of a 4cm vein which has been offset/ sheared with very strong Py-Po (as Py replaement) as coarse euhedral xtals to 3mm. (Cpy) associated with vein.
		185.72	185.79	Vein	15mm Qz-Ank vein at 55 TCA with Py (Cpy) in vein and in 1mm Ser-Chl halo.
		186.60	186.86	Vein	Qz-Ank 3cm vein at 30 TCA at UCT but sheared/ strained so no clear LCT. Vein has (Cpy).
		190.20	191.05	MV	Interval with strong Qz 20% and intense 30% Ser alteration giving a bleached appearance. Includes a strongly sheared Qz vein with a 3cm intense Ser halo at 190.73-190.82. Py 2% locally vfg and disseminated throughout. Alteration LCT at 20 TCA

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
194.54	198.15			RDK	Tan with black spots, m-cg, intensely altered RDK. Unit is locally fractured/ faulted at 20 TCA and 30 TCA in different orientations. Intensely Qz-Ser-Tm altered. Tm as fracture annealer and local anhedral xtals. Chl occasional as fracture fill in fractures at 50-60 TCA. (Cpy) in high angle Qz veins at 60-70 TCA. LCT 25 TCA
198.15	310.00			MV	Medium grey with occasional tints, vfg-fg mafic volcanics. Unit is locally fractured/ rubbled but is mostly solid core. Wz 5% pervasive but locally stronger or weaker. Chl 2% as fracture fill and alteration product-- mostly associated with veining. Ser 3% patchy pervasive and strongest in association with veining. Tm 1% patchy and associated with minor amount of veining. Veining varies from very low angle TCA to high angle TCA and is Qz, Qz-Ank, Cal, Qz-Cal with many being ptygmatic or sheared. Py 3% as disseminated fg- vfg xtals and specks with minor coarse xtals to 3mm. Py content increases with depth and xtals / specks become finer with depth.
		211.00	213.50	MV	High strain zone at 10-15 TCA.
		221.76	221.86	Vein	5cm Qz-Ank vein at 70 TCA. 10mm Qz-Ser vein halo and no Sx seen.
		246.17	247.10	MV	Zone of intense Qz-Ser alteration with Tm subhedral xtals spotted throughout. Moderate Py 3% is mostly coarse xtals >1mm and euhedral.
		251.45	251.85	IF	Apparent IF interval. Rock is vfg Qz-Chl-Mt-Py. Mt 30 as xtals to >1mm and euhedral.
		255.27	255.37	Vein	15mm Qz-Ank vein at 30 TCA and perpendicular to foliation and shear. Vein has a core of Py-Mt. Py is vfg but in blebs with Mt.
		264.06	264.54	Vein	44cm Qz-Tm-Ank vein at 45 TCA (perpendicular to S1). Vein has vfg blebby Py in 1 fracture and a very small (Asp-Cpy).
		268.27	269.16	Vein	Qz-Cal-Ank-Ser-Chl vein. Vein is near CA parallel but also has ladder vein style sections/ connections where it is near CA perpendicular. Lower end of vein is intensely Ser flooded.
		276.70	277.00	Vein	Qz-Ser-Chl 18cm vein at 40 TCA. Immediately downhole of vein there is a 5cm section of fault gouge clay at 40 TCA.
		277.00	309.03	MV	Rock becomes highly strained and weakly faulted/ strongly locally fractured to EOH with Py 10% as bands of shear fill vfg xtals with Qz. Py appears to be Po replaced locally but is non-magnetic. Strain, shear, and S1 are all subparallel to parallel at 20 TCA.
		285.26	285.60	Vein	18cm Qz-Ank-Chl vein at 40 TCA cutting foliation and shear/ strain. 10cm Qz-Py-Ser-Tm halo.
		298.38	298.88	Vein	Ptygmatic Qz-Ank vein at 20 TCA with Py strong in both vein and halo.
310.00				EOH	

DH DEPTH			LITHO		HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING				
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
33.00	34.36	1.36	RDK	125001	Rhyolite dyke oxidized		0.05	1	10						1			
34.36	36.02	1.66	MV	125002	Rhy-mafic mixed with Sph		5	0.01	15			0.1			1			
36.02	37.00	0.98	MV	125003	mafic shoulder		3		5						1			
37.00	38.00	1.00	MV	125004	veined mafics		5	1	10						1	Qz-Tm		2
38.00	39.00	1.00	MV	125005	veined mafics	0.05	5	2	15						1	Qz-Tm		3
39.00	40.00	1.00	MV	125006	mafic shoulder		7	2	15						0.5			
61.00	62.00	1.00	MV	125007	mafic shoulder		3		7						0.2			
62.00	63.00	1.00	MV	125008	veined mafics	0.05	5	3	20						1	Qz-Tm		10
63.00	64.00	1.00	MV	125009	mafic shoulder		5		10						0.1			
84.90	85.40	0.50	MV	125010	mafic shoulder		3		7						0.2			
85.40	86.05	0.65	MV	125011	veined mafics	3	7	2	20						0.1	Qz-Ank		5
86.05	86.60	0.55	MV	125012	mafic shoulder	0.05	5	0.05	15						0.05			
92.50	93.00	0.50	MV	125013	mafic shoulder		3		10						0.05			
93.00	94.00	1.00	MV	125014	veined mafics	0.1	7	0.05	15						2	Qz-Chl		5
94.00	95.00	1.00	MV	125015	mafic shoulder		5		10						0.1			
95.00	96.00	1.00	MV	125016	cg Py strong		5		10						2			
96.00	97.00	1.00	MV	125017	mafic shoulder		3		7						0.1			
109.70	110.20	0.50	MV	125018	mafic shoulder	0.05	5		10						0.1			
110.20	111.50	1.30	MV	125019	Qz-filled amygdules with Sph rims		7	0.5	15			1			0.5			
111.50	112.00	0.50	MV	125020	Qz-filled amygdules with Sph rims		7	0.5	15			1			0.5			
112.00	113.00	1.00	MV	125021	Qz-filled amygdules with Sph rims		7	0.5	15			1			0.5			
113.00	113.50	0.50	MV	125022	mafic shoulder		5		10						0.1			
140.20	140.73	0.53	MV	125023	rubbled mafic shoulder	0.1	5	0.1	10						0.2	Qz-Cal		2
140.73	141.30	0.57	RDK	125024	Dyke with Pot alt'n	1	7	0.1	15						0.5	Qz-Ank		4
141.30	141.80	0.50	MV	125025	mafic shoulder	0.05	5		10						0.2			
144.00	144.50	0.50	MV	125026	mafic shoulder		5		10						0.1			
144.50	145.00	0.50	MV	125027	Annealed fault in mafics		7		20						0.2			
145.00	145.50	0.50	MV	125028	mafic shoulder		5		7						0.1			
153.00	153.50	0.50	MV	125029	mafic shoulder		7		10						0.1			
153.00	153.50	0.50	MV	125030	Dup of 125029		7		10						0.1			
153.50	154.00	0.50	MV	125031	veined mafics		5		15						0.2	Qz-Tm		2
154.00	154.50	0.50	MV	125032	mafic shoulder		5		7						0.1			
178.00	178.50	0.50	MV	125033	mafic shoulder		7		10						0.2			
178.50	179.00	0.50	MV	125034	veined mafics	1	7	0.1	15		0.1				0.2	Qz-Ank		3
179.00	180.00	1.00	MV	125035	mafic shoulder	0.05	7	1	10						0.2			
180.00	181.00	1.00	MV	125036	rubbled mafic shoulder		7	0.05	10						0.2			
181.00	182.00	1.00	MV	125037	Qz-Ser altered mafics		10	0.5	15						0.1			
182.00	183.00	1.00	MV	125038	mafic shoulder	0.05	5	0.1	10						0.05			
183.00	184.00	1.00	MV	125039	veined mafics	1	10	0.5	15		0.05			1	2	Qz-Ank		4
184.00	185.00	1.00	MV	125040	mafic shoulder	0.05	5	0.05	10						0.1			
185.46	185.99	0.53	MV	125041	mafic shoulder	1	5	0.05	10						0.5	Qz-Ank		3
185.99	187.00	1.01	MV	125042	veined mafics	2	7	0.5	15		0.05			0.01	0.5	Qz-Ank		6
187.00	187.50	0.50	MV	125043	mafic shoulder	0.05	5		10						0.1			
189.50	190.20	0.70	MV	125044	mafic shoulder		7	1	10						0.2			
190.20	191.15	0.95	MV	125045	Qz-Ser altered mafics	0.1	15		20						0.2			
191.15	192.00	0.85	MV	125046	mafic shoulder		5		7						0.1			
194.00	194.54	0.54	MV	125047	mafic shoulder	0.05	5	0.01	10						0.2			
194.54	196.00	1.46	RDK	125048	Altered dyke		10	3	20		0.05				1			
196.00	197.50	1.50	RDK	125049	Altered dyke		10	2	20		0.05				1			
		0.00	STD	125050	STD													
197.50	198.16	0.66	RDK	125051	Altered dyke		10	2	20						1			
198.16	199.00	0.84	MV	125052	mafic shoulder		5	0.1	10						1	Qz-Cal		2

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
220.00	221.00	1.00	MV	125053	mafic shoulder	0.5	5	0.1	10						0.1	Qz-Ank		1
221.00	222.00	1.00	MV	125054	veined mafics	1	5		15						0.05	Qz-Ank		2
222.00	222.50	0.50	MV	125055	mafic shoulder	0.05	5		10						0.05			
245.00	246.17	1.17	MV	125056	mafic shoulder		10		20						0.1			
246.17	247.10	0.93	MV	125057	Qz-Ser altered mafics		15	3	25						3			
247.10	248.00	0.90	MV	125058	mafic shoulder		5		10						0.5			
250.90	251.45	0.55	MV	125059	mafic shoulder	0.05	7	1	20						0.2			
251.45	252.00	0.55	MV	125060	IF interval		5	3	40				30		5			
252.00	253.00	1.00	MV	125061	mafic shoulder		7	0.05	10						0.1			
254.50	255.00	0.50	MV	125062	mafic shoulder	0.01	5		10						0.2			
255.00	255.50	0.50	MV	125063	veined mafics	0.05	7	0.5	15						3	Qz-Cal		2
255.50	256.00	0.50	MV	125064	mafic shoulder		5		10						2			
258.00	259.00	1.00	MV	125065	mafic shoulder	0.01	5		7						0.5			
259.00	260.00	1.00	MV	125066	veined mafics	0.2	7	0.2	15						2	Qz-Cal		3
260.00	261.15	1.15	MV	125067	veined mafics	0.1	7	0.1	20						2	Qz-Cal		4
261.15	262.00	0.85	MV	125068	mafic shoulder	0.01	3		5						0.1			
263.00	264.00	1.00	MV	125069	mafic shoulder		5		10						3			
263.00	264.00	1.00	MV	125070	Dup of 125069		5		10						3			
264.00	264.60	0.60	MV	125071	veined mafics	1	10	20	50		0.05				2	Qz-Tm		90
264.60	265.40	0.80	MV	125072	mafic shoulder		5	0.1	10				0.05		0.1			
267.70	268.30	0.60	MV	125073	mafic shoulder		5		10						0.2			
268.30	269.20	0.90	MV	125074	veined mafics	0.5	7	0.5	20						0.1	Qz-Cal		5
269.20	270.00	0.80	MV	125075	mafic shoulder	0.05	5	0.05	10						0.2			
270.00	271.45	1.45	MV	125076	veined mafics	0.1	7		20						1	Qz-Cal		5
271.45	273.00	1.55	MV	125077	mafic shoulder	0.05	5		15						0.2			
273.00	273.50	0.50	MV	125078	veined mafics	2	5	0.1	20						0.5	Qz-Ank		10
273.50	274.00	0.50	MV	125079	mafic shoulder		5		7						0.1			
276.00	276.70	0.70	MV	125080	mafic shoulder	0.05	7		10						0.1	Cal-Qz		2
276.70	277.20	0.50	MV	125081	faulted and veined mafics	0.1	15		30						0.5	Qz-Ser		36
277.20	278.50	1.30	MV	125082	Py shear fill		5		10						15			
278.50	280.00	1.50	MV	125083	Py shear fill		5		15						10			
280.00	281.50	1.50	MV	125084	Py shear fill	0.05	5		20						10	Qz-Chl		3
281.50	283.00	1.50	MV	125085	Py shear fill	0.5	5		20						15	Qz-Chl		2
283.00	284.50	1.50	MV	125086	Py shear fill	0.1	10	0.5	15						5	Ser-Qz		2
284.50	286.00	1.50	MV	125087	Py shear fill	7	7	0.5	25						10	Qz-Ank		25
286.00	287.50	1.50	MV	125088	Py shear fill		5		10						15			
287.50	288.50	1.00	MV	125089	Py shear fill		5		10						7			
		0.00	STD	125090	STD				10									
288.50	290.00	1.50	MV	125091	Py shear fill	0.05	5		10						5			
290.00	291.50	1.50	MV	125092	Py shear fill		5		15						12			
291.50	293.00	1.50	MV	125093	Py shear fill		5		10						10	Qz-Cal		3
293.00	294.50	1.50	MV	125094	Py shear fill	1	5	0.5	15						7	Qz-Ank		2
294.50	295.80	1.30	MV	125095	Py shear fill		5		10						5			
295.80	296.50	0.70	MV	125096	Py shear fill	0.05	10		25						15	Qz-Ser		7
296.50	298.00	1.50	MV	125097	Py shear fill	0.5	5		10						5			
298.00	299.00	1.00	MV	125098	Py shear fill	1	5	0.1	15						10	Qz-Ank		3
299.00	300.50	1.50	MV	125099	Py shear fill		5		15						15	Qz-Cal		2
300.50	302.00	1.50	MV	125100	Py shear fill		3		10						10			
302.00	303.50	1.50	MV	125101	Py shear fill		5		10						10			
303.50	305.00	1.50	MV	125102	Py shear fill		5		10						10			
305.00	306.50	1.50	MV	125103	Py shear fill		5		10						10			
306.50	308.00	1.50	MV	125104	Py shear fill		5		10						10			
308.00	309.03	1.03	MV	125105	Py shear fill		5		10						10			

TARGET: IP anomaly-- chargeability

HOLE NUMBER: **UB17-002**

GRID LOCATION: Line 500

SURVEY LOCATION (UTM): **467728E 5436902** NAD 83

CORE SIZE: NQ2

BEARING / DIP: **90/-50**

START:

DRILLING CONTRACTOR: Forages Rouillier

LOGGED BY: J. Rensby

CLAIM NUMBER:

ELEVATION:

LENGTH: 364m

FINISH:

DRILL:

LOG COMPLETED:

SUMMARY

0.00-30.80m: Overburden.

30.80-364.00m: Basaltic pile with minor rhyolite dykes. Local pillows and brecciation. Patchy alteration but often strong and composed Qz+/-Ser+/-Chl+/-Tm. Clastic zones often exhibit intense Ser alteration in clasts but not in matrix. Mixture of veining composed of Qz+/-Cal+/-Ank+/-Ser+/-Tm+/-sulfides. Mixed halos and halo strengths as well as vein orientations with strongest sulfides associated with higher angle veining (50-60 TCA). (Sph-Cpy-Asp) in minor local concentrations associated with veining and/ or brecciation. Py 1%-Po 0.5% locally concentrated and varying from vfg to coarse Py xtals.



DDH #: UB17-002
 Logger: J. Rensby

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
0.00	30.88			OVb	
30.88	364.00			MV	Light grey to locally dark green tinted, fg to vfg mafic volcanics and locally volcanoclastics. Unit is locally fractured and faulted. Uphole in unit is strongly crackle/ hydrothermally brecciated. Matrix for crackle breccia is Qz-Cal-Ank. S1 at 45 but mostly obscured by alteration. when clastic alteration varies within and without clasts. Locally dm scale pillows can be seen with Qz-Tm-Cal altered rinds. Qz 20% strong and pervasive. Ser 7% patchy and weak to intense. Veins from veinlets to larger veins at assorted orientations and are often sheared or in segments. Halos vary from nil to 5cm with locally Qz-Ser-Tm-Py-Cal-Chl. Py 1% as vfg specks patchily disseminated with a strong vein association. (Cpy, Sph) in association with a minor number of veins, usually at greater than 45 TCA.
		32.54	32.67	Vein	3cm Qz-Ser-Chl vein at 50 TCA with a 1cm intense Ser-Qz halo.
		33.12	33.26	Vein	5mm Qz-Ser-(Sph) vein at 55 TCA with a 5cm Ser-(Sph) halo.
		51.50	51.90	MV	Zone with voids and vugs where Cbate has dissolved.-- Possibly annealed fault.
		52.50	54.05	MV	Very strong crackle breccia through this interval and intense Qz-Ser alteration. Some clasts in this zone are Qz-Cal-Py altered and others are Qz-Ser-Tm altered.
		54.47	57.76	FZ	Fault zone which has been Qz-Ank annealed and then re faulted. Faulting at CA subparallel to 20 TCA with minor local fault gouge.
		62.90	74.30	MV	Clastic mafic volcanics. Clasts are rounded to angular and 5mm- 10cm. Clasts are Qz-Ser-Tm altered
		74.80	75.00	Vein	3cm Qz-Cal vein at 20 TCA with a 2mm Qz-Ser halo and Py 3% as vfg disseminated specks in surrounding rock but not in vein.
		89.33	89.43	Vein	4cm Qz-Chl-Cal vein at 55 TCA. Vein has a 2mm strong Chl-Ser-Qz halo.
		89.50	121.00	MV	Chl is increased and Ser decreased as rock becomes more light green but remains a volcanoclastic. Alteration is now broadcast Qz-Chl-(Ser). Clasts continue to be Qz-Ser-Tm-Py altered. Chl begins to diminish again at 121.
		106.40	106.46	Vein	Broken and sheared Cal-Rho 5mm vein with a 1mm Ser halo.
		123.50	124.30	MV	Intensely Qz-Ser-Tm altered zone with (Py) and strong shearing.
		128.20	128.50	Vein	Series of Qz-Ank sheared veinlets to 7mm with 1-2mm Ser halos and Po-(Cpy) in veins.
		137.80	137.85	Vein	5cm Qz-Ank-Ser vein at 90 TCA which cuts a pillow. Vein 85 UCT and irregular LCT in pillow. No Sx seen.
		140.86	141.10	Vein	2 veins-- 15mm Ank-Qz-Ser and 20mm Qz-Ser. Veins at 30 TCA at opposite orientations to one another meet. Qz-Ser is locally Ank replaced. Po-Py-Cpy seen in both veins.
		150.00	150.50	Vein	Series of 3 subparallel Qz veinlets at 45 TCA with up to 10cm Po-Qz-Ser-Ank alteration halo. Po 10%-Py 1%-(Cpy) through this zone. Po vfg-Py and Cpy in small blebs <1mm.
		151.16	151.63	MV	Interval with intense and pervasive Qz-Ser-Ank-Po-Py-Tm alteration. Po 5%- Py 0.5% as clusters of concentrated vfg specks.
		156.00	162.00	MV	Ank annealed breccia/ fault zone. Ank fracture fill and fragments throughout as Ank is 20% in this zone.
		164.43	164.80	MV	Strongly Ser-Qz altered interval with brecciation and preferential alteration between matrix and clasts. Immediately downhole is a band of intense Ser alteration bordered by 2 Qz-Ak 4mm veinlets at 30 TCA with 2mm Chl-Qz halos. (Py) locally.
		169.02	169.24	Vein	Qz-Ank 3cm vein at 45 TCA crosscutting a pillow. Qz-Ank-Chl-Tm are mixed in pillow rind. Po 2% disseminated locally throughout vein and rind.
		171.90	172.35	FZ	small fault zone with minor clay. Faulting at 10 TCA.
		177.30	177.80	MV	Segments of Qz-Cal through this interval-- appears to be partially shearing of veins and partially fracture fill/ annealer.

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
		180.75	180.92	Vein	2cm Qz-Ank-Py vein at 25 TCA with Ank-Qz ladder steps and a 2mm Chl-Ser halo. 2 similar and subparallel of same in following m.
		182.50	182.65	Vein	Qz-Cal-Rho-Ser-Po 5mm veinlet at 45 TCA with Qz-Cal-Ank strongly altered halo downhole.
		184.25	184.75	FZ	Minor fault zone with fault gouge at 10 TCA. Mariposite/ Fuchsite (Fuch) as fracture fill and in clay.
		185.93	186.01	Vein	Sheared Cal-Qz veinlet segments with (Po-Py-Cpy) in this zone.
		186.43	186.50	MV	Pillow rind altered with Ser-Qz-Ank-Po-Tm
		195.45	195.52	MV	5cm x 7cm Qz eye/ vein segment with Ank-Cal-Ser-?Stibnite? Within Qz and halo.
		196.86	197.30	MV	Within this interval pillow rinds are Qz-Cal-Ank-(Po) altered.
		211.10	216.73	BX	Breccia zone with patchy strong breccia-- pillows are Ser altered and unbrecciated with matrix and clasts to 3cm and Qz-Ser-(Ank) altered. Po 7% as disseminated specks to clusters/ blebs and bands of vfg Po with Qz and a strong vein association. Blebby Cpy 0.2% with Po. (Asp) disseminated throughout as vfg-fg xtals and blebs.
		217.90	218.30	MV	Asp 0.1% disseminated throughout as vfg-fg xtals in Ser-rich altered rock.
		222.35	222.52	MV	Qz-Ank-Ser strong alteration zone (?small pillows?) with Po 7% through this interval.
		223.90	224.25	MV	Qz-Ank-Ser strong alteration zone (?small pillows?) with Po 5%- Py 1% through this interval.
		225.25	225.48	MV	Qz-Chl-Cal-Ser altered pillow rind with Po 5%- Py 3%-(Asp)
		226.71	226.76	Vein	5mm Qz-Ank vein at 65 TCA with a Ser-Py-Po halo. (Fuch) in vein and halo.
		227.22	227.60	Vein	5mm Qz-Ank vein at 65 TCA with a Ser-Py-Po halo. (Fuch) in vein and halo.
		232.35	232.45	Vein	3mm Qz-Ank veinlet at 40 TCA cut by a Cal-Qz veinlet at 40 TCA in reverse orientation. Qz-Ank has Po-Py in vein and halo as clusters of vfg specks/ xtals.
		233.00	241.70	MV	Qz-Ank strong alteration and veining (mostly veinlets) strong through this zone of Po 5%- Py 3%. Patchy Ser zones.
		245.30	245.50	MV	Interval of intense Ank 30%- Qz 25% alteration with minor spots of Fuch
		255.00	257.00	MV	Pillows through this section are stretched parallel to S1 (35 TCA) with minor Py found within pillows.
		269.70	269.95	Vein	2 S1 subparallel (20 TCA) Qz-Ank veins with 2mm Ser-Qz halos and 2cm Py-Po-(Asp) halos. Sx are vfg.
		275.20	275.35	MV	Chl-Ank-Qz altered pillow rind with vfg Py 1%-Po 1%
		284.50	285.20	Vein	Qz-Ser-Chl-Py-(Po) vein at 30 TCA. Vfg Py seen in halo.
		291.06	291.40	MV	Sph and Py in Qz-Cal-Chl veinlets to 2mm.
		291.70	293.84	MV	Clastic interval with grey MV which are Chl altered with rounded mafic clasts. Qz veinlets are <1mm and often <1cm apart. S1 35 TCA with a minor undeterminate crenulation cleavage (S2)
		294.00	295.50	MV	Grey Ser altered interval with abundant (5%) Qz veinlets at 35 TCA.
		298.50	298.60	Vein	Sheared Qz veinlets with Py-Ser halos
		298.90	298.95	Vein	Qz-Cal-(Ank) vein at 30 TCA and in opposite orientation to S1
		300.50	300.60	Vein	Sheared Qz-Ser vein at 45 TCA with Ser halo with minor fg Py and Chl
		300.80	300.90	Vein	fg Py in fg clay at an annealed Qz vein at 45 TCA
		301.40	301.60	MV	Ser alteration band at 30 TCA
		303.50	303.60	Vein	Qz-Ser-Ank vein at 45 TCA. 7cm with 2% Py in alteration halo.
		304.00	306.30	BX	Breccia zone with Qz-Chl clast fill. Py-Po clasts/ phenocrysts in clusters. Local Ser alteration interspersed with Qz infill and Chl alteration. Py-Po strongest at boundaries of Qz.
		305.23	305.29	Vein	Chl replaced Qz vein with a Py-(Po) core 1cm and 55 TCA.

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
		307.30	308.80	Vein	Interval with Qz-Ser-Chl vein system of veinlets at 40 TCA with associated Py 3%
		314.00	314.03	Vein	1cm Qz-Cal-Ank vein at 40 TCA
		314.50	316.95	MV	Chl strong 20% alteration zone with local mg euhedral Py
		317.70	317.90	Vein	Qz-Cal-Chl-Ank veinlets at 45 TCA in this interval.
		319.5	319.56	Vein	Qz-Cal 2cm vein at 35 TCA
		321.70	322.00	Vein	Series of Qz-Ser-Ank veinlets with minor associated Py.
		329.00	330.00	MV	Chl-Qz-Ser altered zone with Qz fracture fill and patchy Ser-Chl alterations.
		334.85	337.00	RDK	Light grey, vfg rhyolite dyke with very weak Qz-Ser alteration. Homogenous with (Py) disseminated.
		340.50	341.50	MV	Interval with blebby semi-massive Py 50% and Chl 20% strong alteration.
		343.00	364.00	MV	Mineralization and alteration dissipate and diminish with increased depth. Very minor coarse Py.
364.00				EOH	

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
32.00	32.54	0.54	MV	125106	Mafic volcanics shoulder	0.1	5	0.05	20						0.5			
32.54	33.30	0.76	MV	125107	Qz-Ser-Chl veined volcanics		10	0.01	30						1	Qz-Ser	1	5
33.30	34.11	0.81	MV	125108	Qz-Ser-(Sph) veining	0.1	7	0.5	25			0.05			0.1	Qz-Ser	1	5
37.00	38.00	1.00	MV	125109	Mafic volcanics shoulder	0.01	5	0.05	15						0.1			
37.00	38.00	1.00	MV	125110	Dup of 125109		5		15						0.1			
38.00	39.00	1.00	MV	125111	Qz-Ank-Chl-Ser-Tm veined volcanics	0.5	7	0.1	25						1	Qz-Ank		2
39.00	40.09	1.09	MV	125112	Qz-Ank-Chl-Ser-Tm veined volcanics	0.5	7	0.01	20						0.1	Qz-Ser		1
40.09	41.00	0.91	MV	125113	Mafic volcanics shoulder	0.05	5	0.01	15						0.2			
46.00	47.00	1.00	MV	125114	Mafic volcanics shoulder		5		20						0.5			
47.00	47.90	0.90	MV	125115	vuggy interval with Py associated w/ vugs	0.1	3		25						3	Qz-Cal		2
47.90	49.00	1.10	MV	125116	Mafic volcanics shoulder	0.2	5		15						0.5			
51.00	52.00	1.00	MV	125117	annealed fault zone		7		25						0.05			
52.00	53.00	1.00	MV	125118	Crackle breccia zone	0.1	10	0.5	25						0.5	Qz-Ser		5
53.00	54.00	1.00	MV	125119	Crackle breccia zone	0.1	7	1	20						0.5	Qz-Ser		5
54.00	55.50	1.50	MV	125120	Fault zone	2	3	0.1	30						1			
55.50	56.50	1.00	MV	125121	Fault zone	2	5		25						0.5			
56.50	57.50	1.00	MV	125122	Fault zone	3	7	0.1	25						0.5			
57.50	59.00	1.50	MV	125123	Fault zone and crackle breccia	1	5		20						1			
59.00	59.50	0.50	MV	125124	Crackle breccia zone	0.05	7		25						0.5	Qz-Ser		3
59.50	60.00	0.50	MV	125125	Mafic volcanics shoulder		7		15						0.1			
73.50	74.80	1.30	MV	125126	clastic mafic volcanics shoulder	0.1	7	1	20						1			
74.80	75.30	0.50	MV	125127	Qz-Cal veined volcanics	0.1	7	0.5	25						3	Qz-Cal		7
75.30	76.70	1.40	MV	125128	clastic mafic volcanics shoulder	0.1	5	0.5	15						0.5			
76.70	78.20	1.50	MV	125129	clastic mafic volcanics		10	1	15						0.5			
		0.00	STD	125130	STD													
78.20	79.00	0.80	MV	125131	clastic mafic volcanics shoulder		7	0.5	20						0.5			
88.50	89.00	0.50	MV	125132	clastic mafic volcanics shoulder		2	1	25						2	qz-Chl		3
89.00	89.50	0.50	MV	125133	clastic mafic volcanics		3	1	20						2			
89.50	91.00	1.50	MV	125134	clastic mafic volcanics		5	2	20						3			
91.00	91.50	0.50	MV	125135	clastic mafic volcanics	0.05	3	0.5	20						1			
91.50	92.50	1.00	MV	125136	clastic mafic volcanics shoulder	0.1	5	1	20						1			
99.00	100.00	1.00	MV	125137	Mafic volcanics shoulder	1	3	0.5	20						0.5	Ank-qz		1
100.00	101.00	1.00	MV	125138	veined mafic volcanics	2	5	1	25						1	Qz-Ank		5
101.00	102.00	1.00	MV	125139	Mafic volcanics shoulder	0.5	7	0.1	20						0.1			
105.50	106.00	0.50	MV	125140	Mafic volcanics shoulder		5		20						0.5			
106.00	106.50	0.50	MV	125141	Cal-Rho vein	1	3	0.1	15						0.5	Cal-Rho		10
106.50	107.00	0.50	MV	125142	Mafic volcanics shoulder	0.1	3	0.5	20						0.5			
123.00	123.50	0.50	MV	125143	Mafic volcanics shoulder		7	1	20						0.1			
123.50	124.50	1.00	MV	125144	Qz-Ser-Tm intense alteration		10	2	25						0.2			
124.50	125.00	0.50	MV	125145	Mafic volcanics shoulder		7	0.5	20						0.1			
127.50	128.00	0.50	MV	125146	Mafic volcanics shoulder	0.5	5	0.5	15						0.5			
128.00	128.50	0.50	MV	125147	Qz-Ank sheared veinlets with Po-(Cpy)	2	7	0.1	25		0.05				1	1	Qz-Ank	5
128.50	129.00	0.50	MV	125148	Mafic volcanics shoulder	0.1	5	0.1	20					0.01	0.5			
136.50	137.20	0.70	MV	125149	Mafic volcanics shoulder	0.05	5	0.5	20						0.5			
136.50	137.20	0.70	MV	125150	Dup of 125149	0.05	5	0.5	20						0.5			
137.20	138.30	1.10	MV	125151	Qz-Ank-Ser veining	1	10	0.5	25						2	Qz-Ank		5
138.30	139.40	1.10	MV	125152	Qz-Ank-Ser veining cutting pillow	2	7	1	30						1	Qz-Ank		5
139.40	140.70	1.30	MV	125153	Mafic volcanics shoulder	0.1	5	0.5	20						0.5			
140.70	142.20	1.50	MV	125154	Ank-Qz-Ser veinlets	2	7	0.1	25						1	Ank-Qz		4
142.20	143.50	1.30	MV	125155	Mafic volcanics shoulder	0.1	5	0.1	20						0.5			
149.50	150.00	0.50	MV	125156	Mafic volcanics shoulder	0.2	5		20						0.5			
150.00	150.50	0.50	MV	125157	Veining and Po	1	7	0.5	30		0.05				10	2	Qz	3

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
150.50	151.15	0.65	MV	125158	Mafic volcanics shoulder	0.1	5	0.1	20						0.5			
151.15	151.65	0.50	MV	125159	strongly altered zone with Po-Py	0.5	10	0.5	30					5	0.5			
151.65	153.00	1.35	MV	125160			5		20						0.5			
153.00	154.50	1.50	MV	125161	Mafic volcanics shoulder		5		15						0.5			
158.00	159.00	1.00	MV	125162	Mafic volcanics shoulder	1	5	0.5	20						1			
159.00	160.50	1.50	MV	125163	Ank strong zone	20	5		20						1			
160.50	162.00	1.50	MV	125164	Ank strong zone	20	3		20						1			
162.00	163.00	1.00	MV	125165	Mafic volcanics shoulder	0.05	5	0.1	15						0.5			
168.00	169.00	1.00	MV	125166	Mafic volcanics shoulder	0.1	5	0.1	20						1			
169.00	169.50	0.50	MV	125167	vein x-cutting pillow	2	7	1	30					2	1	qz-Ank		7
169.50	170.50	1.00	MV	125168	Mafic volcanics shoulder	0.1	5	0.1	15						0.5			
179.40	180.70	1.30	MV	125169	Mafic volcanics shoulder		3		15						0.5			
		0.00	STD	125170	STD													
180.70	181.70	1.00	MV	125171	Qz-Ank-Py veining	1	5	0.1	25						2	Qz-Ank		2
181.70	183.00	1.30	MV	125172	Qz-Ank-Py veining	0.5	5	0.1	20						2	Qz-Ank		2
183.00	184.00	1.00	MV	125173	Mafic volcanics shoulder	0.01	3	0.01	20						0.1			
185.50	186.00	0.50	MV	125174	Mafic volcanics shoulder	0.1	5	0.1	20						0.5			
186.00	187.40	1.40	MV	125175	veined mafic volcanics	1	7	1	25		0.05			2	2	Ser-Qz		3
187.40	188.60	1.20	MV	125176	pillowed mafic volcanics	1	7	1	20						1			
188.60	190.00	1.40	MV	125177	pillowed mafic volcanics	0.5	7	2	20						1			
190.00	191.00	1.00	MV	125178	pillowed mafic volcanics	2	7	1	20						1			
191.00	192.30	1.30	MV	125179	pillowed mafic volcanics	1	7	0.5	20						1			
192.30	193.70	1.40	MV	125180	pillowed mafic volcanics	0.5	7	1	25						1			
193.70	195.10	1.40	MV	125181	pillowed mafic volcanics	1	7	2	20						1			
195.10	196.10	1.00	MV	125182	pillowed mafic volcanics	0.5	7	1	20						1			
196.10	197.30	1.20	MV	125183	pillowed mafic volcanics	0.5	7	1	15					1	1			
209.70	211.10	1.40	MV	125184	Mafic volcanics shoulder		5		20					0.01	0.5			
211.10	212.00	0.90	MV	125185	breccia zone	0.5	10	1	25	0.01	0.2			10	1			
212.00	213.10	1.10	MV	125186	breccia zone	0.5	10	1	25	0.01	0.2			5	1			
213.10	214.30	1.20	MV	125187	breccia zone	0.5	10	1	25	0.01	0.2			7	1			
214.30	215.50	1.20	MV	125188	breccia zone	0.5	10	1	25	0.01	0.2			7	1			
215.50	216.80	1.30	MV	125189	breccia zone	0.5	10	1	25	0.01	0.2			5	1			
215.50	216.80	1.30	MV	125190	Dup of 125189	0.5	10	1	20	0.01	0.2			5	1			
216.80	217.75	0.95	MV	125191	breccia zone	0.5	10	1	20	0.01	0.2			10	1			
217.75	218.50	0.75	MV	125192	Asp zone with strong Ser	0.1	15	0.1	15	0.05				0.01	0.1			
218.50	220.00	1.50	MV	125193	Mafic volcanics shoulder		5		20									
220.00	221.50	1.50	MV	125194	Mafic volcanics shoulder		3		15									
221.50	222.25	0.75	MV	125195	Mafic volcanics shoulder		5		20					0.01	0.5			
222.25	222.75	0.50	MV	125196	Po rich zone		10		25					5	2			
222.75	223.90	1.15	MV	125197	Mafic volcanics shoulder		5	0.5	20						0.1			
223.90	224.40	0.50	MV	125198	Po rich zone		10		20					3	1			
224.40	225.25	0.85	MV	125199	Mafic volcanics shoulder		5		20						0.1			
225.25	226.50	1.25	MV	125200	Po altered zone	1	5		20					2	2			
226.50	227.60	1.10	MV	125201	qz-Ank-fuch veining	1	5	0.1	30					1	2			
227.60	229.00	1.40	MV	125202	Mafic volcanics shoulder		5		20						0.5			
229.00	230.50	1.50	MV	125203	Mafic volcanics shoulder		5		20						0.5			
230.50	231.00	0.50	MV	125204	veined mafic volcanics	1	10		25						0.5			
231.00	231.60	0.60	MV	125205	veined mafic volcanics	1	10		25						0.5			
231.85	232.35	0.50	MV	125206	altered mafic volcanics	1	10		25						0.5			
232.35	233.70	1.35	MV	125207	altered mafic volcanics	0.1	5		20					0.01	1			
233.70	234.80	1.10	MV	125208	Po rich rock	1	7		25					5	3	Qz-Ank		3
234.80	236.30	1.50	MV	125209	Po rich rock	1	7		25					5	3	Qz-Ank		3
		0.00	STD	125210	STD		7		25					5	3			
236.30	237.40	1.10	MV	125211	Po rich rock	1	7		25					5	3	Qz-Ank		2

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
237.40	238.70	1.30	MV	125212	Po rich rock	1	7		25					5	3	Qz-Ank		3
238.70	240.00	1.30	MV	125213	Po rich rock	1	10		25					5	3	Qz-Ank		3
240.00	241.45	1.45	MV	125214	Po rich rock	1	7		25					5	3	Qz-Ank		2
241.45	242.80	1.35	MV	125215	Mafic volcanics shoulder	1	5		20					0.1	2			
242.80	244.00	1.20	MV	125216	Mafic volcanics shoulder	0.05	5	0.1	20						0.5			
244.00	245.30	1.30	MV	125217	Mafic volcanics shoulder	0.1	5	0.05	20						0.5			
245.30	246.70	1.40	MV	125218	Ank-Qz alteration	10	2		25						0.5			
246.70	248.00	1.30	MV	125219	Mafic volcanics shoulder	0.1	5	0.05	15						0.5			
248.00	249.50	1.50	MV	125220	pillowed mafic volcanics with Po	0.5	7	0.1	20					0.2	1	Qz-Ank		1
251.90	252.40	0.50	MV	125221	pillowed mafic volcanics with Po	0.5	5	0.1	20					0.5	1			
252.40	253.50	1.10	MV	125222	pillowed mafic volcanics with Po	0.5	5	0.05	20					0.1	0.5			
253.50	255.00	1.50	MV	125223	pillowed mafic volcanics with Po	0.5	5	0.1	20					0.5	2			
255.00	256.00	1.00	MV	125224	Mafic volcanics shoulder	0.05	5	0.05	20						0.5			
261.00	262.00	1.00	MV	125225	Mafic volcanics shoulder	0.05	7	0.1	25						0.5			
262.00	262.50	0.50	MV	125226	pillowed mafic volcanics with Po	0.5	10	0.2	25					0.5	1			
262.50	264.00	1.50	MV	125227	pillowed mafic volcanics shoulder	0.1	7	0.1	20						0.5			
264.00	265.00	1.00	MV	125228	pillowed mafic volcanics with Po	0.1	10	0.1	20					1	0.5			
265.00	265.50	0.50	MV	125229	pillowed mafic volcanics with Fuch-Chl		2	0.2	15						0.2			
265.00	265.50	0.50	MV	125230	Dup of 125229		2	0.2	15						0.2			
266.50	268.00	1.50	MV	125231	Mafic volcanics shoulder	0.05	2	0.01	15					0.1	0.2			
268.00	269.50	1.50	MV	125232	mafics with Ak alteration and Po	3	3	0.1	20					0.5	0.5			
269.50	271.00	1.50	MV	125233	mafics with Po	0.1	5	0.01	15	0.01				0.1	0.5	Qz-Cal		2
271.00	272.50	1.50	MV	125234	mafics with Po	1	7	0.1	25					2	2	Qz-Ank		2
272.50	274.00	1.50	MV	125235	mafics with Fuch-Po	0.5	5	0.1	15					1	0.5			
274.00	275.50	1.50	MV	125236	Mafic volcanics shoulder	0.1	5		20						1			
284.27	284.73	0.46	MV	125237	Chl altered mafic shoulder		3		10						0.1			
284.73	285.23	0.50	MV	125238	veined mafic volcanics	0.05	10	2	25					1	1	Qz-Ser		25
285.23	285.73	0.50	MV	125239	Chl altered mafic shoulder		5	0.05	15						0.5			
290.50	291.04	0.54	MV	125240	Chl altered mafic shoulder		3	0.1	20						0.5			
291.04	291.59	0.55	MV	125241	mafics with Sph		5	0.1	15			1		0.5	1			
291.59	292.08	0.49	MV	125242	Chl altered mafic shoulder		3		10						0.5			
293.34	293.84	0.50	MV	125243	Mafic volcanics shoulder		7	0.1	20						1			
293.84	294.34	0.50	MV	125244	veined mafic volcanics	0.05	3	0.5	20					2	3	Qz-Cal		10
294.34	294.85	0.51	MV	125245	Mafic volcanics shoulder	0.01	5	0.05	20						0.5			
300.37	301.10	0.73	MV	125246	Mafic volcanics shoulder	0.05	7	1	25						2			
301.10	301.68	0.58	MV	125247	Mafic volcanics shoulder		7		20						0.1			
302.90	303.41	0.51	MV	125248	veined mafic volcanics		5		20						2			
303.41	303.90	0.49	MV	125249	veined mafic volcanics	1	10	1	25						3	Qz-Ser		15
		0.00	Blank	125250	Blank		5		20									
303.90	304.40	0.50	MV	125251	breccia zone		7		20						1			
304.40	304.90	0.50	MV	125252	breccia zone		10		20						1			
304.90	305.38	0.48	MV	125253	breccia zone		7		20						1			
305.38	306.06	0.68	MV	125254	fault zone	0.1	5	0.05	15						1			
306.06	306.56	0.50	MV	125255	breccia zone		7		20						1			
306.86	307.36	0.50	MV	125256	Mafic volcanics shoulder		5		20						0.5			
307.36	308.26	0.90	MV	125257	Qz-Ser alteration strong		10		25						0.5			
308.26	309.00	0.74	MV	125258	Mafic volcanics shoulder		5	1	20						0.5			
315.34	315.83	0.49	MV	125259	Mafic volcanics shoulder		5		20						0.5			
315.83	316.38	0.55	MV	125260	Py strong mafic volcanics	1	5	0.5	20						4	Qz-Cal		2
316.38	316.88	0.50	MV	125261	Mafic volcanics shoulder	0.1	5	0.1	20						0.1			
339.70	340.30	0.60	MV	125262	Mafic volcanics shoulder		10		25						0.05			
340.30	340.80	0.50	MV	125263	Py-Chl alteration zone		3		10						40			
340.80	341.61	0.81	MV	125264	Py-Chl alteration zone		2		15						30			
341.61	342.34	0.73	MV	125265	Mafic volcanics shoulder		3		15						0.5			

DH DEPTH			LITHO		SAMPLE #	DESCRIPTION	HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING		
FROM	TO	WIDTH	ROCK CODE	Ank			Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
318.50	319.10	0.60	MV	125301	Mafic volcanics shoulder		3		15					0.1				
319.10	319.80	0.70	MV	125302	veined mafic volcanics	2	7	3	25					1	Qz-Cal		5	
319.80	320.35	0.55	MV	125303	Mafic volcanics shoulder	0.05	5	1	20					0.5				
320.35	320.85	0.50	MV	125304	Mafic volcanics shoulder		5		20					0.5				
320.85	321.38	0.53	MV	125305	veined mafic volcanics	0.5	7	0.1	20					1	Qz-Cal		2	
321.38	322.00	0.62	MV	125306	veined mafic volcanics	2	10	0.5	25					1	Qz-Ser		7	
322.00	322.50	0.50	MV	125307	Mafic volcanics shoulder		5		15					0.05				
322.50	323.35	0.85	MV	125308	veined mafic volcanics	0.5	5	0.1	25					0.5	Qz-Ank		5	
323.35	324.30	0.95	MV	125309	Mafic volcanics shoulder	0.01	3	0.05	15					2				
		0.00	Blank	125310	Blank													
328.34	329.00	0.66	MV	125311	Mafic volcanics shoulder	1	3		15					0.5				
329.00	329.52	0.52	MV	125312	Chl-Qz altered mafics	0.5	7		25					0.5				
329.52	330.00	0.48	MV	125313	Chl-Qz altered mafics	0.05	5	0.1	25					1				
286.00	287.00	1.00	MV	125393	Mafic volcanics shoulder	0.05	7	1	20					2				
287.00	288.00	1.00	MV	125394	Sph in mafics	0.01	7	2	20			0.5		2				
288.00	289.00	1.00	MV	125395	Mafic volcanics shoulder		5	1	20					0.5				

TARGET: IP Chargeability

HOLE NUMBER:	UB17-003	CLAIM NUMBER:	
GRID LOCATION:	line 400	ELEVATION:	
SURVEY LOCATION (UTM):	467696E 5436802N NAD 83	LENGTH:	289m
CORE SIZE:	NQ2	FINISH:	29-Jun-17
BEARING / DIP	90/-60	DRILL:	
START:	28-Jun-17	LOG COMPLETED:	01-Jul-17
DRILLING CONTRACTOR:	Forages Rouillier		
LOGGED BY:	J. Rensby		



SUMMARY

0.00-22.90m: Overburden.

22.90-289.00m: Mafic volcanics. Qz-Ser alteration throughout with local Chl-Ank-Tm. Mixed veining of Qz-Ser-Ank-Cal-Chl-Tm and local pillow rinds of Qz-Tm-Chl-Py. Py 0.5% (Po-Cpy-Sph) associated with vein systems and strongest alteration.

DDH #:

UB17-003

Logger:

J. Rensby

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
0.00	22.90			OVB	
22.90	289.00			MV	Light grey with local yellow tinted sections, vfg mafic volcanics with local minor clasts and amygdules. Unit is mostly competent with very minor rubbled/ fractured sections. Foliation (S1) generally close to 35 TCA with minor local variations. Qz 20%- Ser 10% pervasive throughout with local high concentrations. Chl 10% pervasive throughout. (Ank-Tm) vein associated. Veining mostly veinlets at a variety of angles TCA and comprised of mixes of Qz-Cal, Qz-Ank, Qz-Chl, and Qz-Ser-- all often with additional members of this group (eg Qz-Cal-Chl). Halos vary but generally minor (<2mm) and comprised of Ser-Chl-(Py). Py 0.5% as mostly disseminated fg specks and xtals is very weak uphole and increases with depth. (Po-Cpy-Sph) found locally and usually in association with veining.
		23.04	23.11	Vein	2cm Qz-Chl vein at 65 TCA. Chl as a 1cm band cutting across vein. 2mm Ser-Py halo. Py as vfg specks and clusters of same.
		33.45	35.90	MV	Zone of very intense Qz-Ser alteration with minor Ank altered clasts to 2cm and Ank altered amygdules to 5mm. Py 2% as vfg disseminated specks/ xtals.
		45.18	45.26	Vein	Qz-Tm-Ank 2cm vein at 55 TCA with a 1mm Ser-Chl halo and a 5mm Po halo. Po as very small amorphous blebs.
		47.93	48.45	MV	Qz-Ser intensely altered interval with (Py-Po) as vfg xtals and specks.
		53.04	53.40	Vein	1cm Qz-Chl-Cal-(Ank) vein at 15 TCA. Vein has an up to 5cm Ser-Chl-(Po) halo and Po 2%-Py 1%-(Cpy) in vein.
		58.70	58.95	Vein	15mm Qz-Chl-Cal vein at 15 TCA. Clay-Ser on vein edges with Ser-Qz 5mm halo. (Sph-Py-Po) within vein
		72.80	73.02	MV	Ser 50% intense zone-- possibly as a vein halo as there are 2 Qz-Ank veinlets subparallel to one another at 25 TCA.
		73.90	75.59	MV	Ser 50% intense zone-- possibly as a vein halo as there are multiple Qz-Ank veinlets subparallel to one another at 25 TCA. Also locally Qz-Cal veinlets at 20 TCA.
		76.64	77.15	MV	strong Ser alteration in an angular rubble zone.
		77.37	78.76	MV	interval of coarser grained flow with minimal alteration beyond Qz 7%
		79.30	79.43	Vein	12cm Qz-Chl-Cal-Ser vein at 65 TCA. LCT is brecciated and there are country rock inclusions within vein. Vein has a 15 cm Qz-Ser-(Py) halo.
		80.38	80.77	MV	Ser 50% intense zone-- possibly as a vein halo as there is a Qz-Ank veinlet at 25 TCA.
		82.20	83.00	MV	Py 7%-(Po) locally
		85.76	85.97	Vein	Series of veins to 1cm at 45TCA (S1 50 locally) of Qz-Cal-Chl-Ank. Py 7% as cg xtals to 3mm.
		90.87	91.30	MV	Intensely Qz-Ser-Cal interval with (Py) and a very minor (Asp)
		95.98	96.14	MV	Trio of Qz-Cal veinlets at 65 TCA. 5cm Qz-Ser-Chl halos with specks (Asp-Sph) in halo.
		161.90	171.80	MV	Silicified 25% zone with minor Qz-Cal-Ank-™ veinlets patchy and weak throughout. Extremely minor (Py) as fg specks.
		171.80	173.60	MV	interval of angular rubble
		188.60	189.60	MV	interval with 60% angular rubble-- no fault gouge.
		192.00	192.46	MV	Series of veinlets to 6mm, all less than 15 TCA in various orientations. Veins are all Qz-Cal-Ank with 2mm Qz-Ser halos. No Sx seen.
		195.50	195.98	MV	Series of Qz-Cal veinlets <3mm and all <15 TCA with Ser-Qz halos. (Asp) seen in halo at a junction of 2 veinlets.

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
		206.71	206.78	Vein	6mm Qz-Cal at 45 TCA (S1 subparallel) with a 1mm Ser halo and weak Po in adjacent rock as vfg specks. (Asp) in vein is vfg.
		217.87	217.97	Vein	1cm Qz-Chl-Cal-Ser vein crosscutting foliation (S1) at 45 TCA. Vein contains (Cpy) blebs and has (Po-Py) in halo to 5mm.
		219.60	220.50	MV	Strong angular rubbling followed by a 50cm Ser-Qz-Cal annealed fault zone. (Asp) in annealing as vfg specks.
		232.16	232.26	Vein	Kinked 15mm vein at 25/ 50 depending on side of core observed. Qz-Ser with a 3mm Ser halo and (Py) locally.
		236.60	239.15	MV	Interval starts with 2 Qz-Ak-Ser veinlets <7mm at near CA perpendicular with (Asp) between them. Continues as an intense Qz 60-Ser 30 alteration zone with local intense banding and broadcast alteration locally.
		239.15	240.90	MV	Clastic zone with clasts/ amygdules with Qz-Ank alteration and Py 2% as blebs disseminated throughout.
		241.00	252.50	MV	Chl strong to intense zone with Qz-Chl-Ank-Ser veining (mostly sheared segments). Minor local Py
		241.45	241.52	Vein	Interval with very minor extremely fg (Asp). No Sx at all following downhole.
		248.80	252.40	MV	Multiple Qz-Ser veins- Ser is only in the 2mm halos. Minor Po and (Cpy) in some. Veins to 1cm and at 20-30 TCA.
		258.80	264.00	MV	Zone with many Ak-Qz veins to 3cm-- no Sx seen.
		276.25	276.29	Vein	1cm Qz-Ak vein at 60 TCA with (Cpy) in vein
289.00				EOH	

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
217.00	217.50	0.50	MV	125331	Mafic volcanics shoulder		7		10						0.1			
217.50	218.00	0.50	MV	125332	veined mafics	0.05	10	0.1	20		0.1			0.5	0.5	Qz-Ser		20
218.00	219.50	1.50	MV	125333	Mafic volcanics shoulder		7		20						0.2			
219.50	220.50	1.00	MV	125334	rubble zone with strong Ser		20		15	0.01					0.5			
220.50	221.00	0.50	MV	125335	Mafic volcanics shoulder		7		10						0.1			
236.00	236.60	0.60	MV	125336	Mafic volcanics shoulder		10		15						0.1			
236.60	238.00	1.40	MV	125337	Qz-Ser strongly altered		15		25						1	Qz-Ank		1
238.00	239.15	1.15	MV	125338	Qz-Ser-Ank altered mafics	5	20	1	30						0.2			
239.15	240.00	0.85	MV	125339	clastic mafics		15		15						5			
240.00	241.00	1.00	MV	125340	clastic mafics		10		25						1			
241.00	241.60	0.60	MV	125341	sheared veined mafics	1	12	0.05	25	0.01					0.2	Qz-Ank		3
241.60	242.70	1.10	MV	125342	Mafic volcanics shoulder		7		10						0.05			
242.70	243.20	0.50	MV	125343	(Asp) in mafics	0.1	7	0.05	15	0.05					0.1			
243.20	244.70	1.50	MV	125344	Mafic volcanics shoulder	0.5	7		15						0.05			
244.70	245.20	0.50	MV	125345	veined mafics	2	15	0.1	25					0.5	0.05	Qz-Ank		5
249.00	249.50	0.50	MV	125346	Mafic volcanics shoulder		10		20									
249.50	250.50	1.00	MV	125347	Po-Cpy in mafics	0.1	15	0.05	25		0.1			1	0.1	Qz-Ser		2
250.50	252.00	1.50	MV	125348	Po-Cpy in mafics	0.05	15		20		0.1			0.1	0.5			
252.00	252.50	0.50	MV	125349	Mafic volcanics shoulder	0.05	15		25						0.2	Qz-Ser		1
252.00	252.50	0.50	MV	125350	Dup of 125349	0.05	15		25						0.2	Qz-Ser		1
264.50	265.00	0.50	MV	125351	Mafic volcanics shoulder		10		15						0.2			
265.00	265.50	0.50	MV	125352	Po in mafics		5		10					0.5	0.1			
265.50	266.00	0.50	MV	125353	Mafic volcanics shoulder		10		20						0.1	Qz-Chl		1
275.50	276.00	0.50	MV	125354	Mafic volcanics shoulder		7		10						0.2			
276.00	276.50	0.50	MV	125355	Po in mafics		10		20					0.1	0.2			
276.50	277.00	0.50	MV	125356	Mafic volcanics shoulder		10		20						0.1			
199.70	200.20	0.50	MV	125357	Mafic volcanics shoulder	0.01	7	0.01	20						0.2	Qz-Cal		1
200.20	200.70	0.50	MV	125358	Sph-Asp in mafics		10		15	0.01		0.1		0.05	0.2			
200.70	201.20	0.50	MV	125359	Mafic volcanics shoulder		10		20						0.1			

TARGET: IP anomaly-- chargeability

HOLE NUMBER:	UB17-004	CLAIM NUMBER:	
GRID LOCATION:	line 700	ELEVATION:	
SURVEY LOCATION (UTM):	467842E 5437104N NAD 83	LENGTH:	219.2m
CORE SIZE:	NQ2	FINISH:	
BEARING / DIP	90/-50	DRILL:	
START:	01-Jul-17	LOG COMPLETED:	
DRILLING CONTRACTOR:	Forages Rouillier		
LOGGED BY:	J. Rensby		



SUMMARY

0.00-11.20m: Overburden.

11.20-110.27m: Mafic volcanics, locally intensely fractured to faulted with minor gouge.

110.27-117.40m: Rhyolite dyke.

117.40-219.20m: Mafic volcanics, volcanoclastics, locally pillowed.

219.20m: EOH

DDH #: UB17-004
Logger: J. Rensby

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
0.00	11.20			OB	
11.20	110.07			MV	Dark green, almost iridescent, vfg mafic volcanics. Unit is locally strongly fractured and faulted with minor local fault gouge. Unit is soft enough to be locally heavily drill scarred. Fracturing commonly between CA subparallel and 25 TCA. Chl 30%-Ser 20% strong throughout and locally 1 or the other is intense. Qz 5% weak but pervasive. (Clay) throughout with local fault gouge. Veining is mostly near CA parallel or as fragments due to pervasive shear. Composed of mixes of Qz-Chl-Cal-Ank-Ser with strong Ser halos to cm scale and Py-Cpy-(Po) within veins and halos. Py 2% (Po) varies from nil to very strong locally as xtals, specks, and clusters of vfg xtals to 2mm with a strong vein association. Cpy 0.1% as Py replacement/ pseudomorph within veins and halos. (Sph) as specks and blebs within veins (very small minority) and minor local disseminated.
		18.10	18.25	Vein	1cm thick Qz-Cal-Ank vein fragment at ~10 TCA. (Sph) in vein.
		21.10	22.00	FZ	Fault gouge zone with clay and rubble-- orientation indeterminate.
		30.00	38.00	MV	Through this interval Ser alteration is increased and Chl strength is reduced. (Cpy) seen through this zone.
		30.25	30.55	FZ	Small fault zone with fault gouge at 35 TCA. Cpy in rock just uphole at 30.19.
		31.95	32.33	Vein	Subparallel Qz-Cal veinlets at 35 TCA. Py 3% between these veins with (Sph).
		46.50	52.00	MV	Interval with strong Py 2%-Qz-Tm in rinds of pillows.
		48.70	48.85	Vein	6mm Py-Cal-Qz vein at 40 TCA with strong local Py as blebs.
		49.84	49.96	MV	Pillow rind of Py-Qz-Cal-Tm replacement
		51.70	51.93	MV	Py-Qz-Cal-Tm filled pillow rind.
		62.67	62.96	Vein	Twin Qz-Ank-Chl-Ser 15mm veins at 40 TCA with Ser halos and coarse Py 3% locally.
		82.20	82.21	MV	Spot of Po seen
		85.75	85.97	MV	Qz-Cal-Chl-Ank veining / alteration zone at 45 TCA with coarse and minor fg Py 5% throughout zone and outer edges.
		95.62	95.70	Vein	1mm Qz-Ank vein at 40 TCA with a 3mm Qz-Ser halo. Adjacent fracturing contains Po- (Asp).
		106.96	107.49	MV	Interval of low angle (20-30 TCA) sheared Qz-Ank-Ser-Chl-Cal veining to 1cm which crosscuts pillow rinds. Clusters of fg Py 3%-(Po-Sph) in this zone.
		109.00	110.00	FZ	Weak fault with very minor gouge at 20 TCA. Minor Fuch- fault may be contact related.
110.07	117.40			RDK	Light grey, locally weak brown tinted, fine to coarse grained rhyolite dyke. Dyke has weak chill margins to 5cm and is only weakly fractured. Contacts are at 20 TCA. Weak pervasive Kspar 3% alteration. Minor veining is Qz-Cal-Ank-Py with Py within veins. Py 2% as fg xtals disseminated throughout.
117.40	219.20			MV	Deep green to light grey, fg mafic volcanoclastics with local pillows. Unit contains very minor local faulting but is highly fractured at near CA parallel. Pillows are cm to dm scale with Qz-Cal-Tm+/-Py filled rinds. Qz 25%-Ser 15% are pervasive throughout but locally weak to very strong. Chl 7% is patchy and locally nil to strong. Veining is a mix of Qz-Cal-Ank-Chl-Ser-Tm and mm-cm scale with associated Py in some cases. Often veins are 2-4 constituents eg Qz-Cal-Ank. Py 2% (Po) disseminated patchily throughout as xtals to 2mm and as clusters of vfg xtals, mostly in pillow rinds.
		117.40	124.90	MV	Interval of abundant vein fragments and a 1-3cm Qz-Cal-(Ank) vein with Py 1% as fg xtals. Vein is CA subparallel to 119.5. Minor faulting at 10-15 TCA with (clay) and Chl on most fractures.
		121.52	121.78	FZ	Fault zone with angular rubble and minor fault gouge at 10 TCA.
		138.15	139.10	MV	Interval with intense Ser and abundant Qz-Cal vein fragments with both coarse and fg Py 3%.
		145.00	145.20	MV	Pillow rind with Qz-Cal-Tm-Py 2% and possible (Sph).

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
		145.50	146.50	Vein	Strongly Qz-Cal-Chl-Tm veined interval with minor Py 0.5%. Mostly fragments but also some at 20TCA and up to 2cm.
		150.35	150.39	Vein	2cm Qz-Chl vein at 50 TCA with associated Py.
		151.50	162.00	MV	Pillow rinds are Ser-Ank altered and contain fg-mg Py 3%. Rinds are dm scale and appear as if veins in the core.
		163.20	163.24	Vein	Qz-Chl-Ank-Py vein at 50 TCA with strong Py 5% mineralization.
		163.85	164.00	MV	Intense Qz-Chl-Ank-Py alteration zone.
		165.30		MV	Pillow rind intersection with Qz-Chl-Py-(Cpy)
		165.50		Vein	Qz-Ank-Chl-Py-(Cpy) vein at 40 TCA
		168.00	169.00	MV	Intense Ser alteration zone.
		170.00	171.00	MV	Very strong CHI alteration zone with minor Qz-Ank veinlets.
		171.00	174.50	MV	Pillow rinds are larger through this interval and have Py 5% mineralization. Veining through this zone is Qz-Ank at 55 TCA.
		181.18	181.18	MV	1mm Cpy bleb seen in a Qz fragment
		183.05	183.15	Vein	7mm Qz-Cal vein at 30 TCA with a 3mm Ser-Chl halo meeting a pillow rind of Qz-Tm-Py
		190.94	191.00	Vein	2cm Qz-Ank-Chl-Ser vein at 65 TCA with a 1cm Ser-Chl halo and local Py blebs. Possible Sph bleb but not same colour as previously seen.
		194.60	194.90	MV	Fractured/ broken interval with pink quartz on most fractures.
		202.59	202.72	MV	Pillow rind has been replaced by a Qz-Cal-Chl-Ank vein with very weak Py 0.5% in wall rock
		211.33	212.00	RDK	Light beige with black fractures, fg rhyolite dyke. Pervasively Qz 15% altered with Tm 2% on fractures. No veining. UCT 25, LCT irreg.
		212.00	212.77	Vein	Multiple veins which have replaced pillow rinds. Veins to 5cm are Qz-Chl-Fuch-Ank-Tm with cg Py 3% within and Ser-Qz-Py halos.
219.20				EOH	

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
14.00	15.00	1.00	MV	125360	mafic shoulder	0.1	20	0.05	7						1			
15.00	16.00	1.00	MV	125361	veined mafics	0.5	15	0.05	10						1	Qz-Cal		2
16.00	17.50	1.50	MV	125362	mafic shoulder	0.1	20		5						0.5			
17.50	18.50	1.00	MV	125363	veined mafics	0.2	25		7			0.05			2	Qz-Cal		2
18.50	19.00	0.50	MV	125364	mafic shoulder	0.1	25		5						1			
19.00	20.00	1.00	MV	125365	veined mafics	0.05	20		5						1	Qz-Cal		3
20.00	21.00	1.00	MV	125366	veined mafics	0.1	20		7						2	Qz-Cal		4
21.00	22.20	1.20	MV	125367	fault gouge and (Sph)		25		5			0.01			1			
22.20	23.60	1.40	MV	125368	mafic shoulder	0.1	20		3					0.05	5			
23.60	25.10	1.50	MV	125369	Cpy in mafics	0.05	25		5		0.1				2	Qz-Cal		2
		0.00	Blank	125370	Blank													
25.10	26.60	1.50	MV	125371	Cpy in mafics	0.1	15		3		0.05				2			
26.60	27.10	0.50	MV	125372	mafic shoulder		20		5						0.5	Qz-Cal		2
29.00	30.00	1.00	MV	125373	mafic shoulder		15		5						1	Qz-Cal		2
30.00	30.50	0.50	MV	125374	Cpy in mafics		25		7		0.1				2			
30.50	31.80	1.30	MV	125375	mafic shoulder	0.05	20		5						0.5			
31.80	33.00	1.20	MV	125376	Sph-Cpy in mafics	0.01	20		7		0.1	0.01			3	Qz-Cal		2
33.00	34.00	1.00	MV	125377	mafic shoulder	0.01	20		5		0.01				2			
35.50	36.00	0.50	MV	125378	mafic shoulder		20		5						1			
36.00	37.00	1.00	MV	125379	Cpy in mafics		15		3		0.1				1			
37.00	37.50	0.50	MV	125380	mafic shoulder		20		3						0.1			
42.00	42.50	0.50	MV	125381	mafic shoulder		20		5						1			
42.50	43.00	0.50	MV	125382	(Asp) in mafics		15		7	0.01					1			
43.00	43.50	0.50	MV	125383	mafic shoulder		20		5						0.5			
48.50	49.00	0.50	MV	125384	mafic shoulder	0.05	15		10						5	Py-Cal		3
49.00	50.00	1.00	MV	125385	Py strong zone		10	2	10						7			
50.00	51.50	1.50	MV	125386	Py strong zone		15	3	5						5	Cal-Qz		1
51.50	52.70	1.20	MV	125387	Cpy in mafics	0.05	20	5	5		0.05				5			
52.70	53.20	0.50	MV	125388	mafic shoulder		25	1	10						0.1			
62.00	62.50	0.50	MV	125389	mafic shoulder	0.1	20	2	5						1			
		0.00	STD	125390	STD													
62.50	63.00	0.50	MV	125391	veined mafics	5	20	2	10						2	Qz-Ank		15
63.00	63.80	0.80	MV	125392	mafic shoulder	0.05	15	2	7						3			
81.00	82.00	1.00	MV	125396	mafic shoulder		15	3	5						1			
82.00	82.50	0.50	MV	125397	Py strong zone		15	2	5						4			
82.50	83.50	1.00	MV	125398	mafic shoulder		20	0.05	3						1			
85.00	85.50	0.50	MV	125399	mafic shoulder	0.05	20		5						1			
85.50	86.00	0.50	MV	125400	veined mafics	0.05	20		5						1	Qz-Cal		5
86.00	86.50	0.50	MV	125401	mafic shoulder		15		5						1			
95.10	95.60	0.50	MV	125402	mafic shoulder		15	0.05	5						1			
95.60	96.10	0.50	MV	125403	Po-Asp		20		5	0.01				0.05	1			
96.10	97.00	0.90	MV	125404	mafic shoulder		15		7						2			
106.00	106.90	0.90	MV	125405	mafic shoulder		20		5						1			
106.90	107.50	0.60	MV	125406	sheared mafics with (Sph)		15		7			0.05			2	Qz-Ank		1
107.50	109.00	1.50	MV	125407	mafic shoulder	0.01	20		5						1			
136.60	138.00	1.40	MV	125408	mafic shoulder		25		5						0.5			
138.00	139.20	1.20	MV	125409	Ser intense alteration		30		5						2			
138.00	139.20	1.20	MV	125410	Dup of 125409		30		5						2			
139.20	140.60	1.40	MV	125411	mafic shoulder	0.1	10		7						1	Qz-Cal		2
116.40	117.40	1.00	RDK	125412	rhyolite dyke shoulder		1	2	15						1			
117.40	118.80	1.40	MV	125413	veined mafics	0.2	15		25						1	Qz-Cal		25
118.80	119.50	0.70	MV	125414	veined mafics	0.5	15	0.05	25						2	Qz-Cal		25

DH DEPTH			LITHO		SAMPLE #	DESCRIPTION	HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING		
FROM	TO	WIDTH	ROCK CODE	Ank			Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
119.50	121.00	1.50	MV	125415	mafic shoulder	0.1	7		20					1	Qz-Cal		10	
144.50	145.00	0.50	MV	125416	mafic shoulder		25		5					1				
145.00	145.50	0.50	MV	125417	Possible (Sph)	0.05	15		7		0.05			2				
145.50	146.50	1.00	MV	125418	veined mafics	0.1	10		15				0.5	Qz-Cal		5		
146.50	147.60	1.10	MV	125419	veined mafics	0.05	15		15				0.5	Qz-Cal		15		
147.60	148.40	0.80	MV	125420	mafic shoulder	0.01	15		5				0.5					
155.29	156.57	1.28	MV	125421	mafic shoulder		25	3	7					3				
156.57	157.56	0.99	MV	125422	altered pillows	0.05	25	2	7					2				
157.56	158.04	0.48	MV	125423	altered pillows		20	2	10					2				
158.04	158.74	0.70	MV	125424	altered pillows	0.05	25	5	10					3				
158.74	159.24	0.50	MV	125425	altered pillows		20	2	7					2				
159.24	159.99	0.75	MV	125426	mafic shoulder		15	1	5					1				
167.49	168.00	0.51	MV	125427	mafic shoulder		15		10					1				
171.84	172.29	0.45	MV	125428	mafic shoulder		15		7					1				
172.29	172.82	0.53	MV	125429	veined mafics		15		15					1	Qz-Cal		5	
		0.00	Blank	125430	Blank													
166.42	167.49	1.07	MV	125431	Qz-Fuch alteration	0.01	20	1	25		0.05			2				
172.82	173.31	0.49	MV	125432	mafic shoulder		20		7					1	Qz-Cal		2	
169.18	169.66	0.48	MV	125433	mafic shoulder		15		5					1				
180.00	181.00	1.00	MV	125434	mafic shoulder	0.01	20		7					2				
181.00	182.00	1.00	MV	125435	Cpy in mafics	0.05	20	1	7		0.05			1				
182.00	183.00	1.00	MV	125436	mafic shoulder		20		5					3	Qz-Ank		2	
186.50	187.00	0.50	MV	125437	mafic shoulder		15	2	10					2				
187.00	187.50	0.50	MV	125438	Possible (Sph)		15	1	7					2				
187.50	188.00	0.50	MV	125439	mafic shoulder		20	1	10					2	Qz-Ank		2	
189.40	190.85	1.45	MV	125440	mafic shoulder	1	20	0.05	10					2	Qz-Ank		3	
190.85	191.35	0.50	MV	125441	veined mafics	2	15	1	15					2	Qz-Ank		3	
191.35	192.70	1.35	MV	125442	mafic shoulder	0.05	15		10					2	Qz-Cal		2	
194.00	194.50	0.50	MV	125443	mafic shoulder		15		7					2				
194.50	195.00	0.50	MV	125444	rubble zone with Py		15		5					3				
195.00	195.50	0.50	MV	125445	mafic shoulder		20		7					2				
201.00	202.00	1.00	MV	125446	mafic shoulder	0.05	10		7					1				
202.00	203.00	1.00	MV	125447	veined mafics	2	15		20					2	Qz-Ank		5	
203.00	204.00	1.00	MV	125448	mafic shoulder		10		5					1				
211.33	212.00	0.67	RDK	125449	rhyolite dyke shoulder		2	2	20					0.1				
211.33	212.00	0.67	RDK	125450	Dup of 125449		2	2	20					0.1				
212.00	212.80	0.80	MV	125451	Ank intense	7	5		10		0.05			1				
212.80	213.30	0.50	MV	125452	mafic shoulder	0.05	15	0.05	10					1				
214.00	214.50	0.50	MV	125453	mafic shoulder		15		7					1				
214.50	216.00	1.50	MV	125454	mafic shoulder	0.1	20		10					1				
216.00	217.00	1.00	MV	125455	veined mafics		15		20					2	Qz-Chl		2	
217.00	218.00	1.00	MV	125456	veined mafics	0.1	15		10					1	Qz-Chl		3	
218.00	218.50	0.50	MV	125457		0.05	20		7					1				

TARGET: Stratigraphy/ Sph horizons

HOLE NUMBER: **UB17-005**

GRID LOCATION:

SURVEY LOCATION (UTM): **467792E 5437027N** NAD 83

CORE SIZE: NQ2

BEARING / DIP **150/-55**

START:

DRILLING CONTRACTOR: Forages Rouillier

LOGGED BY: J. Rensby

CLAIM NUMBER:

ELEVATION:

LENGTH: 189m

FINISH:

DRILL:

LOG COMPLETED: 07-Jul-17



SUMMARY

0.00-17.37m: Overburden.

17.37-46.95m: Mafic volcanics.

46.95-49.10m: Rhyolite dyke.

49.10-189.00m: Almost exclusively mafic volcanics with local cm to dm scale pillows and local volcanoclastic to brecciated intervals. Qz and Ser alteration are pervasive and only vary in local intensity while Chl is patchy and locally pervasive. Tm spotty throughout. Patchy localized Ank 1% alteration including annealing fractures. Py can be coarse xtals to 2mm or vfg xtals, sometimes in clusters, varies from nil to 10% locally and is <1% overall. Minor traces locally of Sph, Po, and Cpy; usually vein associated. Most commonly veins are at low angles and near S1 subparallel or x-cutting at 50-70 TCA. Veins are a mix of Qz-Cal-Tm-Ank-Ser with halos of Qz-Ser-Py.

189.00m: EOH

DDH #: UB17-005
 Logger: J. Rensby

MAJOR UNIT		MINOR UNIT		ROCK CODE	DESCRIPTION
FROM (m)	TO (m)	FROM (m)	TO (m)		
0.00	17.37			OB	
17.37	46.95			MV	Medium grey with local weak green tint, vfg mafic volcanics with local pillows, clastic units, and brecciation. Unit is generally competent. Pillows are at cm-dm scale and seen locally with Qz-Tm+/-Py fill. Patchy amygdules to 4mm are Qz-Ank, Qz-Tm, or Qz-Chl filled/ replaced. Qz 15% is pervasive but locally weak to very strong. Ser 10% also pervasive but varying in local strength. Chl 5% is strongly pervasive but patchily so. Veining <1% is Qz-Ank or Qz to 25mm with very minor Ser halos and coarse Py in veins and halos. Py 3% as coarse xtals to 3mm, and as minor specks or blebs disseminated patchily throughout with a strong vein association. (Po-Cpy-Asp-Sph) as local concentrations, all vein associated.
		28.80	28.88	Vein	25mm Qz-Ank-Py vein at 45 TCA crossing foliation. Py is xtals to 2mm.
		37.40	37.60	MV	Strong Py and (Asp-Sph) bleb <1mm seen in this interval.
		46.78	46.82	Vein	3mm Qz-Tm vein at 20 TCA with (Po-Cpy) within vein. Proximal to contact with dyke.
46.95	49.10			RDK	Medium tan to grey, fg to cg rhyolite dyke. Minor pervasive Qz 5% alteration and minor Qz veinlets to 3mm at assorted angles TCA. Py 3% disseminated throughout as fg xtals.
49.10	189.00			MV	Light to medium grey with local dark green tint, vfg mafic volcanics. Unit is local fractured but generally competent. S1 varies from 20 to 40 TCA locally and S2 varies from 10 to 30 TCA in the opposite orientation. Qz 10% is pervasive but locally weak to very strong. Ser 5% is patchy pervasive. Chl 2% patchy but often strong when present. Unit has abundant amygdules to 4mm which are Qz, Qz-Tm, or Qz-Sph filled/ replaced. Veining is <<1% is Qz-Ank or Qz-Cal and often near 45 TCA. Minor Qz-Ser halos to 1mm associated with veins. Py 3% disseminated throughout as vfg specks to xtals to 2mm. (Sph) as amygdule replacement. (Cpy) associated with Py-Sph
		49.85	50.16	RDK	Dyke fragment. Contains no veining and no elevated Py at contacts with volcanics.
		60.13	60.39	MV	Interval with strong Ser-Chl, coarse Py, and (Sph) as replacement in amygdules with Qz-Tm-Py
		61.20	67.00	MV	Interval with strong Ser-Chl, coarse Py, and (Sph) as replacement in amygdules with Qz-Tm-Py but more patchy and only locally are all amygdules altered this way. Can often be a small percent that is Sph altered.
		73.88	73.93	Vein	2cm x 4cm Qz-Chl-Tm eye with ?Sph? And fg Py in clusters in a zone of stretched amygdules.
		84.00	92.00	MV	No sulfides and extremely limited veining through this section.
		99.88	100.44	Vein	46cm Qz-Tm-Ser-Chl-Ank-Cal vein system-- appears as a series of veins or injections with differing alteration in bands. Also appears brecciated. UCT 70 LCT irregular but low TCA. Vein has a 10cm Ser halo on the downhole side and contains Po 1%-Py 1%-(Sph-Cpy-Asp)
		105.90	105.90	MV	(Cpy) as a bleb <2mm
		109.10	109.12	Vein	Qz-Tm-Cal-Ser vein with fingers- widest part is 1cm. General trend of 60TCA. (Py) in vein.
		113.25	113.43	Vein	Qz-Tm-Clay 10cm band with Py
		117.65	118.20	MV	Blebbly Py filling shears with Qz and Cal.
		124.38	124.38	MV	(Cpy) within an irregular Qz-Cal vein meeting a 3mm Qz-Cal vein at 25 TCA. Qz annealed fault downhole.
		117.00	132.80	MV	Locally alteration is intense within this zone and either Qz-Ank or Qz-Ser.
		130.28	130.84	Vein	Series of Qz-Cal-Ank-Tm-(Py) veins/ bands at 20 TCA and all connected.
		132.89	133.61	MV	Qz-Ser-Ank-Py shear fill/ series of bands with Py 10%-(Cpy)
		139.50	182.00	MV	Clastic to brecciated interval with stretched clasts to 7cm x 3cm throughout-- either Qz-Ser or Qz-Tm
		134.80	135.35	Vein	Qz-Cal vein zone with a 1cm and a 5cm both at 25 TCA. Only minor fg (Py) locally.

MAJOR UNIT		MINOR UNIT		ROCK CODE	<u>DESCRIPTION</u>
FROM (m)	TO (m)	FROM (m)	TO (m)		
		154.17	154.80	RDK	Light grey, fg-cg Rhyolite dykelet with Qz 10% alteration and no veining. (Py) weakly disseminated.
		182.00	189.12	RDK	Tan/ light grey, vfg Rhyolite dyke with pervasive Ank 3% spotting. Pervasive Qz 5% and Ser 1%. Unit
189.00				EOH	

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
36.00	37.10	1.10	MV	125458	mafic shoulder		3	0.05	7						0.5			
37.10	37.60	0.50	MV	125459	strong Py- (Asp-Sph)					0.05		0.1			5			
37.60	39.00	1.40	MV	125460	mafic shoulder	0.05	5		7						0.5			
45.95	46.45	0.50	MV	125461	mafic shoulder		10	5	10						0.5			
46.45	46.95	0.50	MV	125462	Po-Cpy in mafics		10	2	15		0.05			0.05	0.5			
46.95	47.45	0.50	RDK	125463	dyke shoulder		2	2	20						2			
59.00	60.00	1.00	MV	125464	mafic shoulder		10		10						0.5			
60.00	61.00	1.00	MV	125465	Sph in mafics	0.01	10	0.1	15			0.05			1			
61.00	62.00	1.00	MV	125466	Sph in mafics		7	1	20		0.01	0.05			2			
62.00	63.00	1.00	MV	125467	Cpy-Sph in mafics	0.05	10	1	15		0.1	0.05			1			
63.00	64.00	1.00	MV	125468	Sph in mafics		7	1	15			0.2			1			
64.00	65.00	1.00	MV	125469	Sph in mafics		7	2	20			0.05			2			
		0.00	Blank	125470	Blank													
65.00	66.00	1.00	MV	125471	Sph in mafics	0.05	10	1	20			0.5			1	Qz		1
66.00	67.00	1.00	MV	125472	Sph in mafics		7	2	20			0.5			1			
67.00	68.00	1.00	MV	125473	mafic shoulder		10		10						0.2			
72.00	73.00	1.00	MV	125474	mafic shoulder		5		10						0.5			
73.00	74.00	1.00	MV	125475	Sph in mafics	0.1	7		15			0.1			1			
74.00	75.00	1.00	MV	125476	mafic shoulder	0.01	5		10						0.5			
99.00	99.88	0.88	MV	125477	mafic shoulder		10		10						0.05			
99.88	100.44	0.56	MV	125478	46cm vein	5	20	20	30	0.01	0.05	0.05		1	1	Qz-Tm		90
100.44	101.50	1.06	MV	125479	mafic shoulder		10	1	15						0.2			
104.00	105.50	1.50	MV	125480	mafic shoulder	0.01	7	0.05	10						0.1			
105.50	106.00	0.50	MV	125481	Cpy in mafics	0.05	7	0.05	10		0.05				1			
106.00	107.00	1.00	MV	125482	mafic shoulder	0.2	7	0.5	15						0.2	Qz-Cal		2
108.50	109.00	0.50	MV	125483	mafic shoulder	0.1	5	0.1	10						0.5	Qz-Cal		3
109.00	109.50	0.50	MV	125484	veined mafics	0.5	7	1	15						2	Qz-Cal		10
109.50	110.50	1.00	MV	125485	mafic shoulder	0.2	3	0.5	10						0.2	Qz-Cal		2
117.00	117.50	0.50	MV	125486	mafic shoulder	5	2		5						0.5			
117.50	118.50	1.00	MV	125487	sheared mafics- Py fill	5	1	0.1	7						7			
118.50	119.00	0.50	MV	125488	mafic shoulder	5	1	1	7						1			
123.00	124.00	1.00	MV	125489	mafic shoulder	5	1	0.05	7						0.5			
123.00	124.00	1.00	MV	125490	Dup of 125489	5	1	0.05	7						0.5			
124.00	125.00	1.00	MV	125491	Cpy in veinlet	3	1	0.5	10		0.01				0.2	Qz-Cal		1
125.00	126.00	1.00	MV	125492	mafic shoulder	3	2	0.1	10						1	Qz-Ank		2
129.50	130.00	0.50	MV	125493	mafic shoulder	3	1	0.1	10						0.2	Qz-Cal		3
130.00	131.00	1.00	MV	125494	veined mafics	5	1	2	15						0.5	Qz-Cal		5
131.00	132.00	1.00	MV	125495	mafic shoulder	3	1	3	7						0.5			
132.00	132.89	0.89	MV	125496	mafic shoulder	2	2	2	7						0.5			
132.89	133.60	0.71	MV	125497	veined mafics	0.5	10	2	15						1	Qz-Ser		15
133.60	135.00	1.40	MV	125498	mafic shoulder	0.5	5	1	7						0.2			
135.00	135.50	0.50	MV	125499	veined mafics	0.05	3	0.1	10						0.1	Qz-Cal		12
135.50	136.00	0.50	MV	125500	mafic shoulder	0.2	3	0.05	7						0.1			
137.50	138.00	0.50	MV	23101	mafic shoulder	0.05	2		10						0.2	Qz-Cal		2
138.00	138.50	0.50	MV	23102	veined mafics		3	0.05	10						0.5	Qz-Cal		4
138.50	139.00	0.50	MV	23103	mafic shoulder		2		5						0.2			
155.00	156.00	1.00	MV	23104	clastic mafics shoulder	0.3	5		7						0.5			
156.00	157.00	1.00	MV	23105	Po in clastic mafics	0.1	7	0.1	7					0.05	0.5			
157.00	158.00	1.00	MV	23106	clastic mafics shoulder	0.05	7	0.1	10						0.2			
158.00	159.00	1.00	MV	23107	Po-(Sph) in clastic mafics		7	0.5	7			0.05		0.1	0.5	Qz-Tm		2
159.00	160.00	1.00	MV	23108	clastic mafics shoulder		7	0.1	7						0.2			
160.00	161.00	1.00	MV	23109	Po in clastic mafics		7	0.1	20					0.1	0.2			

DH DEPTH			LITHO			HYDROTHERMAL MINERALS (%)				SULPHIDES/OXIDE (%)					VEINING			
FROM	TO	WIDTH	ROCK CODE	SAMPLE #	DESCRIPTION	Ank	Ser	Tm	Sil	As	Cpy	Sph	Mt	Po	Py	Min.	Count	%
		0.00	Blank	23110	Blank													
161.00	162.00	1.00	MV	23111	clastic mafics shoulder	0.1	10	0.2	15						0.2			
162.00	163.00	1.00	MV	23112	clastic mafics shoulder		10	0.1	15						0.2			
163.00	164.00	1.00	MV	23113	(Po) in clastic mafics		7	0.2	15					0.05	0.1			
164.00	165.00	1.00	MV	23114	clastic mafics shoulder	0.01	7	0.2	15						0.5			
165.00	166.00	1.00	MV	23115	Po-(Sph-Cpy) in clastic mafics	0.05	7	0.1	15		0.05	0.05		0.2	1			
166.00	167.00	1.00	MV	23116	clastic mafics shoulder		7	0.2	15						0.5			
167.00	168.00	1.00	MV	23117	(Po-Sph) in clastic mafics		7	0.2	15			0.05		0.05	0.5			
168.00	169.00	1.00	MV	23118	clastic mafics		7	1	10						0.1			
169.00	170.00	1.00	MV	23119	clastic mafics		7	1	10						0.1			
170.00	171.00	1.00	MV	23120	clastic mafics		7	1	10						0.1			
171.00	172.00	1.00	MV	23121	clastic mafics		7	1	10						0.1			
172.00	173.00	1.00	MV	23122	clastic mafics		7	1	10						0.1			
173.00	174.00	1.00	MV	23123	clastic mafics		7	1	10						0.1			
174.00	175.00	1.00	MV	23124	clastic mafics		7	1	10						0.1			
175.00	176.00	1.00	MV	23125	(Sph) in clastic mafics		7	1	10						0.1			
176.00	177.00	1.00	MV	23126	completely bleached 15cm clast		10	1	7						0.1			
177.00	178.00	1.00	MV	23127	clastic mafics		7	1	10						0.1			
178.00	179.00	1.00	MV	23128	(Po-Cpy) in clastic mafics		7	1	10						0.1			
179.00	180.00	1.00	MV	23129	clastic mafics		7	1	10						0.1			
179.00	180.00	1.00	MV	23130	Dup of 23129		7	1	10						0.1			
180.00	181.00	1.00	MV	23131	clastic mafics		7	2	15						0.1			
181.00	182.00	1.00	MV	23132	clastic mafics		7	2	15						0.1	Qz-Cal		3
182.00	182.50	0.50	RDK	23133	rhylite dyke shoulder	3	1	0.5	15						0.05			

Hole ID	Depth	Dip	Azimuth	Actual Azimuth	Mag Field
UB17-001	36	-53.2	111.4	96.67	55459
UB17-001	85	-50.9	109.3	94.57	55612
UB17-001	136	-49.8	107.3	92.57	55535
UB17-001	187	-48.5	106.9	92.17	55330
UB17-001	217	-48.3	106.2	91.47	55456
UB17-001	268	-47.5	105.5	90.77	55398
UB17-001	298	-46.9	104.2	89.47	55237
UB17-002	45	-48.8	100.2	85.47	55563
UB17-002	103	-47.2	99.4	84.67	55379
UB17-002	154	-46.8	98.6	83.87	55379
UB17-002	205	-46.4	100.1	85.37	55625
UB17-002	256	-46.1	98.5	83.77	55309
UB17-002	307	-45.1	97.1	82.37	55423
UB17-002	358	-44.2	94	79.27	55563
UB17-003	37	-61.1	104.6	89.87	55617
UB17-003	88	-59	100.6	85.87	55690
UB17-003	139	-58.4	98.3	83.57	55489
UB17-003	190	-57.8	96.5	81.77	55443
UB17-003	241	-57.2	94.8	80.07	55453
UB17-004	31	-47.9	120.9	106.17	55514
UB17-004	82	-47	120.8	106.07	55621
UB17-004	133	-46.2	120.7	105.97	55415
UB17-004	183	-45.8	120.3	105.57	55337
UB17-005	55	-49.3	165.1	150.37	55461
UB17-005	85	-51.7	165.4	150.67	55406
UB17-005	136	-50.1	165.6	150.87	55436